



INSTRUCTIONS FOR FINDING YOUR SETTING

TOURING MODELS

New Fuelpak settings are continually being developed, if you do not find your application please visit fuelpakfi.com to search for your specific application information. If you need further help you may email: tech@fuelpakfi.com or call (562) 921-0071.

1

Locate the appropriate section for your configuration.

- Stock Engine With Vance & Hines Exhaust
- Stock Engine With Other Manufacturer Exhaust

For modified motor applications please visit www.fuelpakfi.com

2

Now locate your specific configuration from the choices listed. (Note: you must know the ECU LEVEL of your bike as each setting is directly related to this information. If you have purchased a used bike or do not know if the ECU has been modified, visit your local Harley-Davidson dealership to have your ECU analyzed. Your bike will not run properly if you do not install the proper Fuelpak Setting for your application.)

3

Fuelpak is designed to work in conjunction with a High Performance Air Filter. (Note: Fuelpak does not provide settings for applications that do not have a High Performance Air Filter installed.)

4

Once you have located your setting, match the SETTING NUMBER for your application to the same number on the SETTING VALUES pages. Please see example on right.

5

Now that you have found your setting, you are ready to install Fuelpak. See INSTALLATION INSTRUCTIONS to install the Fuelpak module on your bike.

6

Please follow the instructions carefully and be sure to calibrate your Fuelpak in MODE 19. See INSTALLATION INSTRUCTIONS for more information on calibrating your Fuelpak.

EXAMPLE:

Here's an example of how to look up your application:

IF YOU HAVE:

- 2006 Harley-Davidson® Touring Model
- Stock 88 cu. in. Motor
- Stock ECU Level
- Quiet Baffles
- High Performance Air Filter
- Vance & Hines Big Shot Duals exhaust

YOUR VALUE REFERENCE IS: FP-0141.



NOTICE: Fuelpak is intended for racing or off-highway use only, and is not legal for sale or use in California on pollution-controlled vehicles.



STOCK ENGINE TOURING MODEL WITH VANCE & HINES EXHAUST

SETTING REFERENCE

*Please note: If your Electronic Control Unit (ECU) has not been modified by the dealer, then choose STOCK for your ECU LEVEL.

BIKE MODEL	PIPE MODEL	PIPE P/N	BIKE YEAR	ENGINE SIZE	ECU LEVEL*	BAFFLE TYPE	HIGH-PERF AIR FILTER	SETTING NUMBER
POLICE ELECTRA GLIDE	BASIC SLIP-ONS	16751	2007	103	STOCK	STANDARD	HIGH FLOW	FP-2676
POLICE ELECTRA GLIDE	BASIC W/DUALS	16751/16737	2007	103	STOCK	STANDARD	HIGH FLOW	FP-2667
POLICE ELECTRA GLIDE	BIG RADIUS	26039	2007	103	STOCK	STANDARD	HIGH FLOW	FP-2662
POLICE ELECTRA GLIDE	BIG SHOT DUALS	17925	2007	103	STOCK	NO BAFFLE	HIGH FLOW	FP-2671
POLICE ELECTRA GLIDE	BIG SHOT DUALS	17925	2007	103	STOCK	QUIET	HIGH FLOW	FP-2670
POLICE ELECTRA GLIDE	BIG SHOT DUALS	17925	2007	103	STOCK	STANDARD	HIGH FLOW	FP-2669
POLICE ELECTRA GLIDE	FISHTAIL SLIP-ONS	16731	2007	103	STOCK	NO BAFFLE	HIGH FLOW	FP-2680
POLICE ELECTRA GLIDE	FISHTAIL SLIP-ONS	16731	2007	103	STOCK	QUIET	HIGH FLOW	FP-2679
POLICE ELECTRA GLIDE	FISHTAIL SLIP-ONS	16731	2007	103	STOCK	STANDARD	HIGH FLOW	FP-2678
POLICE ELECTRA GLIDE	FISHTAIL SLIP-ONS W/DUALS	16731/16737	2007	103	STOCK	NO BAFFLE	HIGH FLOW	FP-2671
POLICE ELECTRA GLIDE	FISHTAIL SLIP-ONS W/DUALS	16731/16737	2007	103	STOCK	QUIET	HIGH FLOW	FP-2670
POLICE ELECTRA GLIDE	FISHTAIL SLIP-ONS W/DUALS	16737/16737	2007	103	STOCK	STANDARD	HIGH FLOW	FP-2669
POLICE ELECTRA GLIDE	MONSTER OVAL SLIP-ONS	16755	2007	103	STOCK	STANDARD	HIGH FLOW	FP-2675
POLICE ELECTRA GLIDE	MONSTER OVAL SLIP-ONS W/DUALS	16755/16737	2007	103	STOCK	STANDARD	HIGH FLOW	FP-2666
POLICE ELECTRA GLIDE	OVAL SLIP-ONS	16757	2007	103	STOCK	STANDARD	HIGH FLOW	FP-2677
POLICE ELECTRA GLIDE	OVAL W/DUALS	16727/16737	2007	103	STOCK	STANDARD	HIGH FLOW	FP-2668
POLICE ELECTRA GLIDE	PRO PIPE BP	17543	2007	103	STOCK	STANDARD	HIGH FLOW	FP-2663
POLICE ELECTRA GLIDE	RSD TRACKER SLIP-ONS	11741	2007	103	STOCK	STANDARD	HIGH FLOW	FP-2678
POLICE ELECTRA GLIDE	RSD TRACKER SLIP-ONS W/DUALS	11741/16737	2007	103	STOCK	STANDARD	HIGH FLOW	FP-2669
POLICE ELECTRA GLIDE	TAPERED SLASH-CUT SLIP-ONS	16741	2007	103	STOCK	STANDARD	HIGH FLOW	FP-2678
POLICE ELECTRA GLIDE	TAPERED SLASH-CUT SLIP-ONS W/DUALS	16741/16737	2007	103	STOCK	STANDARD	HIGH FLOW	FP-2669
POLICE ROAD KING	BASIC SLIP-ONS	16751	2007	103	STOCK	STANDARD	HIGH FLOW	FP-2676
POLICE ROAD KING	BASIC W/DUALS	16751/16737	2007	103	STOCK	STANDARD	HIGH FLOW	FP-2667
POLICE ROAD KING	BIG RADIUS	26039	2007	103	STOCK	STANDARD	HIGH FLOW	FP-2662
POLICE ROAD KING	BIG SHOT DUALS	17925	2007	103	STOCK	NO BAFFLE	HIGH FLOW	FP-2671
POLICE ROAD KING	BIG SHOT DUALS	17925	2007	103	STOCK	QUIET	HIGH FLOW	FP-2670
POLICE ROAD KING	BIG SHOT DUALS	17925	2007	103	STOCK	STANDARD	HIGH FLOW	FP-2669
POLICE ROAD KING	FISHTAIL SLIP-ONS	16731	2007	103	STOCK	NO BAFFLE	HIGH FLOW	FP-2680
POLICE ROAD KING	FISHTAIL SLIP-ONS	16731	2007	103	STOCK	QUIET	HIGH FLOW	FP-2679
POLICE ROAD KING	FISHTAIL SLIP-ONS	16731	2007	103	STOCK	STANDARD	HIGH FLOW	FP-2678
POLICE ROAD KING	FISHTAIL SLIP-ONS W/DUALS	16731/16737	2007	103	STOCK	NO BAFFLE	HIGH FLOW	FP-2671
POLICE ROAD KING	FISHTAIL SLIP-ONS W/DUALS	16731/16737	2007	103	STOCK	QUIET	HIGH FLOW	FP-2670



STOCK ENGINE TOURING MODEL WITH VANCE & HINES EXHAUST

SETTING REFERENCE

*Please note: If your Electronic Control Unit (ECU) has not been modified by the dealer, then choose STOCK for your ECU LEVEL.

BIKE MODEL	PIPE MODEL	PIPE P/N	BIKE YEAR	ENGINE SIZE	ECU LEVEL*	BAFFLE TYPE	HIGH-PERF AIR FILTER	SETTING NUMBER
POLICE ROAD KING	FISHTAIL SLIP-ONS W/DUALS	16731/16737	2007	103	STOCK	STANDARD	HIGH FLOW	FP-2669
POLICE ROAD KING	MONSTER OVAL SLIP-ONS	16755	2007	103	STOCK	STANDARD	HIGH FLOW	FP-2675
POLICE ROAD KING	MONSTER OVAL SLIP-ONS W/DUALS	16755/16737	2007	103	STOCK	STANDARD	HIGH FLOW	FP-2666
POLICE ROAD KING	OVAL SLIP-ONS	16757	2007	103	STOCK	STANDARD	HIGH FLOW	FP-2677
POLICE ROAD KING	OVAL W/DUALS	16727/16737	2007	103	STOCK	STANDARD	HIGH FLOW	FP-2668
POLICE ROAD KING	PRO PIPE BP	17543	2007	103	STOCK	STANDARD	HIGH FLOW	FP-2663
POLICE ROAD KING	RSD TRACKER SLIP-ONS	11741	2007	103	STOCK	STANDARD	HIGH FLOW	FP-2678
POLICE ROAD KING	RSD TRACKER SLIP-ONS W/DUALS	11741/16737	2007	103	STOCK	STANDARD	HIGH FLOW	FP-2669
POLICE ROAD KING	TAPERED SLASH-CUT SLIP-ONS	16741	2007	103	STOCK	STANDARD	HIGH FLOW	FP-2678
POLICE ROAD KING	TAPERED SLASH-CUT SLIP-ONS W/DUALS	16741/16737	2007	103	STOCK	STANDARD	HIGH FLOW	FP-2669
TOURING	BASIC SLIP-ONS	16725	2002	88	STAGE1	STANDARD	HIGH FLOW	FP-0090
TOURING	BASIC SLIP-ONS	16725	2002	88	STOCK	STANDARD	HIGH FLOW	FP-0087
TOURING	BASIC SLIP-ONS	16725	2003	88	STAGE1	STANDARD	HIGH FLOW	FP-0090
TOURING	BASIC SLIP-ONS	16725	2003	88	STOCK	STANDARD	HIGH FLOW	FP-0087
TOURING	BASIC SLIP-ONS	16725	2004	88	STAGE1	STANDARD	HIGH FLOW	FP-0075
TOURING	BASIC SLIP-ONS	16725	2004	88	STOCK	STANDARD	HIGH FLOW	FP-0074
TOURING	BASIC SLIP-ONS	16725	2005	88	STAGE1	STANDARD	HIGH FLOW	FP-0075
TOURING	BASIC SLIP-ONS	16725	2005	88	STOCK	STANDARD	HIGH FLOW	FP-0074
TOURING	BASIC SLIP-ONS	16725	2006	88	STAGE1	STANDARD	HIGH FLOW	FP-0427
TOURING	BASIC SLIP-ONS	16725	2006	88	STOCK	STANDARD	HIGH FLOW	FP-0133
TOURING	BASIC SLIP-ONS	16725	2007	96	STAGE1 STREET	STANDARD	HIGH FLOW	FP-0674
TOURING	BASIC SLIP-ONS	16725	2007	96	STOCK	STANDARD	HIGH FLOW	FP-0520
TOURING	BASIC W/DUALS	16725/16729	2002	88	STAGE1	STANDARD	HIGH FLOW	FP-0101
TOURING	BASIC W/DUALS	16725/16729	2002	88	STOCK	STANDARD	HIGH FLOW	FP-0083
TOURING	BASIC W/DUALS	16725/16729	2003	88	STAGE1	STANDARD	HIGH FLOW	FP-0101
TOURING	BASIC W/DUALS	16725/16729	2003	88	STOCK	STANDARD	HIGH FLOW	FP-0083
TOURING	BASIC W/DUALS	16725/16729	2004	88	STAGE1	STANDARD	HIGH FLOW	FP-0071
TOURING	BASIC W/DUALS	16725/16729	2004	88	STOCK	STANDARD	HIGH FLOW	FP-0068
TOURING	BASIC W/DUALS	16725/16729	2005	88	STAGE1	STANDARD	HIGH FLOW	FP-0071
TOURING	BASIC W/DUALS	16725/16729	2005	88	STOCK	STANDARD	HIGH FLOW	FP-0068
TOURING	BASIC W/DUALS	16725/16729	2006	88	STAGE1 RACE	STANDARD	HIGH FLOW	FP-0438
TOURING	BASIC W/DUALS	16725/16729	2006	88	STOCK	STANDARD	HIGH FLOW	FP-0146



STOCK ENGINE TOURING MODEL WITH VANCE & HINES EXHAUST

SETTING REFERENCE

*Please note: If your Electronic Control Unit (ECU) has not been modified by the dealer, then choose STOCK for your ECU LEVEL.

BIKE MODEL	PIPE MODEL	PIPE P/N	BIKE YEAR	ENGINE SIZE	ECU LEVEL*	BAFFLE TYPE	HIGH-PERF AIR FILTER	SETTING NUMBER
TOURING	BASIC W/DUALS	16725/16737	2007	96	STAGE1 STREET	STANDARD	HIGH FLOW	FP-0726
TOURING	BASIC W/DUALS	16725/16737	2007	96	STOCK	STANDARD	HIGH FLOW	FP-0538
TOURING	BIG RADIUS	26039	2004	88	STAGE1	STANDARD	HIGH FLOW	FP-1650
TOURING	BIG RADIUS	26039	2004	88	STOCK	STANDARD	HIGH FLOW	FP-1651
TOURING	BIG RADIUS	26039	2005	88	STAGE1	STANDARD	HIGH FLOW	FP-1650
TOURING	BIG RADIUS	26039	2005	88	STOCK	STANDARD	HIGH FLOW	FP-1651
TOURING	BIG RADIUS	26039	2007	96	STAGE1 1584 LEGAL	STANDARD	HIGH FLOW	FP-1653
TOURING	BIG RADIUS	26039	2007	96	STOCK	STANDARD	HIGH FLOW	FP-1652
TOURING	BIG SHOT DUALS	17917	2002	88	STAGE1	QUIET	HIGH FLOW	FP-0110
TOURING	BIG SHOT DUALS	17917	2002	88	STAGE1	STANDARD	HIGH FLOW	FP-0103
TOURING	BIG SHOT DUALS	17917	2002	88	STOCK	QUIET	HIGH FLOW	FP-0109
TOURING	BIG SHOT DUALS	17917	2002	88	STOCK	STANDARD	HIGH FLOW	FP-0104
TOURING	BIG SHOT DUALS	17917	2003	88	STAGE1	QUIET	HIGH FLOW	FP-0110
TOURING	BIG SHOT DUALS	17917	2003	88	STAGE1	STANDARD	HIGH FLOW	FP-0103
TOURING	BIG SHOT DUALS	17917	2003	88	STOCK	QUIET	HIGH FLOW	FP-0109
TOURING	BIG SHOT DUALS	17917	2003	88	STOCK	STANDARD	HIGH FLOW	FP-0104
TOURING	BIG SHOT DUALS	17917	2004	88	STAGE1	QUIET	HIGH FLOW	FP-0107
TOURING	BIG SHOT DUALS	17917	2004	88	STAGE1	STANDARD	HIGH FLOW	FP-0106
TOURING	BIG SHOT DUALS	17917	2004	88	STOCK	QUIET	HIGH FLOW	FP-0108
TOURING	BIG SHOT DUALS	17917	2004	88	STOCK	STANDARD	HIGH FLOW	FP-0105
TOURING	BIG SHOT DUALS	17917	2005	88	STAGE1	QUIET	HIGH FLOW	FP-0107
TOURING	BIG SHOT DUALS	17917	2005	88	STAGE1	STANDARD	HIGH FLOW	FP-0106
TOURING	BIG SHOT DUALS	17917	2005	88	STOCK	QUIET	HIGH FLOW	FP-0108
TOURING	BIG SHOT DUALS	17917	2005	88	STOCK	STANDARD	HIGH FLOW	FP-0105
TOURING	BIG SHOT DUALS	17917	2006	88	STAGE1 RACE	QUIET	HIGH FLOW	FP-0444
TOURING	BIG SHOT DUALS	17917	2006	88	STAGE1 RACE	STANDARD	HIGH FLOW	FP-0443
TOURING	BIG SHOT DUALS	17917	2006	88	STOCK	QUIET	HIGH FLOW	FP-0141
TOURING	BIG SHOT DUALS	17917	2006	88	STOCK	STANDARD	HIGH FLOW	FP-0140
TOURING	BIG SHOT DUALS	17925	2007	96	STAGE1 STREET	QUIET	HIGH FLOW	FP-0900
TOURING	BIG SHOT DUALS	17925	2007	96	STAGE1 STREET	STANDARD	HIGH FLOW	FP-0901
TOURING	BIG SHOT DUALS	17925	2007	96	STOCK	QUIET	HIGH FLOW	FP-0559
TOURING	BIG SHOT DUALS	17925	2007	96	STOCK	STANDARD	HIGH FLOW	FP-0560



STOCK ENGINE TOURING MODEL WITH VANCE & HINES EXHAUST

SETTING REFERENCE

*Please note: If your Electronic Control Unit (ECU) has not been modified by the dealer, then choose STOCK for your ECU LEVEL.

BIKE MODEL	PIPE MODEL	PIPE P/N	BIKE YEAR	ENGINE SIZE	ECU LEVEL*	BAFFLE TYPE	HIGH-PERF AIR FILTER	SETTING NUMBER
TOURING	BIG SHOTS LONG	17915	2002	88	STAGE1	QUIET	HIGH FLOW	FP-0096
TOURING	BIG SHOTS LONG	17915	2002	88	STAGE1	STANDARD	HIGH FLOW	FP-0095
TOURING	BIG SHOTS LONG	17915	2002	88	STOCK	QUIET	HIGH FLOW	FP-0097
TOURING	BIG SHOTS LONG	17915	2002	88	STOCK	STANDARD	HIGH FLOW	FP-0094
TOURING	BIG SHOTS LONG	17915	2003	88	STAGE1	QUIET	HIGH FLOW	FP-0096
TOURING	BIG SHOTS LONG	17915	2003	88	STAGE1	STANDARD	HIGH FLOW	FP-0095
TOURING	BIG SHOTS LONG	17915	2003	88	STOCK	QUIET	HIGH FLOW	FP-0097
TOURING	BIG SHOTS LONG	17915	2003	88	STOCK	STANDARD	HIGH FLOW	FP-0094
TOURING	BIG SHOTS LONG	17915	2004	88	STAGE1	QUIET	HIGH FLOW	FP-0099
TOURING	BIG SHOTS LONG	17915	2004	88	STAGE1	STANDARD	HIGH FLOW	FP-0093
TOURING	BIG SHOTS LONG	17915	2004	88	STOCK	QUIET	HIGH FLOW	FP-0098
TOURING	BIG SHOTS LONG	17915	2004	88	STOCK	STANDARD	HIGH FLOW	FP-0092
TOURING	BIG SHOTS LONG	17915	2005	88	STAGE1	QUIET	HIGH FLOW	FP-0099
TOURING	BIG SHOTS LONG	17915	2005	88	STAGE1	STANDARD	HIGH FLOW	FP-0093
TOURING	BIG SHOTS LONG	17915	2005	88	STOCK	QUIET	HIGH FLOW	FP-0098
TOURING	BIG SHOTS LONG	17915	2005	88	STOCK	STANDARD	HIGH FLOW	FP-0092
TOURING	BIG SHOTS LONG	17915	2006	88	STAGE1 RACE	QUIET	HIGH FLOW	FP-0453
TOURING	BIG SHOTS LONG	17915	2006	88	STAGE1 RACE	STANDARD	HIGH FLOW	FP-0454
TOURING	BIG SHOTS LONG	17915	2006	88	STOCK	QUIET	HIGH FLOW	FP-0138
TOURING	BIG SHOTS LONG	17915	2006	88	STOCK	STANDARD	HIGH FLOW	FP-0139
TOURING	COMPETITION SERIES SLIP-ONS	75-104-10	2007	96	STAGE1 1584 LEGAL	NO BAFFLE	HIGH FLOW	FP-2200
TOURING	COMPETITION SERIES SLIP-ONS	75-104-10	2007	96	STAGE1 1584 LEGAL	STANDARD	HIGH FLOW	FP-2197
TOURING	COMPETITION SERIES SLIP-ONS	75-104-10	2007	96	STOCK	NO BAFFLE	HIGH FLOW	FP-2199
TOURING	COMPETITION SERIES SLIP-ONS	75-104-10	2007	96	STOCK	STANDARD	HIGH FLOW	FP-2198
TOURING	COMPETITION SERIES SLIP-ONS W/DUALS	75-104-10/16729	2004	88	STAGE1	NO BAFFLE	HIGH FLOW	FP-2179
TOURING	COMPETITION SERIES SLIP-ONS W/DUALS	75-104-10/16729	2004	88	STAGE1	STANDARD	HIGH FLOW	FP-2180
TOURING	COMPETITION SERIES SLIP-ONS W/DUALS	75-104-10/16729	2004	88	STOCK	NO BAFFLE	HIGH FLOW	FP-2179
TOURING	COMPETITION SERIES SLIP-ONS W/DUALS	75-104-10/16729	2004	88	STOCK	STANDARD	HIGH FLOW	FP-2180
TOURING	COMPETITION SERIES SLIP-ONS W/DUALS	75-104-10/16729	2005	88	STAGE1	NO BAFFLE	HIGH FLOW	FP-2179
TOURING	COMPETITION SERIES SLIP-ONS W/DUALS	75-104-10/16729	2005	88	STAGE1	STANDARD	HIGH FLOW	FP-2180
TOURING	COMPETITION SERIES SLIP-ONS W/DUALS	75-104-10/16729	2005	88	STOCK	NO BAFFLE	HIGH FLOW	FP-2179
TOURING	COMPETITION SERIES SLIP-ONS W/DUALS	75-104-10/16729	2005	88	STOCK	STANDARD	HIGH FLOW	FP-2180



STOCK ENGINE TOURING MODEL WITH VANCE & HINES EXHAUST

SETTING REFERENCE

*Please note: If your Electronic Control Unit (ECU) has not been modified by the dealer, then choose STOCK for your ECU LEVEL.

BIKE MODEL	PIPE MODEL	PIPE P/N	BIKE YEAR	ENGINE SIZE	ECU LEVEL*	BAFFLE TYPE	HIGH-PERF AIR FILTER	SETTING NUMBER
TOURING	COMPETITION SERIES SLIP-ONS W/DUALS	75-104-10/16737	2007	96	STAGE1 1584 LEGAL	NO BAFFLE	HIGH FLOW	FP-2201
TOURING	COMPETITION SERIES SLIP-ONS W/DUALS	75-104-10/16737	2007	96	STAGE1 1584 LEGAL	STANDARD	HIGH FLOW	FP-2204
TOURING	COMPETITION SERIES SLIP-ONS W/DUALS	75-104-10/16737	2007	96	STOCK	NO BAFFLE	HIGH FLOW	FP-2202
TOURING	COMPETITION SERIES SLIP-ONS W/DUALS	75-104-10/16737	2007	96	STOCK	STANDARD	HIGH FLOW	FP-2203
TOURING	FISHTAIL SLIP-ONS	16731	2002	88	STAGE1	QUIET	HIGH FLOW	FP-0158
TOURING	FISHTAIL SLIP-ONS	16731	2002	88	STAGE1	STANDARD	HIGH FLOW	FP-0155
TOURING	FISHTAIL SLIP-ONS	16731	2002	88	STOCK	QUIET	HIGH FLOW	FP-0157
TOURING	FISHTAIL SLIP-ONS	16731	2002	88	STOCK	STANDARD	HIGH FLOW	FP-0156
TOURING	FISHTAIL SLIP-ONS	16731	2003	88	STAGE1	QUIET	HIGH FLOW	FP-0158
TOURING	FISHTAIL SLIP-ONS	16731	2003	88	STAGE1	STANDARD	HIGH FLOW	FP-0155
TOURING	FISHTAIL SLIP-ONS	16731	2003	88	STOCK	QUIET	HIGH FLOW	FP-0157
TOURING	FISHTAIL SLIP-ONS	16731	2003	88	STOCK	STANDARD	HIGH FLOW	FP-0156
TOURING	FISHTAIL SLIP-ONS	16731	2004	88	STAGE1	NO BAFFLE	HIGH FLOW	FP-1431
TOURING	FISHTAIL SLIP-ONS	16731	2004	88	STAGE1	QUIET	HIGH FLOW	FP-0150
TOURING	FISHTAIL SLIP-ONS	16731	2004	88	STAGE1	STANDARD	HIGH FLOW	FP-0149
TOURING	FISHTAIL SLIP-ONS	16731	2004	88	STOCK	NO BAFFLE	HIGH FLOW	FP-1432
TOURING	FISHTAIL SLIP-ONS	16731	2004	88	STOCK	QUIET	HIGH FLOW	FP-0147
TOURING	FISHTAIL SLIP-ONS	16731	2004	88	STOCK	STANDARD	HIGH FLOW	FP-0148
TOURING	FISHTAIL SLIP-ONS	16731	2005	88	STAGE1	NO BAFFLE	HIGH FLOW	FP-1431
TOURING	FISHTAIL SLIP-ONS	16731	2005	88	STAGE1	QUIET	HIGH FLOW	FP-0150
TOURING	FISHTAIL SLIP-ONS	16731	2005	88	STAGE1	STANDARD	HIGH FLOW	FP-0149
TOURING	FISHTAIL SLIP-ONS	16731	2005	88	STOCK	NO BAFFLE	HIGH FLOW	FP-1432
TOURING	FISHTAIL SLIP-ONS	16731	2005	88	STOCK	QUIET	HIGH FLOW	FP-0147
TOURING	FISHTAIL SLIP-ONS	16731	2005	88	STOCK	STANDARD	HIGH FLOW	FP-0148
TOURING	FISHTAIL SLIP-ONS	16731	2006	88	STAGE1 RACE	QUIET	HIGH FLOW	FP-0447
TOURING	FISHTAIL SLIP-ONS	16731	2006	88	STAGE1 RACE	STANDARD	HIGH FLOW	FP-0448
TOURING	FISHTAIL SLIP-ONS	16731	2006	88	STOCK	QUIET	HIGH FLOW	FP-0136
TOURING	FISHTAIL SLIP-ONS	16731	2006	88	STOCK	STANDARD	HIGH FLOW	FP-0135
TOURING	FISHTAIL SLIP-ONS	16731	2007	96	STAGE1 1584 LEGAL	NO BAFFLE	HIGH FLOW	FP-1562
TOURING	FISHTAIL SLIP-ONS	16731	2007	96	STAGE1 STREET	QUIET	HIGH FLOW	FP-0899
TOURING	FISHTAIL SLIP-ONS	16731	2007	96	STAGE1 STREET	STANDARD	HIGH FLOW	FP-0898
TOURING	FISHTAIL SLIP-ONS	16731	2007	96	STOCK	NO BAFFLE	HIGH FLOW	FP-1563



STOCK ENGINE TOURING MODEL WITH VANCE & HINES EXHAUST

SETTING REFERENCE

*Please note: If your Electronic Control Unit (ECU) has not been modified by the dealer, then choose STOCK for your ECU LEVEL.

BIKE MODEL	PIPE MODEL	PIPE P/N	BIKE YEAR	ENGINE SIZE	ECU LEVEL*	BAFFLE TYPE	HIGH-PERF AIR FILTER	SETTING NUMBER
TOURING	FISHTAIL SLIP-ONS	16731	2007	96	STOCK	QUIET	HIGH FLOW	FP-0523
TOURING	FISHTAIL SLIP-ONS	16731	2007	96	STOCK	STANDARD	HIGH FLOW	FP-0518
TOURING	FISHTAIL SLIP-ONS W/DUALS	16731/16729	2002	88	STAGE1	QUIET	HIGH FLOW	FP-0110
TOURING	FISHTAIL SLIP-ONS W/DUALS	16731/16729	2002	88	STAGE1	STANDARD	HIGH FLOW	FP-0103
TOURING	FISHTAIL SLIP-ONS W/DUALS	16731/16729	2002	88	STOCK	QUIET	HIGH FLOW	FP-0109
TOURING	FISHTAIL SLIP-ONS W/DUALS	16731/16729	2002	88	STOCK	STANDARD	HIGH FLOW	FP-0161
TOURING	FISHTAIL SLIP-ONS W/DUALS	16731/16729	2003	88	STAGE1	QUIET	HIGH FLOW	FP-0110
TOURING	FISHTAIL SLIP-ONS W/DUALS	16731/16729	2003	88	STAGE1	STANDARD	HIGH FLOW	FP-0103
TOURING	FISHTAIL SLIP-ONS W/DUALS	16731/16729	2003	88	STOCK	QUIET	HIGH FLOW	FP-0109
TOURING	FISHTAIL SLIP-ONS W/DUALS	16731/16729	2003	88	STOCK	STANDARD	HIGH FLOW	FP-0161
TOURING	FISHTAIL SLIP-ONS W/DUALS	16731/16729	2004	88	STOCK	NO BAFFLE	HIGH FLOW	FP-1521
TOURING	FISHTAIL SLIP-ONS W/DUALS	16731/16729	2004	88	STOCK	QUIET	HIGH FLOW	FP-0108
TOURING	FISHTAIL SLIP-ONS W/DUALS	16731/16729	2004	88	STOCK	STANDARD	HIGH FLOW	FP-0105
TOURING	FISHTAIL SLIP-ONS W/DUALS	16731/16729	2005	88	STAGE1 1450 LEGAL	NO BAFFLE	HIGH FLOW	FP-1506
TOURING	FISHTAIL SLIP-ONS W/DUALS	16731/16729	2005	88	STOCK	NO BAFFLE	HIGH FLOW	FP-1521
TOURING	FISHTAIL SLIP-ONS W/DUALS	16731/16729	2005	88	STOCK	QUIET	HIGH FLOW	FP-0108
TOURING	FISHTAIL SLIP-ONS W/DUALS	16731/16729	2005	88	STOCK	STANDARD	HIGH FLOW	FP-0105
TOURING	FISHTAIL SLIP-ONS W/DUALS	16731/16729	2006	88	STAGE1 RACE	QUIET	HIGH FLOW	FP-0444
TOURING	FISHTAIL SLIP-ONS W/DUALS	16731/16729	2006	88	STAGE1 RACE	STANDARD	HIGH FLOW	FP-0443
TOURING	FISHTAIL SLIP-ONS W/DUALS	16731/16729	2006	88	STOCK	QUIET	HIGH FLOW	FP-0141
TOURING	FISHTAIL SLIP-ONS W/DUALS	16731/16729	2006	88	STOCK	STANDARD	HIGH FLOW	FP-0140
TOURING	FISHTAIL SLIP-ONS W/DUALS	16737/16731	2007	96	STAGE1 1584 LEGAL	NO BAFFLE	HIGH FLOW	FP-1514
TOURING	FISHTAIL SLIP-ONS W/DUALS	16737/16731	2007	96	STOCK	NO BAFFLE	HIGH FLOW	FP-1513
TOURING	FISHTAIL SLIP-ONS W/DUALS	16731/16737	2007	96	STOCK	QUIET	HIGH FLOW	FP-0559
TOURING	FISHTAIL SLIP-ONS W/DUALS	16731/16737	2007	96	STOCK	STANDARD	HIGH FLOW	FP-0560
TOURING	LONGSHOTS	17809	2002	88	STAGE1	STANDARD	HIGH FLOW	FP-0103
TOURING	LONGSHOTS	17809	2002	88	STOCK	STANDARD	HIGH FLOW	FP-0104
TOURING	LONGSHOTS	17809	2003	88	STAGE1	STANDARD	HIGH FLOW	FP-0103
TOURING	LONGSHOTS	17809	2003	88	STOCK	STANDARD	HIGH FLOW	FP-0104
TOURING	LONGSHOTS	17809	2004	88	STAGE1	STANDARD	HIGH FLOW	FP-0106
TOURING	LONGSHOTS	17809	2004	88	STOCK	STANDARD	HIGH FLOW	FP-0105
TOURING	LONGSHOTS	17809	2005	88	STAGE1	STANDARD	HIGH FLOW	FP-0106



STOCK ENGINE TOURING MODEL WITH VANCE & HINES EXHAUST

SETTING REFERENCE

*Please note: If your Electronic Control Unit (ECU) has not been modified by the dealer, then choose STOCK for your ECU LEVEL.

BIKE MODEL	PIPE MODEL	PIPE P/N	BIKE YEAR	ENGINE SIZE	ECU LEVEL*	BAFFLE TYPE	HIGH-PERF AIR FILTER	SETTING NUMBER
TOURING	LONGSHOTS	17809	2005	88	STOCK	STANDARD	HIGH FLOW	FP-0105
TOURING	LONGSHOTS	17809	2006	88	STAGE1 RACE	STANDARD	HIGH FLOW	FP-0443
TOURING	LONGSHOTS	17809	2006	88	STOCK	STANDARD	HIGH FLOW	FP-0140
TOURING	MONSTER OVAL SLIP-ONS	16745	2004	88	STAGE1	STANDARD	HIGH FLOW	FP-2152
TOURING	MONSTER OVAL SLIP-ONS	16745	2004	88	STOCK	STANDARD	HIGH FLOW	FP-2153
TOURING	MONSTER OVAL SLIP-ONS	16745	2005	88	STAGE1	STANDARD	HIGH FLOW	FP-2152
TOURING	MONSTER OVAL SLIP-ONS	16745	2005	88	STOCK	STANDARD	HIGH FLOW	FP-2153
TOURING	MONSTER OVAL SLIP-ONS	16745	2007	96	STAGE1 1584 LEGAL	STANDARD	HIGH FLOW	FP-2171
TOURING	MONSTER OVAL SLIP-ONS	16745	2007	96	STOCK	STANDARD	HIGH FLOW	FP-2141
TOURING	MONSTER OVAL SLIP-ONS W/DUALS	16745/16729	2004	88	STAGE1	STANDARD	HIGH FLOW	FP-2172
TOURING	MONSTER OVAL SLIP-ONS W/DUALS	16745/16729	2004	88	STOCK	STANDARD	HIGH FLOW	FP-2172
TOURING	MONSTER OVAL SLIP-ONS W/DUALS	16745/16729	2005	88	STAGE1	STANDARD	HIGH FLOW	FP-2172
TOURING	MONSTER OVAL SLIP-ONS W/DUALS	16745/16729	2005	88	STOCK	STANDARD	HIGH FLOW	FP-2172
TOURING	MONSTER OVAL SLIP-ONS W/DUALS	16745/16737	2007	96	STAGE1 1584 LEGAL	STANDARD	HIGH FLOW	FP-2205
TOURING	MONSTER OVAL SLIP-ONS W/DUALS	16745/16737	2007	96	STOCK	STANDARD	HIGH FLOW	FP-2206
TOURING	OVAL SLIP-ONS	16727	2002	88	STAGE1	STANDARD	HIGH FLOW	FP-0091
TOURING	OVAL SLIP-ONS	16727	2002	88	STOCK	STANDARD	HIGH FLOW	FP-0086
TOURING	OVAL SLIP-ONS	16727	2003	88	STAGE1	STANDARD	HIGH FLOW	FP-0091
TOURING	OVAL SLIP-ONS	16727	2003	88	STOCK	STANDARD	HIGH FLOW	FP-0086
TOURING	OVAL SLIP-ONS	16727	2004	88	STAGE1	STANDARD	HIGH FLOW	FP-0072
TOURING	OVAL SLIP-ONS	16727	2004	88	STOCK	STANDARD	HIGH FLOW	FP-0073
TOURING	OVAL SLIP-ONS	16727	2005	88	STAGE1	STANDARD	HIGH FLOW	FP-0072
TOURING	OVAL SLIP-ONS	16727	2005	88	STOCK	STANDARD	HIGH FLOW	FP-0073
TOURING	OVAL SLIP-ONS	16727	2006	88	STAGE1	STANDARD	HIGH FLOW	FP-0426
TOURING	OVAL SLIP-ONS	16727	2006	88	STOCK	STANDARD	HIGH FLOW	FP-0132
TOURING	OVAL SLIP-ONS	16727	2007	96	STAGE1 STREET	STANDARD	HIGH FLOW	FP-0738
TOURING	OVAL SLIP-ONS	16727	2007	96	STOCK	STANDARD	HIGH FLOW	FP-0516
TOURING	OVAL W/DUALS	16727/16729	2002	88	STAGE1	STANDARD	HIGH FLOW	FP-0100
TOURING	OVAL W/DUALS	16727/16729	2002	88	STOCK	STANDARD	HIGH FLOW	FP-0082
TOURING	OVAL W/DUALS	16727/16729	2003	88	STAGE1	STANDARD	HIGH FLOW	FP-0100
TOURING	OVAL W/DUALS	16727/16729	2003	88	STOCK	STANDARD	HIGH FLOW	FP-0082
TOURING	OVAL W/DUALS	16727/16729	2004	88	STAGE1	STANDARD	HIGH FLOW	FP-0067



STOCK ENGINE TOURING MODEL WITH VANCE & HINES EXHAUST

SETTING REFERENCE

*Please note: If your Electronic Control Unit (ECU) has not been modified by the dealer, then choose STOCK for your ECU LEVEL.

BIKE MODEL	PIPE MODEL	PIPE P/N	BIKE YEAR	ENGINE SIZE	ECU LEVEL*	BAFFLE TYPE	HIGH-PERF AIR FILTER	SETTING NUMBER
TOURING	OVAL W/DUALS	16727/16729	2004	88	STOCK	STANDARD	HIGH FLOW	FP-0066
TOURING	OVAL W/DUALS	16727/16729	2005	88	STAGE1	STANDARD	HIGH FLOW	FP-0067
TOURING	OVAL W/DUALS	16727/16729	2005	88	STOCK	STANDARD	HIGH FLOW	FP-0066
TOURING	OVAL W/DUALS	16727/16729	2006	88	STAGE1 RACE	STANDARD	HIGH FLOW	FP-0436
TOURING	OVAL W/DUALS	16727/16729	2006	88	STOCK	STANDARD	HIGH FLOW	FP-0142
TOURING	OVAL W/DUALS	16727/16737	2007	96	STAGE1 STREET	STANDARD	HIGH FLOW	FP-0739
TOURING	OVAL W/DUALS	16727/16737	2007	96	STOCK	STANDARD	HIGH FLOW	FP-0537
TOURING	PRO PIPE BP	17545	2004	88	STAGE1	STANDARD	HIGH FLOW	FP-1439
TOURING	PRO PIPE BP	17545	2004	88	STOCK	STANDARD	HIGH FLOW	FP-1440
TOURING	PRO PIPE BP	17545	2005	88	STAGE1	STANDARD	HIGH FLOW	FP-1439
TOURING	PRO PIPE BP	17545	2005	88	STOCK	STANDARD	HIGH FLOW	FP-1440
TOURING	PRO PIPE BP	17543	2007	96	STAGE1 STREET	STANDARD	HIGH FLOW	FP-0902
TOURING	PRO PIPE BP	17543	2007	96	STOCK	STANDARD	HIGH FLOW	FP-0880
TOURING	PRO PIPE HS	17533	2002	88	STAGE1	STANDARD	HIGH FLOW	FP-0113
TOURING	PRO PIPE HS	17533	2002	88	STOCK	STANDARD	HIGH FLOW	FP-0085
TOURING	PRO PIPE HS	17533	2003	88	STAGE1	STANDARD	HIGH FLOW	FP-0113
TOURING	PRO PIPE HS	17533	2003	88	STOCK	STANDARD	HIGH FLOW	FP-0085
TOURING	PRO PIPE HS	17533	2004	95	STAGE1	STANDARD	HIGH FLOW	FP-0519
TOURING	PRO PIPE HS	17533	2004	88	STAGE1	STANDARD	HIGH FLOW	FP-0081
TOURING	PRO PIPE HS	17533	2004	88	STOCK	STANDARD	HIGH FLOW	FP-0080
TOURING	PRO PIPE HS	17533	2005	95	STAGE1	STANDARD	HIGH FLOW	FP-0519
TOURING	PRO PIPE HS	17533	2005	88	STAGE1	STANDARD	HIGH FLOW	FP-0081
TOURING	PRO PIPE HS	17533	2005	88	STOCK	STANDARD	HIGH FLOW	FP-0080
TOURING	PRO PIPE HS	17533	2006	88	STAGE1 RACE	STANDARD	HIGH FLOW	FP-0432
TOURING	PRO PIPE HS	17533	2006	88	STOCK	STANDARD	HIGH FLOW	FP-0137
TOURING	SLASH-CUT SLIP-ONS	16719	2002	88	STAGE1	STANDARD	HIGH FLOW	FP-0089
TOURING	SLASH-CUT SLIP-ONS	16719	2002	88	STOCK	STANDARD	HIGH FLOW	FP-0088
TOURING	SLASH-CUT SLIP-ONS	16719	2003	88	STAGE1	STANDARD	HIGH FLOW	FP-0089
TOURING	SLASH-CUT SLIP-ONS	16719	2003	88	STOCK	STANDARD	HIGH FLOW	FP-0088
TOURING	SLASH-CUT SLIP-ONS	16719	2004	88	STAGE1	STANDARD	HIGH FLOW	FP-0076
TOURING	SLASH-CUT SLIP-ONS	16719	2004	88	STOCK	STANDARD	HIGH FLOW	FP-0077
TOURING	SLASH-CUT SLIP-ONS	16719	2005	88	STAGE1	STANDARD	HIGH FLOW	FP-0076



STOCK ENGINE TOURING MODEL WITH VANCE & HINES EXHAUST

SETTING REFERENCE

*Please note: If your Electronic Control Unit (ECU) has not been modified by the dealer, then choose STOCK for your ECU LEVEL.

BIKE MODEL	PIPE MODEL	PIPE P/N	BIKE YEAR	ENGINE SIZE	ECU LEVEL*	BAFFLE TYPE	HIGH-PERF AIR FILTER	SETTING NUMBER
TOURING	SLASH-CUT SLIP-ONS	16719	2005	88	STOCK	STANDARD	HIGH FLOW	FP-0077
TOURING	SLASH-CUT SLIP-ONS	16719	2006	88	STAGE1 RACE	STANDARD	HIGH FLOW	FP-0450
TOURING	SLASH-CUT SLIP-ONS	16719	2006	88	STOCK	STANDARD	HIGH FLOW	FP-0134
TOURING	SLASH-CUT SLIP-ONS	16719	2007	96	STAGE1 STREET	STANDARD	HIGH FLOW	FP-0891
TOURING	SLASH-CUT SLIP-ONS	16719	2007	96	STOCK	STANDARD	HIGH FLOW	FP-0517
TOURING	SLASH-CUT W/DUALS	16719/16729	2002	88	STAGE1	STANDARD	HIGH FLOW	FP-0102
TOURING	SLASH-CUT W/DUALS	16719/16729	2002	88	STOCK	STANDARD	HIGH FLOW	FP-0084
TOURING	SLASH-CUT W/DUALS	16719/16729	2003	88	STAGE1	STANDARD	HIGH FLOW	FP-0102
TOURING	SLASH-CUT W/DUALS	16719/16729	2003	88	STOCK	STANDARD	HIGH FLOW	FP-0084
TOURING	SLASH-CUT W/DUALS	16719/16729	2004	88	STAGE1	STANDARD	HIGH FLOW	FP-0070
TOURING	SLASH-CUT W/DUALS	16719/16729	2004	88	STOCK	STANDARD	HIGH FLOW	FP-0069
TOURING	SLASH-CUT W/DUALS	16719/16729	2005	88	STAGE1	STANDARD	HIGH FLOW	FP-0070
TOURING	SLASH-CUT W/DUALS	16719/16729	2005	88	STOCK	STANDARD	HIGH FLOW	FP-0069
TOURING	SLASH-CUT W/DUALS	16719/16729	2006	88	STAGE1 RACE	STANDARD	HIGH FLOW	FP-0440
TOURING	SLASH-CUT W/DUALS	16719/16729	2006	88	STOCK	STANDARD	HIGH FLOW	FP-0143
TOURING	SLASH-CUT W/DUALS	16719/16737	2007	96	STAGE1 STREET	STANDARD	HIGH FLOW	FP-0724
TOURING	SLASH-CUT W/DUALS	16719/16737	2007	96	STOCK	STANDARD	HIGH FLOW	FP-0561
TOURING	STRAIGHT-CUT SLIP-ONS	16721	2002	88	STAGE1	STANDARD	HIGH FLOW	FP-0089
TOURING	STRAIGHT-CUT SLIP-ONS	16721	2002	88	STOCK	STANDARD	HIGH FLOW	FP-0088
TOURING	STRAIGHT-CUT SLIP-ONS	16721	2003	88	STAGE1	STANDARD	HIGH FLOW	FP-0089
TOURING	STRAIGHT-CUT SLIP-ONS	16721	2003	88	STOCK	STANDARD	HIGH FLOW	FP-0088
TOURING	STRAIGHT-CUT SLIP-ONS	16721	2004	88	STAGE1	STANDARD	HIGH FLOW	FP-0076
TOURING	STRAIGHT-CUT SLIP-ONS	16721	2004	88	STOCK	STANDARD	HIGH FLOW	FP-0077
TOURING	STRAIGHT-CUT SLIP-ONS	16721	2005	88	STAGE1	STANDARD	HIGH FLOW	FP-0076
TOURING	STRAIGHT-CUT SLIP-ONS	16721	2005	88	STOCK	STANDARD	HIGH FLOW	FP-0077
TOURING	STRAIGHT-CUT SLIP-ONS	16721	2006	88	STAGE1 RACE	STANDARD	HIGH FLOW	FP-0450
TOURING	STRAIGHT-CUT SLIP-ONS	16721	2006	88	STOCK	STANDARD	HIGH FLOW	FP-0134
TOURING	STRAIGHT-CUT SLIP-ONS	16721	2007	96	STOCK	STANDARD	HIGH FLOW	FP-0517
TOURING	STRAIGHT-CUT W/DUALS	16721/16729	2002	88	STAGE1	STANDARD	HIGH FLOW	FP-0102
TOURING	STRAIGHT-CUT W/DUALS	16721/16729	2002	88	STOCK	STANDARD	HIGH FLOW	FP-0084
TOURING	STRAIGHT-CUT W/DUALS	16721/16729	2003	88	STAGE1	STANDARD	HIGH FLOW	FP-0102
TOURING	STRAIGHT-CUT W/DUALS	16721/16729	2003	88	STOCK	STANDARD	HIGH FLOW	FP-0084



STOCK ENGINE TOURING MODEL WITH VANCE & HINES EXHAUST

SETTING REFERENCE

*Please note: If your Electronic Control Unit (ECU) has not been modified by the dealer, then choose STOCK for your ECU LEVEL.

BIKE MODEL	PIPE MODEL	PIPE P/N	BIKE YEAR	ENGINE SIZE	ECU LEVEL*	BAFFLE TYPE	HIGH-PERF AIR FILTER	SETTING NUMBER
TOURING	STRAIGHT-CUT W/DUALS	16721/16729	2004	88	STAGE1	STANDARD	HIGH FLOW	FP-0070
TOURING	STRAIGHT-CUT W/DUALS	16721/16729	2004	88	STOCK	STANDARD	HIGH FLOW	FP-0069
TOURING	STRAIGHT-CUT W/DUALS	16721/16729	2005	88	STAGE1	STANDARD	HIGH FLOW	FP-0070
TOURING	STRAIGHT-CUT W/DUALS	16721/16729	2005	88	STOCK	STANDARD	HIGH FLOW	FP-0069
TOURING	STRAIGHT-CUT W/DUALS	16721/16729	2006	88	STAGE1 RACE	STANDARD	HIGH FLOW	FP-0440
TOURING	STRAIGHT-CUT W/DUALS	16721/16729	2006	88	STOCK	STANDARD	HIGH FLOW	FP-0143
TOURING	STRAIGHT-CUT W/DUALS	16721/16737	2007	96	STOCK	STANDARD	HIGH FLOW	FP-0561
TOURING	TURNDOWN SLIP-ONS	16723	2002	88	STAGE1	STANDARD	HIGH FLOW	FP-0089
TOURING	TURNDOWN SLIP-ONS	16723	2002	88	STOCK	STANDARD	HIGH FLOW	FP-0088
TOURING	TURNDOWN SLIP-ONS	16723	2003	88	STAGE1	STANDARD	HIGH FLOW	FP-0089
TOURING	TURNDOWN SLIP-ONS	16723	2003	88	STOCK	STANDARD	HIGH FLOW	FP-0088
TOURING	TURNDOWN SLIP-ONS	16723	2004	88	STAGE1	STANDARD	HIGH FLOW	FP-0076
TOURING	TURNDOWN SLIP-ONS	16723	2004	88	STOCK	STANDARD	HIGH FLOW	FP-0077
TOURING	TURNDOWN SLIP-ONS	16723	2005	88	STAGE1	STANDARD	HIGH FLOW	FP-0076
TOURING	TURNDOWN SLIP-ONS	16723	2005	88	STOCK	STANDARD	HIGH FLOW	FP-0077
TOURING	TURNDOWN SLIP-ONS	16723	2006	88	STAGE1 RACE	STANDARD	HIGH FLOW	FP-0450
TOURING	TURNDOWN SLIP-ONS	16723	2006	88	STOCK	STANDARD	HIGH FLOW	FP-0134
TOURING	TURNDOWN SLIP-ONS	16723	2007	96	STOCK	STANDARD	HIGH FLOW	FP-0517
TOURING	TURNDOWN W/DUALS	16723/16729	2002	88	STAGE1	STANDARD	HIGH FLOW	FP-0102
TOURING	TURNDOWN W/DUALS	16723/16729	2002	88	STOCK	STANDARD	HIGH FLOW	FP-0084
TOURING	TURNDOWN W/DUALS	16723/16729	2003	88	STAGE1	STANDARD	HIGH FLOW	FP-0102
TOURING	TURNDOWN W/DUALS	16723/16729	2003	88	STOCK	STANDARD	HIGH FLOW	FP-0084
TOURING	TURNDOWN W/DUALS	16723/16729	2004	88	STAGE1	STANDARD	HIGH FLOW	FP-0070
TOURING	TURNDOWN W/DUALS	16723/16729	2004	88	STOCK	STANDARD	HIGH FLOW	FP-0069
TOURING	TURNDOWN W/DUALS	16723/16729	2005	88	STAGE1	STANDARD	HIGH FLOW	FP-0070
TOURING	TURNDOWN W/DUALS	16723/16729	2005	88	STOCK	STANDARD	HIGH FLOW	FP-0069
TOURING	TURNDOWN W/DUALS	16723/16729	2006	88	STAGE1 RACE	STANDARD	HIGH FLOW	FP-0440
TOURING	TURNDOWN W/DUALS	16723/16729	2006	88	STOCK	STANDARD	HIGH FLOW	FP-0143
TOURING	TURNDOWN W/DUALS	16723/16737	2007	96	STOCK	STANDARD	HIGH FLOW	FP-0561
TOURING	WIDOW SLIP-ONS W/DUALS	46739/46737	2007	96	STAGE1 1584 LEGAL	STANDARD	HIGH FLOW	FP-1530
TOURING	WIDOW SLIP-ONS W/DUALS	46739/4S737	2007	96	STOCK	STANDARD	HIGH FLOW	FP-0540
TOURING SE 103	BASIC SLIP-ONS	16725	2006	103	STOCK	STANDARD	HIGH FLOW	FP-0544



STOCK ENGINE TOURING MODEL WITH VANCE & HINES EXHAUST

SETTING REFERENCE

*Please note: If your Electronic Control Unit (ECU) has not been modified by the dealer, then choose STOCK for your ECU LEVEL.

BIKE MODEL	PIPE MODEL	PIPE P/N	BIKE YEAR	ENGINE SIZE	ECU LEVEL*	BAFFLE TYPE	HIGH-PERF AIR FILTER	SETTING NUMBER
TOURING SE 103	BASIC W/DUALS	16725/16729	2003	103	STAGE1	STANDARD	HIGH FLOW	FP-0079
TOURING SE 103	BASIC W/DUALS	16725/16729	2004	103	STAGE1	STANDARD	HIGH FLOW	FP-0079
TOURING SE 103	BASIC W/DUALS	16725/16729	2005	103	STAGE1	STANDARD	HIGH FLOW	FP-0079
TOURING SE 103	BASIC W/DUALS	16725/16729	2006	103	STOCK	STANDARD	HIGH FLOW	FP-0306
TOURING SE 103	BIG SHOT DUALS	17917	2006	103	STOCK	QUIET	HIGH FLOW	FP-0303
TOURING SE 103	BIG SHOT DUALS	17917	2006	103	STOCK	STANDARD	HIGH FLOW	FP-0302
TOURING SE 103	BIG SHOTS LONG	17915	2006	103	STOCK	QUIET	HIGH FLOW	FP-0300
TOURING SE 103	BIG SHOTS LONG	17915	2006	103	STOCK	STANDARD	HIGH FLOW	FP-0301
TOURING SE 103	FISHTAIL SLIP-ONS W/DUALS	16731/16729	2006	103	STOCK	QUIET	HIGH FLOW	FP-0310
TOURING SE 103	FISHTAIL SLIP-ONS W/DUALS	16731/16729	2006	103	STOCK	STANDARD	HIGH FLOW	FP-0302
TOURING SE 103	LONGSHOTS	17809	2006	103	STOCK	STANDARD	HIGH FLOW	FP-0308
TOURING SE 103	OVAL SLIP-ONS	16727	2006	103	STOCK	STANDARD	HIGH FLOW	FP-0545
TOURING SE 103	OVAL W/DUALS	16727/16729	2003	103	STAGE1	STANDARD	HIGH FLOW	FP-0078
TOURING SE 103	OVAL W/DUALS	16727/16729	2004	103	STAGE1	STANDARD	HIGH FLOW	FP-0078
TOURING SE 103	OVAL W/DUALS	16727/16729	2005	103	STAGE1	STANDARD	HIGH FLOW	FP-0078
TOURING SE 103	OVAL W/DUALS	16727/16729	2006	103	STOCK	STANDARD	HIGH FLOW	FP-0304
TOURING SE 103	PRO PIPE HS	17533	2006	103	STOCK	STANDARD	HIGH FLOW	FP-0299
TOURING SE 103	SLASH-CUT W/DUALS	16719/16729	2006	103	STOCK	STANDARD	HIGH FLOW	FP-0305
TOURING SE 110	BASIC SLIP-ONS	16725	2007	110	STOCK	STANDARD	HIGH FLOW	FP-0789
TOURING SE 110	BASIC W/DUALS	16725/16737	2007	110	STOCK	STANDARD	HIGH FLOW	FP-0798
TOURING SE 110	BIG SHOT DUALS	17925	2007	110	STOCK	QUIET	HIGH FLOW	FP-0793
TOURING SE 110	BIG SHOT DUALS	17925	2007	110	STOCK	STANDARD	HIGH FLOW	FP-0794
TOURING SE 110	FISHTAIL SLIP-ONS	16731	2007	110	STOCK	NO BAFFLE	HIGH FLOW	FP-0792
TOURING SE 110	FISHTAIL SLIP-ONS	16731	2007	110	STOCK	QUIET	HIGH FLOW	FP-0791
TOURING SE 110	FISHTAIL SLIP-ONS	16731	2007	110	STOCK	STANDARD	HIGH FLOW	FP-0790
TOURING SE 110	MONSTER OVAL SLIP-ONS	16755	2007	110	STOCK	STANDARD	HIGH FLOW	FP-2495
TOURING SE 110	MONSTER OVAL SLIP-ONS W/DUALS	16755/16737	2007	110	STOCK	STANDARD	HIGH FLOW	FP-2496
TOURING SE 110	OVAL SLIP-ONS	16727	2007	110	STOCK	STANDARD	HIGH FLOW	FP-0785
TOURING SE 110	OVAL W/DUALS	16727/16737	2007	110	STOCK	STANDARD	HIGH FLOW	FP-0784
TOURING SE 110	PRO PIPE BP	17543	2007	110	STOCK	STANDARD	HIGH FLOW	FP-0799
TOURING SE 110	SLASH-CUT SLIP-ONS	16719	2007	110	STOCK	STANDARD	HIGH FLOW	FP-0786
TOURING SE 110	SLASH-CUT W/DUALS	16719/16737	2007	110	STOCK	STANDARD	HIGH FLOW	FP-0795



**STOCK ENGINE
TOURING MODEL
WITH VANCE & HINES EXHAUST**

**SETTING
REFERENCE**

*Please note: If your Electronic Control Unit (ECU) has not been modified by the dealer, then choose STOCK for your ECU LEVEL.

BIKE MODEL	PIPE MODEL	PIPE P/N	BIKE YEAR	ENGINE SIZE	ECU LEVEL*	BAFFLE TYPE	HIGH-PERF AIR FILTER	SETTING NUMBER
TOURING SE 110	STRAIGHT-CUT SLIP-ONS	16721	2007	110	STOCK	STANDARD	HIGH FLOW	FP-0786
TOURING SE 110	STRAIGHT-CUT W/DUALS	16721/16737	2007	110	STOCK	STANDARD	HIGH FLOW	FP-0795
TOURING SE 110	TURNDOWN SLIP-ONS	16723	2007	110	STOCK	STANDARD	HIGH FLOW	FP-0786
TOURING SE 110	WIDOW SLIP-ONS W/DUALS	46739/46737	2007	110	STOCK	STANDARD	HIGH FLOW	FP-0805



STOCK ENGINE TOURING MODEL WITH OTHER MANUFACTURER EXHAUST

SETTING REFERENCE

*Please note: If your Electronic Control Unit (ECU) has not been modified by the dealer, then choose STOCK for your ECU LEVEL.

BIKE MODEL	PIPE MODEL	PIPE P/N	BIKE YEAR	ENGINE SIZE	ECU LEVEL *	BAFFLE TYPE	HIGH-PERF AIR FILTER	SETTING NUMBER
POLICE ELECTRA GLIDE	CRUSHER SLIP-ONS	499	2007	103	STOCK	STANDARD	HIGH FLOW	FP-2681
POLICE ELECTRA GLIDE	CRUSHER SLIP-ONS W/DUALS	499/16737	2007	103	STOCK	STANDARD	HIGH FLOW	FP-2672
POLICE ELECTRA GLIDE	PYTHON DRESSER SLIP-ONS	41501&41505	2007	103	STOCK	STANDARD	HIGH FLOW	FP-2677
POLICE ELECTRA GLIDE	PYTHON DRESSER SLIP-ONS W/DUALS	41501/16737&14505/16737	2007	103	STOCK	STANDARD	HIGH FLOW	FP-2668
POLICE ELECTRA GLIDE	PYTHON MAMBA DUALS	41713	2007	103	STOCK	NO BAFFLE	HIGH FLOW	FP-2671
POLICE ELECTRA GLIDE	PYTHON MAMBA DUALS	41713	2007	103	STOCK	QUIET	HIGH FLOW	FP-2670
POLICE ELECTRA GLIDE	PYTHON MAMBA DUALS	41713	2007	103	STOCK	STANDARD	HIGH FLOW	FP-2669
POLICE ELECTRA GLIDE	RINEHART 2-1	R5-3395CG	2007	103	STOCK	STANDARD	HIGH FLOW	FP-2665
POLICE ELECTRA GLIDE	RINEHART TRUE DUALS	R5-2220CG	2007	103	STOCK	STANDARD 2 1/4 INCH	HIGH FLOW	FP-2667
POLICE ELECTRA GLIDE	RUSH SLIP-ON	15303-175	2007	103	STOCK	STANDARD 1 3/4 INCH	HIGH FLOW	FP-2678
POLICE ELECTRA GLIDE	RUSH SLIP-ON	15303-225	2007	103	STOCK	STANDARD 2 1/4 INCH	HIGH FLOW	FP-2676
POLICE ELECTRA GLIDE	RUSH SLIP-ON W/DUALS	15303-175/16737	2007	103	STOCK	STANDARD 1 3/4 INCH	HIGH FLOW	FP-2669
POLICE ELECTRA GLIDE	RUSH SLIP-ON W/DUALS	15303-225/16737	2007	103	STOCK	STANDARD 2 1/4 INCH	HIGH FLOW	FP-2667
POLICE ELECTRA GLIDE	SE STREET PERF MUFFLERS W/DUALS	64985-07/16737	2007	103	STOCK	STANDARD	HIGH FLOW	FP-2673
POLICE ELECTRA GLIDE	SE STREET PERF TOURING MUFFLERS	64985-07	2007	103	STOCK	STANDARD	HIGH FLOW	FP-2682
POLICE ELECTRA GLIDE	STOCK MUFFLERS		2007	103	STOCK	STANDARD	HIGH FLOW	FP-2682
POLICE ELECTRA GLIDE	STOCK MUFFLERS W/DUALS	/16737	2007	103	STOCK	STANDARD	HIGH FLOW	FP-2673
POLICE ELECTRA GLIDE	THUNDERCONE SLIP-ON	1061	2007	103	STOCK	STANDARD	HIGH FLOW	FP-2683
POLICE ELECTRA GLIDE	THUNDERCONE SLIP-ON W/DUALS	1061/16737	2007	103	STOCK	STANDARD	HIGH FLOW	FP-2674
POLICE ELECTRA GLIDE	THUNDERHEADER 2-1	1054	2007	103	STOCK	STANDARD	HIGH FLOW	FP-2664
POLICE ROAD KING	CRUSHER SLIP-ONS	499	2007	103	STOCK	STANDARD	HIGH FLOW	FP-2681
POLICE ROAD KING	CRUSHER SLIP-ONS W/DUALS	499/16737	2007	103	STOCK	STANDARD	HIGH FLOW	FP-2672
POLICE ROAD KING	PYTHON DRESSER SLIP-ONS	41501&41505	2007	103	STOCK	STANDARD	HIGH FLOW	FP-2677
POLICE ROAD KING	PYTHON DRESSER SLIP-ONS W/DUALS	41501/16737&41505/16737	2007	103	STOCK	STANDARD	HIGH FLOW	FP-2668
POLICE ROAD KING	PYTHON MAMBA DUALS	41713	2007	103	STOCK	NO BAFFLE	HIGH FLOW	FP-2671
POLICE ROAD KING	PYTHON MAMBA DUALS	41713	2007	103	STOCK	QUIET	HIGH FLOW	FP-2670
POLICE ROAD KING	PYTHON MAMBA DUALS	41713	2007	103	STOCK	STANDARD	HIGH FLOW	FP-2669
POLICE ROAD KING	RINEHART 2-1	R5-3395CG	2007	103	STOCK	STANDARD	HIGH FLOW	FP-2665
POLICE ROAD KING	RINEHART TRUE DUALS	R5-2220CG	2007	103	STOCK	STANDARD 2 1/4 INCH	HIGH FLOW	FP-2667
POLICE ROAD KING	RUSH SLIP-ON	15303-175	2007	103	STOCK	STANDARD 1 3/4 INCH	HIGH FLOW	FP-2678
POLICE ROAD KING	RUSH SLIP-ON	15303-225	2007	103	STOCK	STANDARD 2 1/4 INCH	HIGH FLOW	FP-2676
POLICE ROAD KING	RUSH SLIP-ON W/DUALS	15303-175/16737	2007	103	STOCK	STANDARD 1 3/4 INCH	HIGH FLOW	FP-2669



STOCK ENGINE TOURING MODEL WITH OTHER MANUFACTURER EXHAUST

SETTING REFERENCE

*Please note: If your Electronic Control Unit (ECU) has not been modified by the dealer, then choose STOCK for your ECU LEVEL.

BIKE MODEL	PIPE MODEL	PIPE P/N	BIKE YEAR	ENGINE SIZE	ECU LEVEL *	BAFFLE TYPE	HIGH-PERF AIR FILTER	SETTING NUMBER
POLICE ROAD KING	RUSH SLIP-ON W/DUALS	15303-225/16737	2007	103	STOCK	STANDARD 2 1/4 INCH	HIGH FLOW	FP-2667
POLICE ROAD KING	SE STREET PERF MUFFLERS W/DUALS	64985-07/16737	2007	103	STOCK	STANDARD	HIGH FLOW	FP-2673
POLICE ROAD KING	SE STREET PERF TOURING MUFFLERS	64985-07	2007	103	STOCK	STANDARD	HIGH FLOW	FP-2682
POLICE ROAD KING	STOCK MUFFLERS		2007	103	STOCK	STANDARD	HIGH FLOW	FP-2682
POLICE ROAD KING	STOCK MUFFLERS W/DUALS	/16737	2007	103	STOCK	STANDARD	HIGH FLOW	FP-2673
POLICE ROAD KING	THUNDERCONE SLIP-ON	1061	2007	103	STOCK	STANDARD	HIGH FLOW	FP-2683
POLICE ROAD KING	THUNDERCONE SLIP-ON W/DUALS	1061/16737	2007	103	STOCK	STANDARD	HIGH FLOW	FP-2674
POLICE ROAD KING	THUNDERHEADER 2-1	1054	2007	103	STOCK	STANDARD	HIGH FLOW	FP-2664
TOURING	CRUSHER SLIP-ONS	499	2004	88	STAGE1	STANDARD	HIGH FLOW	FP-1429
TOURING	CRUSHER SLIP-ONS	499	2004	88	STOCK	STANDARD	HIGH FLOW	FP-1430
TOURING	CRUSHER SLIP-ONS	499	2005	88	STAGE1	STANDARD	HIGH FLOW	FP-1429
TOURING	CRUSHER SLIP-ONS	499	2005	88	STOCK	STANDARD	HIGH FLOW	FP-1430
TOURING	CRUSHER SLIP-ONS	499	2007	96	STAGE1 1584 LEGAL	STANDARD	HIGH FLOW	FP-1565
TOURING	CRUSHER SLIP-ONS	499	2007	96	STOCK	STANDARD	HIGH FLOW	FP-1564
TOURING	CRUSHER SLIP-ONS W/DUALS	499/16729	2004	88	STAGE1	STANDARD	HIGH FLOW	FP-1435
TOURING	CRUSHER SLIP-ONS W/DUALS	499/16729	2004	88	STOCK	STANDARD	HIGH FLOW	FP-1436
TOURING	CRUSHER SLIP-ONS W/DUALS	499/16729	2005	88	STAGE1	STANDARD	HIGH FLOW	FP-1435
TOURING	CRUSHER SLIP-ONS W/DUALS	499/16729	2005	88	STOCK	STANDARD	HIGH FLOW	FP-1436
TOURING	CRUSHER SLIP-ONS W/DUALS	499/16737	2007	96	STAGE1 1584 LEGAL	STANDARD	HIGH FLOW	FP-1511
TOURING	CRUSHER SLIP-ONS W/DUALS	16737/499	2007	96	STOCK	STANDARD	HIGH FLOW	FP-1512
TOURING	HOOKEE TUNED FLOW SLIP-ON	27643	2002	88	STAGE1	HORSEPOWER/OPEN	HIGH FLOW	FP-0400
TOURING	HOOKEE TUNED FLOW SLIP-ON	27742	2002	88	STAGE1	HORSEPOWER/OPEN	HIGH FLOW	FP-0400
TOURING	HOOKEE TUNED FLOW SLIP-ON	27642	2002	88	STAGE1	HORSEPOWER/OPEN	HIGH FLOW	FP-0400
TOURING	HOOKEE TUNED FLOW SLIP-ON	27743	2002	88	STAGE1	HORSEPOWER/OPEN	HIGH FLOW	FP-0400
TOURING	HOOKEE TUNED FLOW SLIP-ON	27643	2002	88	STAGE1	TORQUE/CLOSED	HIGH FLOW	FP-0404
TOURING	HOOKEE TUNED FLOW SLIP-ON	27742	2002	88	STAGE1	TORQUE/CLOSED	HIGH FLOW	FP-0404
TOURING	HOOKEE TUNED FLOW SLIP-ON	27642	2002	88	STAGE1	TORQUE/CLOSED	HIGH FLOW	FP-0404
TOURING	HOOKEE TUNED FLOW SLIP-ON	27743	2002	88	STAGE1	TORQUE/CLOSED	HIGH FLOW	FP-0404
TOURING	HOOKEE TUNED FLOW SLIP-ON	27643	2002	88	STOCK	HORSEPOWER/OPEN	HIGH FLOW	FP-0401
TOURING	HOOKEE TUNED FLOW SLIP-ON	27742	2002	88	STOCK	HORSEPOWER/OPEN	HIGH FLOW	FP-0401
TOURING	HOOKEE TUNED FLOW SLIP-ON	27642	2002	88	STOCK	HORSEPOWER/OPEN	HIGH FLOW	FP-0401
TOURING	HOOKEE TUNED FLOW SLIP-ON	27743	2002	88	STOCK	HORSEPOWER/OPEN	HIGH FLOW	FP-0401



STOCK ENGINE TOURING MODEL WITH OTHER MANUFACTURER EXHAUST

SETTING REFERENCE

*Please note: If your Electronic Control Unit (ECU) has not been modified by the dealer, then choose STOCK for your ECU LEVEL.

BIKE MODEL	PIPE MODEL	PIPE P/N	BIKE YEAR	ENGINE SIZE	ECU LEVEL *	BAFFLE TYPE	HIGH-PERF AIR FILTER	SETTING NUMBER
TOURING	HOOKER TUNED FLOW SLIP-ON	27643	2002	88	STOCK	TORQUE/CLOSED	HIGH FLOW	FP-0403
TOURING	HOOKER TUNED FLOW SLIP-ON	27742	2002	88	STOCK	TORQUE/CLOSED	HIGH FLOW	FP-0403
TOURING	HOOKER TUNED FLOW SLIP-ON	27642	2002	88	STOCK	TORQUE/CLOSED	HIGH FLOW	FP-0403
TOURING	HOOKER TUNED FLOW SLIP-ON	27743	2002	88	STOCK	TORQUE/CLOSED	HIGH FLOW	FP-0403
TOURING	HOOKER TUNED FLOW SLIP-ON	27643	2003	88	STAGE1	HORSEPOWER/OPEN	HIGH FLOW	FP-0400
TOURING	HOOKER TUNED FLOW SLIP-ON	27742	2003	88	STAGE1	HORSEPOWER/OPEN	HIGH FLOW	FP-0400
TOURING	HOOKER TUNED FLOW SLIP-ON	27642	2003	88	STAGE1	HORSEPOWER/OPEN	HIGH FLOW	FP-0400
TOURING	HOOKER TUNED FLOW SLIP-ON	27743	2003	88	STAGE1	HORSEPOWER/OPEN	HIGH FLOW	FP-0400
TOURING	HOOKER TUNED FLOW SLIP-ON	27643	2003	88	STAGE1	TORQUE/CLOSED	HIGH FLOW	FP-0404
TOURING	HOOKER TUNED FLOW SLIP-ON	27742	2003	88	STAGE1	TORQUE/CLOSED	HIGH FLOW	FP-0404
TOURING	HOOKER TUNED FLOW SLIP-ON	27642	2003	88	STAGE1	TORQUE/CLOSED	HIGH FLOW	FP-0404
TOURING	HOOKER TUNED FLOW SLIP-ON	27743	2003	88	STAGE1	TORQUE/CLOSED	HIGH FLOW	FP-0404
TOURING	HOOKER TUNED FLOW SLIP-ON	27643	2003	88	STOCK	HORSEPOWER/OPEN	HIGH FLOW	FP-0401
TOURING	HOOKER TUNED FLOW SLIP-ON	27742	2003	88	STOCK	HORSEPOWER/OPEN	HIGH FLOW	FP-0401
TOURING	HOOKER TUNED FLOW SLIP-ON	27743	2003	88	STOCK	HORSEPOWER/OPEN	HIGH FLOW	FP-0401
TOURING	HOOKER TUNED FLOW SLIP-ON	27642	2003	88	STOCK	HORSEPOWER/OPEN	HIGH FLOW	FP-0401
TOURING	HOOKER TUNED FLOW SLIP-ON	27643	2003	88	STOCK	TORQUE/CLOSED	HIGH FLOW	FP-0403
TOURING	HOOKER TUNED FLOW SLIP-ON	27742	2003	88	STOCK	TORQUE/CLOSED	HIGH FLOW	FP-0403
TOURING	HOOKER TUNED FLOW SLIP-ON	27642	2003	88	STOCK	TORQUE/CLOSED	HIGH FLOW	FP-0403
TOURING	HOOKER TUNED FLOW SLIP-ON	27743	2003	88	STOCK	TORQUE/CLOSED	HIGH FLOW	FP-0403
TOURING	HOOKER TUNED FLOW SLIP-ON	27643	2004	88	STAGE1	HORSEPOWER/OPEN	HIGH FLOW	FP-0402
TOURING	HOOKER TUNED FLOW SLIP-ON	27742	2004	88	STAGE1	HORSEPOWER/OPEN	HIGH FLOW	FP-0402
TOURING	HOOKER TUNED FLOW SLIP-ON	27642	2004	88	STAGE1	HORSEPOWER/OPEN	HIGH FLOW	FP-0402
TOURING	HOOKER TUNED FLOW SLIP-ON	27743	2004	88	STAGE1	HORSEPOWER/OPEN	HIGH FLOW	FP-0402
TOURING	HOOKER TUNED FLOW SLIP-ON	27643	2004	88	STAGE1	TORQUE/CLOSED	HIGH FLOW	FP-0434
TOURING	HOOKER TUNED FLOW SLIP-ON	27643	2004	88	STOCK	HORSEPOWER/OPEN	HIGH FLOW	FP-0399
TOURING	HOOKER TUNED FLOW SLIP-ON	27742	2004	88	STOCK	HORSEPOWER/OPEN	HIGH FLOW	FP-0399
TOURING	HOOKER TUNED FLOW SLIP-ON	27642	2004	88	STOCK	HORSEPOWER/OPEN	HIGH FLOW	FP-0399
TOURING	HOOKER TUNED FLOW SLIP-ON	27743	2004	88	STOCK	HORSEPOWER/OPEN	HIGH FLOW	FP-0399
TOURING	HOOKER TUNED FLOW SLIP-ON	27643	2004	88	STOCK	TORQUE/CLOSED	HIGH FLOW	FP-0435
TOURING	HOOKER TUNED FLOW SLIP-ON	27643	2005	88	STAGE1	HORSEPOWER/OPEN	HIGH FLOW	FP-0402
TOURING	HOOKER TUNED FLOW SLIP-ON	27742	2005	88	STAGE1	HORSEPOWER/OPEN	HIGH FLOW	FP-0402



STOCK ENGINE TOURING MODEL WITH OTHER MANUFACTURER EXHAUST

SETTING REFERENCE

*Please note: If your Electronic Control Unit (ECU) has not been modified by the dealer, then choose STOCK for your ECU LEVEL.

BIKE MODEL	PIPE MODEL	PIPE P/N	BIKE YEAR	ENGINE SIZE	ECU LEVEL *	BAFFLE TYPE	HIGH-PERF AIR FILTER	SETTING NUMBER
TOURING	HOOKER TUNED FLOW SLIP-ON	27642	2005	88	STAGE1	HORSEPOWER/OPEN	HIGH FLOW	FP-0402
TOURING	HOOKER TUNED FLOW SLIP-ON	27743	2005	88	STAGE1	HORSEPOWER/OPEN	HIGH FLOW	FP-0402
TOURING	HOOKER TUNED FLOW SLIP-ON	27643	2005	88	STAGE1	TORQUE/CLOSED	HIGH FLOW	FP-0434
TOURING	HOOKER TUNED FLOW SLIP-ON	27643	2005	88	STOCK	HORSEPOWER/OPEN	HIGH FLOW	FP-0399
TOURING	HOOKER TUNED FLOW SLIP-ON	27742	2005	88	STOCK	HORSEPOWER/OPEN	HIGH FLOW	FP-0399
TOURING	HOOKER TUNED FLOW SLIP-ON	27642	2005	88	STOCK	HORSEPOWER/OPEN	HIGH FLOW	FP-0399
TOURING	HOOKER TUNED FLOW SLIP-ON	27743	2005	88	STOCK	HORSEPOWER/OPEN	HIGH FLOW	FP-0399
TOURING	HOOKER TUNED FLOW SLIP-ON	27643	2005	88	STOCK	TORQUE/CLOSED	HIGH FLOW	FP-0435
TOURING	HOOKER TUNED FLOW SLIP-ON	27643	2006	88	STAGE1 RACE	HORSEPOWER/OPEN	HIGH FLOW	FP-0533
TOURING	HOOKER TUNED FLOW SLIP-ON	27643	2006	88	STAGE1 RACE	TORQUE/CLOSED	HIGH FLOW	FP-0553
TOURING	HOOKER TUNED FLOW SLIP-ON	27643	2006	88	STOCK	HORSEPOWER/OPEN	HIGH FLOW	FP-0422
TOURING	HOOKER TUNED FLOW SLIP-ON	27742	2006	88	STOCK	HORSEPOWER/OPEN	HIGH FLOW	FP-0422
TOURING	HOOKER TUNED FLOW SLIP-ON	27642	2006	88	STOCK	HORSEPOWER/OPEN	HIGH FLOW	FP-0422
TOURING	HOOKER TUNED FLOW SLIP-ON	27743	2006	88	STOCK	HORSEPOWER/OPEN	HIGH FLOW	FP-0422
TOURING	HOOKER TUNED FLOW SLIP-ON	27643	2006	88	STOCK	TORQUE/CLOSED	HIGH FLOW	FP-0423
TOURING	HOOKER TUNED FLOW SLIP-ON	27742	2006	88	STOCK	TORQUE/CLOSED	HIGH FLOW	FP-0423
TOURING	HOOKER TUNED FLOW SLIP-ON	27642	2006	88	STOCK	TORQUE/CLOSED	HIGH FLOW	FP-0423
TOURING	HOOKER TUNED FLOW SLIP-ON	27743	2006	88	STOCK	TORQUE/CLOSED	HIGH FLOW	FP-0423
TOURING	HOOKER TUNED FLOW SLIP-ON	27643	2007	96	STOCK	HORSEPOWER/OPEN	HIGH FLOW	FP-0883
TOURING	HOOKER TUNED FLOW SLIP-ON	27643	2007	96	STOCK	TORQUE/CLOSED	HIGH FLOW	FP-0882
TOURING	HOOKER TUNED FLOW SLIP-ON W/DUALS	27643/16729	2002	88	STAGE1	HORSEPOWER/OPEN	HIGH FLOW	FP-0495
TOURING	HOOKER TUNED FLOW SLIP-ON W/DUALS	27643/16729	2002	88	STAGE1	TORQUE/CLOSED	HIGH FLOW	FP-0496
TOURING	HOOKER TUNED FLOW SLIP-ON W/DUALS	27643/16729	2002	88	STOCK	HORSEPOWER/OPEN	HIGH FLOW	FP-0493
TOURING	HOOKER TUNED FLOW SLIP-ON W/DUALS	27643/16729	2002	88	STOCK	TORQUE/CLOSED	HIGH FLOW	FP-0494
TOURING	HOOKER TUNED FLOW SLIP-ON W/DUALS	27643/16729	2003	88	STAGE1	HORSEPOWER/OPEN	HIGH FLOW	FP-0495
TOURING	HOOKER TUNED FLOW SLIP-ON W/DUALS	27643/16729	2003	88	STAGE1	TORQUE/CLOSED	HIGH FLOW	FP-0496
TOURING	HOOKER TUNED FLOW SLIP-ON W/DUALS	27643/16729	2003	88	STOCK	HORSEPOWER/OPEN	HIGH FLOW	FP-0493
TOURING	HOOKER TUNED FLOW SLIP-ON W/DUALS	27643/16729	2003	88	STOCK	TORQUE/CLOSED	HIGH FLOW	FP-0494
TOURING	HOOKER TUNED FLOW SLIP-ON W/DUALS	27643/16729	2004	88	STAGE1	HORSEPOWER/OPEN	HIGH FLOW	FP-0471
TOURING	HOOKER TUNED FLOW SLIP-ON W/DUALS	27643/16729	2004	88	STAGE1	TORQUE/CLOSED	HIGH FLOW	FP-0469
TOURING	HOOKER TUNED FLOW SLIP-ON W/DUALS	27643/16729	2004	88	STOCK	HORSEPOWER/OPEN	HIGH FLOW	FP-0433
TOURING	HOOKER TUNED FLOW SLIP-ON W/DUALS	27643/16729	2004	88	STOCK	TORQUE/CLOSED	HIGH FLOW	FP-0470



STOCK ENGINE TOURING MODEL WITH OTHER MANUFACTURER EXHAUST

SETTING REFERENCE

*Please note: If your Electronic Control Unit (ECU) has not been modified by the dealer, then choose STOCK for your ECU LEVEL.

BIKE MODEL	PIPE MODEL	PIPE P/N	BIKE YEAR	ENGINE SIZE	ECU LEVEL *	BAFFLE TYPE	HIGH-PERF AIR FILTER	SETTING NUMBER
TOURING	HOOKEE TUNED FLOW SLIP-ON W/DUALS	27643/16729	2005	88	STAGE1	HORSEPOWER/OPEN	HIGH FLOW	FP-0471
TOURING	HOOKEE TUNED FLOW SLIP-ON W/DUALS	27643/16729	2005	88	STAGE1	TORQUE/CLOSED	HIGH FLOW	FP-0469
TOURING	HOOKEE TUNED FLOW SLIP-ON W/DUALS	27643/16729	2005	88	STOCK	HORSEPOWER/OPEN	HIGH FLOW	FP-0433
TOURING	HOOKEE TUNED FLOW SLIP-ON W/DUALS	27643/16729	2005	88	STOCK	TORQUE/CLOSED	HIGH FLOW	FP-0470
TOURING	HOOKEE TUNED FLOW SLIP-ON W/DUALS	27643/16729	2006	88	STAGE1 RACE	HORSEPOWER/OPEN	HIGH FLOW	FP-0554
TOURING	HOOKEE TUNED FLOW SLIP-ON W/DUALS	27643/16729	2006	88	STAGE1 RACE	TORQUE/CLOSED	HIGH FLOW	FP-0552
TOURING	HOOKEE TUNED FLOW SLIP-ON W/DUALS	27643/16729	2006	88	STOCK	HORSEPOWER/OPEN	HIGH FLOW	FP-0367
TOURING	HOOKEE TUNED FLOW SLIP-ON W/DUALS	27643/16729	2006	88	STOCK	TORQUE/CLOSED	HIGH FLOW	FP-0366
TOURING	HOOKEE TUNED FLOW SLIP-ON W/DUALS	27643/16737	2007	96	STOCK	HORSEPOWER/OPEN	HIGH FLOW	FP-0884
TOURING	HOOKEE TUNED FLOW SLIP-ON W/DUALS	27643/16737	2007	96	STOCK	TORQUE/CLOSED	HIGH FLOW	FP-0885
TOURING	PORKER DRESSER SLIP-ONS	01-1007	2002	88	STAGE1	STANDARD	HIGH FLOW	FP-0155
TOURING	PORKER DRESSER SLIP-ONS	01-1007	2002	88	STOCK	STANDARD	HIGH FLOW	FP-0156
TOURING	PORKER DRESSER SLIP-ONS	01-1007	2003	88	STAGE1	STANDARD	HIGH FLOW	FP-0155
TOURING	PORKER DRESSER SLIP-ONS	01-1007	2003	88	STOCK	STANDARD	HIGH FLOW	FP-0156
TOURING	PORKER DRESSER SLIP-ONS	01-1007	2004	88	STAGE1	STANDARD	HIGH FLOW	FP-0149
TOURING	PORKER DRESSER SLIP-ONS	01-1007	2004	88	STOCK	STANDARD	HIGH FLOW	FP-0148
TOURING	PORKER DRESSER SLIP-ONS	01-1007	2005	88	STAGE1	STANDARD	HIGH FLOW	FP-0149
TOURING	PORKER DRESSER SLIP-ONS	01-1007	2005	88	STOCK	STANDARD	HIGH FLOW	FP-0148
TOURING	PORKER DRESSER SLIP-ONS	01-1007	2006	88	STAGE1 RACE	STANDARD	HIGH FLOW	FP-0448
TOURING	PORKER DRESSER SLIP-ONS	01-1007	2006	88	STOCK	STANDARD	HIGH FLOW	FP-0135
TOURING	PORKER DRESSER SLIP-ONS	01-1007	2007	96	STOCK	STANDARD	HIGH FLOW	FP-0518
TOURING	PORKER DRESSER SLIP-ONS W/DUALS	01-1007/16729	2002	88	STAGE1	STANDARD	HIGH FLOW	FP-0103
TOURING	PORKER DRESSER SLIP-ONS W/DUALS	01-1007/16729	2002	88	STOCK	STANDARD	HIGH FLOW	FP-0104
TOURING	PORKER DRESSER SLIP-ONS W/DUALS	01-1007/16729	2003	88	STAGE1	STANDARD	HIGH FLOW	FP-0103
TOURING	PORKER DRESSER SLIP-ONS W/DUALS	01-1007/16729	2003	88	STOCK	STANDARD	HIGH FLOW	FP-0104
TOURING	PORKER DRESSER SLIP-ONS W/DUALS	01-1007/01-1008	2004	88	STAGE1	STANDARD	HIGH FLOW	FP-0106
TOURING	PORKER DRESSER SLIP-ONS W/DUALS	01-1007/01-1008	2004	88	STOCK	STANDARD	HIGH FLOW	FP-0105
TOURING	PORKER DRESSER SLIP-ONS W/DUALS	01-1007/01-1008	2005	88	STAGE1	STANDARD	HIGH FLOW	FP-0106
TOURING	PORKER DRESSER SLIP-ONS W/DUALS	01-1007/01-1008	2005	88	STOCK	STANDARD	HIGH FLOW	FP-0105
TOURING	PORKER DRESSER SLIP-ONS W/DUALS	01-1007/16729	2006	88	STAGE1 RACE	STANDARD	HIGH FLOW	FP-0443
TOURING	PORKER DRESSER SLIP-ONS W/DUALS	01-1007/16729	2006	88	STOCK	STANDARD	HIGH FLOW	FP-0140
TOURING	PORKER DRESSER SLIP-ONS W/DUALS	01-1007/16729	2007	96	STOCK	STANDARD	HIGH FLOW	FP-0560



STOCK ENGINE TOURING MODEL WITH OTHER MANUFACTURER EXHAUST

SETTING REFERENCE

*Please note: If your Electronic Control Unit (ECU) has not been modified by the dealer, then choose STOCK for your ECU LEVEL.

BIKE MODEL	PIPE MODEL	PIPE P/N	BIKE YEAR	ENGINE SIZE	ECU LEVEL *	BAFFLE TYPE	HIGH-PERF AIR FILTER	SETTING NUMBER
TOURING	PYTHON DRESSER SLIP-ONS	41501	2002	88	STAGE1	STANDARD	HIGH FLOW	FP-0091
TOURING	PYTHON DRESSER SLIP-ONS	41501	2002	88	STOCK	STANDARD	HIGH FLOW	FP-0086
TOURING	PYTHON DRESSER SLIP-ONS	41501	2003	88	STAGE1	STANDARD	HIGH FLOW	FP-0091
TOURING	PYTHON DRESSER SLIP-ONS	41501	2003	88	STOCK	STANDARD	HIGH FLOW	FP-0086
TOURING	PYTHON DRESSER SLIP-ONS	41501	2004	88	STAGE1	STANDARD	HIGH FLOW	FP-0072
TOURING	PYTHON DRESSER SLIP-ONS	41501	2004	88	STOCK	STANDARD	HIGH FLOW	FP-0073
TOURING	PYTHON DRESSER SLIP-ONS	41501	2005	88	STAGE1	STANDARD	HIGH FLOW	FP-0072
TOURING	PYTHON DRESSER SLIP-ONS	41501	2005	88	STOCK	STANDARD	HIGH FLOW	FP-0073
TOURING	PYTHON DRESSER SLIP-ONS	41501	2006	88	STAGE1	STANDARD	HIGH FLOW	FP-0426
TOURING	PYTHON DRESSER SLIP-ONS	41501	2006	88	STOCK	STANDARD	HIGH FLOW	FP-0132
TOURING	PYTHON DRESSER SLIP-ONS	41501	2007	96	STOCK	STANDARD	HIGH FLOW	FP-0516
TOURING	PYTHON DRESSER SLIP-ONS W/DUALS	41501/16729	2002	88	STAGE1	STANDARD	HIGH FLOW	FP-0100
TOURING	PYTHON DRESSER SLIP-ONS W/DUALS	41501/16729	2002	88	STOCK	STANDARD	HIGH FLOW	FP-0082
TOURING	PYTHON DRESSER SLIP-ONS W/DUALS	41501/16729	2003	88	STAGE1	STANDARD	HIGH FLOW	FP-0100
TOURING	PYTHON DRESSER SLIP-ONS W/DUALS	41501/16729	2003	88	STOCK	STANDARD	HIGH FLOW	FP-0082
TOURING	PYTHON DRESSER SLIP-ONS W/DUALS	41501/16729	2004	88	STAGE1	STANDARD	HIGH FLOW	FP-0067
TOURING	PYTHON DRESSER SLIP-ONS W/DUALS	41501/16729	2004	88	STOCK	STANDARD	HIGH FLOW	FP-0066
TOURING	PYTHON DRESSER SLIP-ONS W/DUALS	41501/16729	2005	88	STAGE1	STANDARD	HIGH FLOW	FP-0067
TOURING	PYTHON DRESSER SLIP-ONS W/DUALS	41501/16729	2005	88	STOCK	STANDARD	HIGH FLOW	FP-0066
TOURING	PYTHON DRESSER SLIP-ONS W/DUALS	41501/16729	2006	88	STAGE1 RACE	STANDARD	HIGH FLOW	FP-0436
TOURING	PYTHON DRESSER SLIP-ONS W/DUALS	41501/16729	2006	88	STOCK	STANDARD	HIGH FLOW	FP-0142
TOURING	PYTHON DRESSER SLIP-ONS W/DUALS	41501/16737	2007	96	STOCK	STANDARD	HIGH FLOW	FP-0537
TOURING	RINEHART 2-1	R5-3395CG	2004	88	STAGE1	STANDARD	HIGH FLOW	FP-1522
TOURING	RINEHART 2-1	R5-3395CG	2004	88	STOCK	STANDARD	HIGH FLOW	FP-1498
TOURING	RINEHART 2-1	R5-3395CG	2005	88	STAGE1	STANDARD	HIGH FLOW	FP-1522
TOURING	RINEHART 2-1	R5-3395CG	2005	88	STOCK	STANDARD	HIGH FLOW	FP-1498
TOURING	RINEHART 2-1	R5-3395CG	2007	96	STAGE1 1584 LEGAL	STANDARD	HIGH FLOW	FP-1539
TOURING	RINEHART 2-1	R5-3395CG	2007	96	STOCK	STANDARD	HIGH FLOW	FP-1537
TOURING	RINEHART SLIP-ONS	1801-0100	2002	88	STAGE1	STANDARD 2 1/4 INCH	HIGH FLOW	FP-0485
TOURING	RINEHART SLIP-ONS	1801-0100	2002	88	STOCK	STANDARD 2 1/4 INCH	HIGH FLOW	FP-0482
TOURING	RINEHART SLIP-ONS	1801-0100	2003	88	STAGE1	STANDARD 2 1/4 INCH	HIGH FLOW	FP-0485
TOURING	RINEHART SLIP-ONS	1801-0100	2003	88	STOCK	STANDARD 2 1/4 INCH	HIGH FLOW	FP-0482



STOCK ENGINE TOURING MODEL WITH OTHER MANUFACTURER EXHAUST

SETTING REFERENCE

*Please note: If your Electronic Control Unit (ECU) has not been modified by the dealer, then choose STOCK for your ECU LEVEL.

BIKE MODEL	PIPE MODEL	PIPE P/N	BIKE YEAR	ENGINE SIZE	ECU LEVEL *	BAFFLE TYPE	HIGH-PERF AIR FILTER	SETTING NUMBER
TOURING	RINEHART SLIP-ONS	1801-0100	2004	88	STAGE1	STANDARD 2 1/4 INCH	HIGH FLOW	FP-0396
TOURING	RINEHART SLIP-ONS	1801-0100	2004	88	STOCK	STANDARD 2 1/4 INCH	HIGH FLOW	FP-0395
TOURING	RINEHART SLIP-ONS	1801-0100	2005	88	STAGE1	STANDARD 2 1/4 INCH	HIGH FLOW	FP-0396
TOURING	RINEHART SLIP-ONS	1801-0100	2005	88	STOCK	STANDARD 2 1/4 INCH	HIGH FLOW	FP-0395
TOURING	RINEHART SLIP-ONS	1801-0100	2006	88	STAGE1 RACE	STANDARD 2 1/4 INCH	HIGH FLOW	FP-0550
TOURING	RINEHART SLIP-ONS	1801-0100	2006	88	STOCK	STANDARD 2 1/4 INCH	HIGH FLOW	FP-0420
TOURING	RINEHART SLIP-ONS	1801-0100	2007	96	STOCK	STANDARD 2 1/4 INCH	HIGH FLOW	FP-0530
TOURING	RINEHART SLIP-ONS W/DUALS	1801-0100/16729	2002	88	STAGE1	STANDARD 2 1/4 INCH	HIGH FLOW	FP-0478
TOURING	RINEHART SLIP-ONS W/DUALS	1801-0100/16729	2002	88	STOCK	STANDARD 2 1/4 INCH	HIGH FLOW	FP-0472
TOURING	RINEHART SLIP-ONS W/DUALS	1801-0100/16729	2003	88	STAGE1	STANDARD 2 1/4 INCH	HIGH FLOW	FP-0478
TOURING	RINEHART SLIP-ONS W/DUALS	1801-0100/16729	2003	88	STOCK	STANDARD 2 1/4 INCH	HIGH FLOW	FP-0472
TOURING	RINEHART SLIP-ONS W/DUALS	1801-0100/16729	2004	88	STAGE1	STANDARD 2 1/4 INCH	HIGH FLOW	FP-0390
TOURING	RINEHART SLIP-ONS W/DUALS	1801-0100/16729	2004	88	STOCK	STANDARD 2 1/4 INCH	HIGH FLOW	FP-0392
TOURING	RINEHART SLIP-ONS W/DUALS	1801-0100/16729	2005	88	STAGE1	STANDARD 2 1/4 INCH	HIGH FLOW	FP-0390
TOURING	RINEHART SLIP-ONS W/DUALS	1801-0100/16729	2005	88	STOCK	STANDARD 2 1/4 INCH	HIGH FLOW	FP-0392
TOURING	RINEHART SLIP-ONS W/DUALS	1801-0100	2006	88	STAGE1 RACE	STANDARD 2 1/4 INCH	HIGH FLOW	FP-0460
TOURING	RINEHART SLIP-ONS W/DUALS	1801-0100	2006	88	STOCK	STANDARD 2 1/4 INCH	HIGH FLOW	FP-0414
TOURING	RINEHART SLIP-ONS W/DUALS	1801-0100	2007	96	STOCK	STANDARD 2 1/4 INCH	HIGH FLOW	FP-0541
TOURING	RINEHART TRUE DUALS	1800-0106	2002	88	STAGE1	LOUD 2 1/2 INCH	HIGH FLOW	FP-0268
TOURING	RINEHART TRUE DUALS	1800-0106	2002	88	STAGE1	QUIET 2 INCH	HIGH FLOW	FP-0264
TOURING	RINEHART TRUE DUALS	1800-0106	2002	88	STAGE1	STANDARD 2 1/4 INCH	HIGH FLOW	FP-0267
TOURING	RINEHART TRUE DUALS	1800-0106	2002	88	STOCK	LOUD 2 1/2 INCH	HIGH FLOW	FP-0269
TOURING	RINEHART TRUE DUALS	1800-0106	2002	88	STOCK	QUIET 2 INCH	HIGH FLOW	FP-0265
TOURING	RINEHART TRUE DUALS	1800-0106	2002	88	STOCK	STANDARD 2 1/4 INCH	HIGH FLOW	FP-0266
TOURING	RINEHART TRUE DUALS	1800-0106	2003	88	STAGE1	LOUD 2 1/2 INCH	HIGH FLOW	FP-0268
TOURING	RINEHART TRUE DUALS	1800-0106	2003	88	STAGE1	QUIET 2 INCH	HIGH FLOW	FP-0264
TOURING	RINEHART TRUE DUALS	1800-0106	2003	88	STAGE1	STANDARD 2 1/4 INCH	HIGH FLOW	FP-0267
TOURING	RINEHART TRUE DUALS	1800-0106	2003	88	STOCK	LOUD 2 1/2 INCH	HIGH FLOW	FP-0269
TOURING	RINEHART TRUE DUALS	1800-0106	2003	88	STOCK	QUIET 2 INCH	HIGH FLOW	FP-0265
TOURING	RINEHART TRUE DUALS	1800-0106	2003	88	STOCK	STANDARD 2 1/4 INCH	HIGH FLOW	FP-0266
TOURING	RINEHART TRUE DUALS	1800-0106	2004	88	STAGE1	LOUD 2 1/2 INCH	HIGH FLOW	FP-0293
TOURING	RINEHART TRUE DUALS	1800-0106	2004	88	STAGE1	QUIET 2 INCH	HIGH FLOW	FP-0292



STOCK ENGINE TOURING MODEL WITH OTHER MANUFACTURER EXHAUST

SETTING REFERENCE

*Please note: If your Electronic Control Unit (ECU) has not been modified by the dealer, then choose STOCK for your ECU LEVEL.

BIKE MODEL	PIPE MODEL	PIPE P/N	BIKE YEAR	ENGINE SIZE	ECU LEVEL *	BAFFLE TYPE	HIGH-PERF AIR FILTER	SETTING NUMBER
TOURING	RINEHART TRUE DUALS	1800-0106	2004	88	STAGE1	STANDARD 2 1/4 INCH	HIGH FLOW	FP-0255
TOURING	RINEHART TRUE DUALS	1800-0106	2004	88	STOCK	LOUD 2 1/2 INCH	HIGH FLOW	FP-0294
TOURING	RINEHART TRUE DUALS	1800-0106	2004	88	STOCK	QUIET 2 INCH	HIGH FLOW	FP-0291
TOURING	RINEHART TRUE DUALS	1800-0106	2004	88	STOCK	STANDARD 2 1/4 INCH	HIGH FLOW	FP-0256
TOURING	RINEHART TRUE DUALS	1800-0106	2005	88	STAGE1	LOUD 2 1/2 INCH	HIGH FLOW	FP-0293
TOURING	RINEHART TRUE DUALS	1800-0106	2005	88	STAGE1	QUIET 2 INCH	HIGH FLOW	FP-0292
TOURING	RINEHART TRUE DUALS	1800-0106	2005	88	STAGE1	STANDARD 2 1/4 INCH	HIGH FLOW	FP-0255
TOURING	RINEHART TRUE DUALS	1800-0106	2005	88	STOCK	LOUD 2 1/2 INCH	HIGH FLOW	FP-0294
TOURING	RINEHART TRUE DUALS	1800-0106	2005	88	STOCK	QUIET 2 INCH	HIGH FLOW	FP-0291
TOURING	RINEHART TRUE DUALS	1800-0106	2005	88	STOCK	STANDARD 2 1/4 INCH	HIGH FLOW	FP-0256
TOURING	RINEHART TRUE DUALS	1800-0106	2006	88	STAGE1 RACE	LOUD 2 1/2 INCH	HIGH FLOW	FP-0459
TOURING	RINEHART TRUE DUALS	1800-0106	2006	88	STAGE1 RACE	QUIET 2 INCH	HIGH FLOW	FP-0463
TOURING	RINEHART TRUE DUALS	1800-0106	2006	88	STAGE1 RACE	STANDARD 2 1/4 INCH	HIGH FLOW	FP-0460
TOURING	RINEHART TRUE DUALS	1800-0106	2006	88	STOCK	LOUD 2 1/2 INCH	HIGH FLOW	FP-0371
TOURING	RINEHART TRUE DUALS	1800-0106	2006	88	STOCK	QUIET 2 INCH	HIGH FLOW	FP-0285
TOURING	RINEHART TRUE DUALS	1800-0106	2006	88	STOCK	STANDARD 2 1/4 INCH	HIGH FLOW	FP-0414
TOURING	RINEHART TRUE DUALS	1800-0106	2007	96	STOCK	LOUD 2 1/2 INCH	HIGH FLOW	FP-0542
TOURING	RINEHART TRUE DUALS	1800-0106	2007	96	STOCK	QUIET 2 INCH	HIGH FLOW	FP-0540
TOURING	RINEHART TRUE DUALS	1800-0106	2007	96	STOCK	STANDARD 2 1/4 INCH	HIGH FLOW	FP-0541
TOURING	RUSH SLIP-ON	15303-250	2002	88	STAGE1	LOUD 2 1/2 INCH	HIGH FLOW	FP-0486
TOURING	RUSH SLIP-ON	15303-200	2002	88	STAGE1	QUIET 2 INCH	HIGH FLOW	FP-0484
TOURING	RUSH SLIP-ON	15303-175	2002	88	STAGE1	STANDARD 1 3/4 INCH	HIGH FLOW	FP-0483
TOURING	RUSH SLIP-ON	15303-225	2002	88	STAGE1	STANDARD 2 1/4 INCH	HIGH FLOW	FP-0485
TOURING	RUSH SLIP-ON	15303-250	2002	88	STOCK	LOUD 2 1/2 INCH	HIGH FLOW	FP-0397
TOURING	RUSH SLIP-ON	15303-200	2002	88	STOCK	QUIET 2 INCH	HIGH FLOW	FP-0481
TOURING	RUSH SLIP-ON	15303-175	2002	88	STOCK	STANDARD 1 3/4 INCH	HIGH FLOW	FP-0480
TOURING	RUSH SLIP-ON	15303-225	2002	88	STOCK	STANDARD 2 1/4 INCH	HIGH FLOW	FP-0482
TOURING	RUSH SLIP-ON	15303-250	2003	88	STAGE1	LOUD 2 1/2 INCH	HIGH FLOW	FP-0486
TOURING	RUSH SLIP-ON	15303-200	2003	88	STAGE1	QUIET 2 INCH	HIGH FLOW	FP-0484
TOURING	RUSH SLIP-ON	15303-175	2003	88	STAGE1	STANDARD 1 3/4 INCH	HIGH FLOW	FP-0483
TOURING	RUSH SLIP-ON	15303-225	2003	88	STAGE1	STANDARD 2 1/4 INCH	HIGH FLOW	FP-0485
TOURING	RUSH SLIP-ON	15303-250	2003	88	STOCK	LOUD 2 1/2 INCH	HIGH FLOW	FP-0397



STOCK ENGINE TOURING MODEL WITH OTHER MANUFACTURER EXHAUST

SETTING REFERENCE

*Please note: If your Electronic Control Unit (ECU) has not been modified by the dealer, then choose STOCK for your ECU LEVEL.

BIKE MODEL	PIPE MODEL	PIPE P/N	BIKE YEAR	ENGINE SIZE	ECU LEVEL *	BAFFLE TYPE	HIGH-PERF AIR FILTER	SETTING NUMBER
TOURING	RUSH SLIP-ON	15303-200	2003	88	STOCK	QUIET 2 INCH	HIGH FLOW	FP-0481
TOURING	RUSH SLIP-ON	15303-175	2003	88	STOCK	STANDARD 1 3/4 INCH	HIGH FLOW	FP-0480
TOURING	RUSH SLIP-ON	15303-225	2003	88	STOCK	STANDARD 2 1/4 INCH	HIGH FLOW	FP-0482
TOURING	RUSH SLIP-ON	15303-250	2004	88	STAGE1	LOUD 2 1/2 INCH	HIGH FLOW	FP-0468
TOURING	RUSH SLIP-ON	15303-150	2004	88	STAGE1	QUIET 1 1/2 INCH	HIGH FLOW	FP-1424
TOURING	RUSH SLIP-ON	15303-200	2004	88	STAGE1	QUIET 2 INCH	HIGH FLOW	FP-0398
TOURING	RUSH SLIP-ON	15303-175	2004	88	STAGE1	STANDARD 1 3/4 INCH	HIGH FLOW	FP-0410
TOURING	RUSH SLIP-ON	15303-225	2004	88	STAGE1	STANDARD 2 1/4 INCH	HIGH FLOW	FP-0396
TOURING	RUSH SLIP-ON	15303-250	2004	88	STOCK	LOUD 2 1/2 INCH	HIGH FLOW	FP-0409
TOURING	RUSH SLIP-ON	15303-150	2004	88	STOCK	QUIET 1 1/2 INCH	HIGH FLOW	FP-1425
TOURING	RUSH SLIP-ON	15303-200	2004	88	STOCK	QUIET 2 INCH	HIGH FLOW	FP-0405
TOURING	RUSH SLIP-ON	15303-175	2004	88	STOCK	STANDARD 1 3/4 INCH	HIGH FLOW	FP-0411
TOURING	RUSH SLIP-ON	15303-225	2004	88	STOCK	STANDARD 2 1/4 INCH	HIGH FLOW	FP-0395
TOURING	RUSH SLIP-ON	15303-250	2005	88	STAGE1	LOUD 2 1/2 INCH	HIGH FLOW	FP-0468
TOURING	RUSH SLIP-ON	15303-150	2005	88	STAGE1	QUIET 1 1/2 INCH	HIGH FLOW	FP-1424
TOURING	RUSH SLIP-ON	15303-200	2005	88	STAGE1	QUIET 2 INCH	HIGH FLOW	FP-0398
TOURING	RUSH SLIP-ON	15303-175	2005	88	STAGE1	STANDARD 1 3/4 INCH	HIGH FLOW	FP-0410
TOURING	RUSH SLIP-ON	15303-225	2005	88	STAGE1	STANDARD 2 1/4 INCH	HIGH FLOW	FP-0396
TOURING	RUSH SLIP-ON	15303-250	2005	88	STOCK	LOUD 2 1/2 INCH	HIGH FLOW	FP-0409
TOURING	RUSH SLIP-ON	15303-150	2005	88	STOCK	QUIET 1 1/2 INCH	HIGH FLOW	FP-1425
TOURING	RUSH SLIP-ON	15303-200	2005	88	STOCK	QUIET 2 INCH	HIGH FLOW	FP-0405
TOURING	RUSH SLIP-ON	15303-175	2005	88	STOCK	STANDARD 1 3/4 INCH	HIGH FLOW	FP-0411
TOURING	RUSH SLIP-ON	15303-225	2005	88	STOCK	STANDARD 2 1/4 INCH	HIGH FLOW	FP-0395
TOURING	RUSH SLIP-ON	15303-250	2006	88	STAGE1 RACE	LOUD 2 1/2 INCH	HIGH FLOW	FP-0551
TOURING	RUSH SLIP-ON	15303-200	2006	88	STAGE1 RACE	QUIET 2 INCH	HIGH FLOW	FP-0549
TOURING	RUSH SLIP-ON	15303-175	2006	88	STAGE1 RACE	STANDARD 1 3/4 INCH	HIGH FLOW	FP-0427
TOURING	RUSH SLIP-ON	15303-225	2006	88	STAGE1 RACE	STANDARD 2 1/4 INCH	HIGH FLOW	FP-0550
TOURING	RUSH SLIP-ON	15303-250	2006	88	STOCK	LOUD 2 1/2 INCH	HIGH FLOW	FP-0419
TOURING	RUSH SLIP-ON	15303-200	2006	88	STOCK	QUIET 2 INCH	HIGH FLOW	FP-0415
TOURING	RUSH SLIP-ON	15303-175	2006	88	STOCK	STANDARD 1 3/4 INCH	HIGH FLOW	FP-0416
TOURING	RUSH SLIP-ON	15303-225	2006	88	STOCK	STANDARD 2 1/4 INCH	HIGH FLOW	FP-0420
TOURING	RUSH SLIP-ON	15303-250	2007	96	STAGE1 1584 LEGAL	LOUD 2 1/2 INCH	HIGH FLOW	FP-1566



STOCK ENGINE TOURING MODEL WITH OTHER MANUFACTURER EXHAUST

SETTING REFERENCE

*Please note: If your Electronic Control Unit (ECU) has not been modified by the dealer, then choose STOCK for your ECU LEVEL.

BIKE MODEL	PIPE MODEL	PIPE P/N	BIKE YEAR	ENGINE SIZE	ECU LEVEL *	BAFFLE TYPE	HIGH-PERF AIR FILTER	SETTING NUMBER
TOURING	RUSH SLIP-ON	15303-150	2007	96	STAGE1 1584 LEGAL	QUIET 1 1/2 INCH	HIGH FLOW	FP-1569
TOURING	RUSH SLIP-ON	15303-200	2007	96	STAGE1 1584 LEGAL	QUIET 2 INCH	HIGH FLOW	FP-1568
TOURING	RUSH SLIP-ON	15303-225	2007	96	STAGE1 1584 LEGAL	STANDARD 2 1/4 INCH	HIGH FLOW	FP-1567
TOURING	RUSH SLIP-ON	15303-250	2007	96	STOCK	LOUD 2 1/2 INCH	HIGH FLOW	FP-0531
TOURING	RUSH SLIP-ON	15303-150	2007	96	STOCK	QUIET 1 1/2 INCH	HIGH FLOW	FP-1570
TOURING	RUSH SLIP-ON	15303-200	2007	96	STOCK	QUIET 2 INCH	HIGH FLOW	FP-0529
TOURING	RUSH SLIP-ON	15303-175	2007	96	STOCK	STANDARD 1 3/4 INCH	HIGH FLOW	FP-0520
TOURING	RUSH SLIP-ON	15303-225	2007	96	STOCK	STANDARD 2 1/4 INCH	HIGH FLOW	FP-0530
TOURING	RUSH SLIP-ON SLASH DOWN	15301-250	2006	88	STOCK	LOUD 2 1/2 INCH	HIGH FLOW	FP-0371
TOURING	RUSH SLIP-ON SLASH UP	15302-250	2006	88	STOCK	LOUD 2 1/2 INCH	HIGH FLOW	FP-0371
TOURING	RUSH SLIP-ON STR CUT	15303-250	2006	88	STOCK	LOUD 2 1/2 INCH	HIGH FLOW	FP-0371
TOURING	RUSH SLIP-ON W/DUALS	15303-250/16729	2002	88	STAGE1	LOUD 2 1/2 INCH	HIGH FLOW	FP-0479
TOURING	RUSH SLIP-ON W/DUALS	15303-200/16729	2002	88	STAGE1	QUIET 2 INCH	HIGH FLOW	FP-0477
TOURING	RUSH SLIP-ON W/DUALS	15303-175/16729	2002	88	STAGE1	STANDARD 1 3/4 INCH	HIGH FLOW	FP-0476
TOURING	RUSH SLIP-ON W/DUALS	15303-225/16729	2002	88	STAGE1	STANDARD 2 1/4 INCH	HIGH FLOW	FP-0478
TOURING	RUSH SLIP-ON W/DUALS	15303-250/16729	2002	88	STOCK	LOUD 2 1/2 INCH	HIGH FLOW	FP-0474
TOURING	RUSH SLIP-ON W/DUALS	15303-200/16729	2002	88	STOCK	QUIET 2 INCH	HIGH FLOW	FP-0473
TOURING	RUSH SLIP-ON W/DUALS	15303-175/16729	2002	88	STOCK	STANDARD 1 3/4 INCH	HIGH FLOW	FP-0475
TOURING	RUSH SLIP-ON W/DUALS	15303-225/16729	2002	88	STOCK	STANDARD 2 1/4 INCH	HIGH FLOW	FP-0472
TOURING	RUSH SLIP-ON W/DUALS	15303-250/16729	2003	88	STAGE1	LOUD 2 1/2 INCH	HIGH FLOW	FP-0479
TOURING	RUSH SLIP-ON W/DUALS	15303-200/16729	2003	88	STAGE1	QUIET 2 INCH	HIGH FLOW	FP-0477
TOURING	RUSH SLIP-ON W/DUALS	15303-175/16729	2003	88	STAGE1	STANDARD 1 3/4 INCH	HIGH FLOW	FP-0476
TOURING	RUSH SLIP-ON W/DUALS	15303-225/16729	2003	88	STAGE1	STANDARD 2 1/4 INCH	HIGH FLOW	FP-0478
TOURING	RUSH SLIP-ON W/DUALS	15303-250/16729	2003	88	STOCK	LOUD 2 1/2 INCH	HIGH FLOW	FP-0474
TOURING	RUSH SLIP-ON W/DUALS	15303-200/16729	2003	88	STOCK	QUIET 2 INCH	HIGH FLOW	FP-0473
TOURING	RUSH SLIP-ON W/DUALS	15303-175/16729	2003	88	STOCK	STANDARD 1 3/4 INCH	HIGH FLOW	FP-0475
TOURING	RUSH SLIP-ON W/DUALS	15303-225/16729	2003	88	STOCK	STANDARD 2 1/4 INCH	HIGH FLOW	FP-0472
TOURING	RUSH SLIP-ON W/DUALS	15303-250/16729	2004	88	STAGE1	LOUD 2 1/2 INCH	HIGH FLOW	FP-0394
TOURING	RUSH SLIP-ON W/DUALS	15303-200/16729	2004	88	STAGE1	QUIET	HIGH FLOW	FP-0466
TOURING	RUSH SLIP-ON W/DUALS	15303-150/16729	2004	88	STAGE1	QUIET 1 1/2 INCH	HIGH FLOW	FP-1434
TOURING	RUSH SLIP-ON W/DUALS	15303-175/16729	2004	88	STAGE1	STANDARD 1 3/4 INCH	HIGH FLOW	FP-0430
TOURING	RUSH SLIP-ON W/DUALS	15303-225/16729	2004	88	STAGE1	STANDARD 2 1/4 INCH	HIGH FLOW	FP-0390



STOCK ENGINE TOURING MODEL WITH OTHER MANUFACTURER EXHAUST

SETTING REFERENCE

*Please note: If your Electronic Control Unit (ECU) has not been modified by the dealer, then choose STOCK for your ECU LEVEL.

BIKE MODEL	PIPE MODEL	PIPE P/N	BIKE YEAR	ENGINE SIZE	ECU LEVEL *	BAFFLE TYPE	HIGH-PERF AIR FILTER	SETTING NUMBER
TOURING	RUSH SLIP-ON W/DUALS	15303-250/16729	2004	88	STOCK	LOUD 2 1/2 INCH	HIGH FLOW	FP-0393
TOURING	RUSH SLIP-ON W/DUALS	15303-150/16729	2004	88	STOCK	QUIET 1 1/2 INCH	HIGH FLOW	FP-1433
TOURING	RUSH SLIP-ON W/DUALS	15303-200/16729	2004	88	STOCK	QUIET 2 INCH	HIGH FLOW	FP-0467
TOURING	RUSH SLIP-ON W/DUALS	15303-175/16729	2004	88	STOCK	STANDARD 1 3/4 INCH	HIGH FLOW	FP-0431
TOURING	RUSH SLIP-ON W/DUALS	15303-225/16729	2004	88	STOCK	STANDARD 2 1/4 INCH	HIGH FLOW	FP-0392
TOURING	RUSH SLIP-ON W/DUALS	15303-250/16729	2005	88	STAGE1	LOUD 2 1/2 INCH	HIGH FLOW	FP-0394
TOURING	RUSH SLIP-ON W/DUALS	15303-200/16729	2005	88	STAGE1	QUIET	HIGH FLOW	FP-0466
TOURING	RUSH SLIP-ON W/DUALS	15303-150/16729	2005	88	STAGE1	QUIET 1 1/2 INCH	HIGH FLOW	FP-1434
TOURING	RUSH SLIP-ON W/DUALS	15303-175/16729	2005	88	STAGE1	STANDARD 1 3/4 INCH	HIGH FLOW	FP-0430
TOURING	RUSH SLIP-ON W/DUALS	15303-225/16729	2005	88	STAGE1	STANDARD 2 1/4 INCH	HIGH FLOW	FP-0390
TOURING	RUSH SLIP-ON W/DUALS	15303-250/16729	2005	88	STOCK	LOUD 2 1/2 INCH	HIGH FLOW	FP-0393
TOURING	RUSH SLIP-ON W/DUALS	15303-150/16729	2005	88	STOCK	QUIET 1 1/2 INCH	HIGH FLOW	FP-1433
TOURING	RUSH SLIP-ON W/DUALS	15303-200/16729	2005	88	STOCK	QUIET 2 INCH	HIGH FLOW	FP-0467
TOURING	RUSH SLIP-ON W/DUALS	15303-175/16729	2005	88	STOCK	STANDARD 1 3/4 INCH	HIGH FLOW	FP-0431
TOURING	RUSH SLIP-ON W/DUALS	15303-225/16729	2005	88	STOCK	STANDARD 2 1/4 INCH	HIGH FLOW	FP-0392
TOURING	RUSH SLIP-ON W/DUALS	15303-250/16729	2006	88	STAGE1 RACE	LOUD 2 1/2 INCH	HIGH FLOW	FP-0459
TOURING	RUSH SLIP-ON W/DUALS	15303-200/16729	2006	88	STAGE1 RACE	QUIET 2 INCH	HIGH FLOW	FP-0463
TOURING	RUSH SLIP-ON W/DUALS	15303-175/16729	2006	88	STAGE1 RACE	STANDARD 1 3/4 INCH	HIGH FLOW	FP-0438
TOURING	RUSH SLIP-ON W/DUALS	15303-225/16729	2006	88	STAGE1 RACE	STANDARD 2 1/4 INCH	HIGH FLOW	FP-0460
TOURING	RUSH SLIP-ON W/DUALS	15303-200/16729	2006	88	STOCK	QUIET 2 INCH	HIGH FLOW	FP-0408
TOURING	RUSH SLIP-ON W/DUALS	15303-175/16729	2006	88	STOCK	STANDARD 1 3/4 INCH	HIGH FLOW	FP-0407
TOURING	RUSH SLIP-ON W/DUALS	15303-225/16729	2006	88	STOCK	STANDARD 2 1/4 INCH	HIGH FLOW	FP-0414
TOURING	RUSH SLIP-ON W/DUALS	15303-250/16737	2007	96	STAGE1 1584 LEGAL	LOUD 2 1/2 INCH	HIGH FLOW	FP-1516
TOURING	RUSH SLIP-ON W/DUALS	15303-150/16731	2007	96	STAGE1 1584 LEGAL	QUIET 1 1/2 INCH	HIGH FLOW	FP-1531
TOURING	RUSH SLIP-ON W/DUALS	15303-200/16731	2007	96	STAGE1 1584 LEGAL	QUIET 2 INCH	HIGH FLOW	FP-1530
TOURING	RUSH SLIP-ON W/DUALS	15303-225/16731	2007	96	STAGE1 1584 LEGAL	STANDARD 2 1/4 INCH	HIGH FLOW	FP-1529
TOURING	RUSH SLIP-ON W/DUALS	15303-175/16737	2007	96	STAGE1 STREET	STANDARD 1 3/4 INCH	HIGH FLOW	FP-0726
TOURING	RUSH SLIP-ON W/DUALS	15303-250/16737	2007	96	STOCK	LOUD 2 1/2 INCH	HIGH FLOW	FP-0542
TOURING	RUSH SLIP-ON W/DUALS	15303-150/16731	2007	96	STOCK	QUIET 1 1/2 INCH	HIGH FLOW	FP-1536
TOURING	RUSH SLIP-ON W/DUALS	15303-200/16737	2007	96	STOCK	QUIET 2 INCH	HIGH FLOW	FP-0540
TOURING	RUSH SLIP-ON W/DUALS	15303-175/16737	2007	96	STOCK	STANDARD	HIGH FLOW	FP-0538
TOURING	RUSH SLIP-ON W/DUALS	15303-225/16737	2007	96	STOCK	STANDARD 2 1/4 INCH	HIGH FLOW	FP-0541



STOCK ENGINE TOURING MODEL WITH OTHER MANUFACTURER EXHAUST

SETTING REFERENCE

*Please note: If your Electronic Control Unit (ECU) has not been modified by the dealer, then choose STOCK for your ECU LEVEL.

BIKE MODEL	PIPE MODEL	PIPE P/N	BIKE YEAR	ENGINE SIZE	ECU LEVEL *	BAFFLE TYPE	HIGH-PERF AIR FILTER	SETTING NUMBER
TOURING	S&S STAINLESS PERFORMANCE OVAL	106-0116	2004	88	STAGE1	OPTIONAL QUIET	HIGH FLOW	FP-2168
TOURING	S&S STAINLESS PERFORMANCE OVAL	106-0116	2004	88	STAGE1	STANDARD	HIGH FLOW	FP-2170
TOURING	S&S STAINLESS PERFORMANCE OVAL	106-0116	2004	88	STOCK	STANDARD	HIGH FLOW	FP-2169
TOURING	S&S STAINLESS PERFORMANCE OVAL	106-0116	2005	88	STAGE1	OPTIONAL QUIET	HIGH FLOW	FP-2168
TOURING	S&S STAINLESS PERFORMANCE OVAL	106-0116	2005	88	STAGE1	STANDARD	HIGH FLOW	FP-2170
TOURING	S&S STAINLESS PERFORMANCE OVAL	106-0116	2005	88	STOCK	STANDARD	HIGH FLOW	FP-2169
TOURING	S&S STAINLESS PERFORMANCE OVAL	55-6030	2006	88	STAGE1 RACE	STANDARD	HIGH FLOW	FP-0532
TOURING	S&S STAINLESS PERFORMANCE OVAL	106-0116	2007	96	STAGE1 1584 LEGAL	OPTIONAL QUIET	HIGH FLOW	FP-2174
TOURING	S&S STAINLESS PERFORMANCE OVAL	106-0116	2007	96	STAGE1 1584 LEGAL	STANDARD	HIGH FLOW	FP-2176
TOURING	S&S STAINLESS PERFORMANCE OVAL	106-0116	2007	96	STOCK	OPTIONAL QUIET	HIGH FLOW	FP-2173
TOURING	S&S STAINLESS PERFORMANCE OVAL	106-0116	2007	96	STOCK	STANDARD	HIGH FLOW	FP-2175
TOURING	S&S STAINLESS PERFORMANCE OVAL W/DUALS	106-0116/16729	2004	88	STAGE1	OPTIONAL QUIET	HIGH FLOW	FP-2177
TOURING	S&S STAINLESS PERFORMANCE OVAL W/DUALS	106-0116/16729	2004	88	STAGE1	STANDARD	HIGH FLOW	FP-2177
TOURING	S&S STAINLESS PERFORMANCE OVAL W/DUALS	106-0116/16729	2004	88	STOCK	OPTIONAL QUIET	HIGH FLOW	FP-2177
TOURING	S&S STAINLESS PERFORMANCE OVAL W/DUALS	106-0116/16729	2004	88	STOCK	STANDARD	HIGH FLOW	FP-2177
TOURING	S&S STAINLESS PERFORMANCE OVAL W/DUALS	106-0116/16729	2005	88	STAGE1	OPTIONAL QUIET	HIGH FLOW	FP-2177
TOURING	S&S STAINLESS PERFORMANCE OVAL W/DUALS	106-0116/16729	2005	88	STAGE1	STANDARD	HIGH FLOW	FP-2177
TOURING	S&S STAINLESS PERFORMANCE OVAL W/DUALS	106-0116/16729	2005	88	STOCK	OPTIONAL QUIET	HIGH FLOW	FP-2177
TOURING	S&S STAINLESS PERFORMANCE OVAL W/DUALS	106-0116/16729	2005	88	STOCK	STANDARD	HIGH FLOW	FP-2177
TOURING	S&S STAINLESS PERFORMANCE OVAL W/DUALS	55-6030/16729	2006	88	STAGE1 RACE	STANDARD	HIGH FLOW	FP-0546
TOURING	S&S STAINLESS PERFORMANCE OVAL W/DUALS	106-0116/16737	2007	96	STAGE1 1584 LEGAL	QUIET	HIGH FLOW	FP-2209
TOURING	S&S STAINLESS PERFORMANCE OVAL W/DUALS	106-0116/16737	2007	96	STAGE1 1584 LEGAL	STANDARD	HIGH FLOW	FP-2208
TOURING	S&S STAINLESS PERFORMANCE OVAL W/DUALS	106-0116/16737	2007	96	STOCK	QUIET	HIGH FLOW	FP-2210
TOURING	S&S STAINLESS PERFORMANCE OVAL W/DUALS	106-0116/16737	2007	96	STOCK	STANDARD	HIGH FLOW	FP-2207
TOURING	SE PRO 2-1	80400-01	2002	88	STAGE1	STANDARD	HIGH FLOW	FP-0279
TOURING	SE PRO 2-1	80400-01	2002	88	STOCK	STANDARD	HIGH FLOW	FP-0278
TOURING	SE PRO 2-1	80400-01	2003	88	STAGE1	STANDARD	HIGH FLOW	FP-0279
TOURING	SE PRO 2-1	80400-01	2003	88	STOCK	STANDARD	HIGH FLOW	FP-0278
TOURING	SE PRO 2-1	80400-01	2004	88	STAGE1	STANDARD	HIGH FLOW	FP-0197
TOURING	SE PRO 2-1	80400-01	2004	88	STOCK	STANDARD	HIGH FLOW	FP-0196
TOURING	SE PRO 2-1	80400-01	2005	88	STAGE1	STANDARD	HIGH FLOW	FP-0197
TOURING	SE PRO 2-1	80400-01	2005	88	STOCK	STANDARD	HIGH FLOW	FP-0196



STOCK ENGINE TOURING MODEL WITH OTHER MANUFACTURER EXHAUST

SETTING REFERENCE

*Please note: If your Electronic Control Unit (ECU) has not been modified by the dealer, then choose STOCK for your ECU LEVEL.

BIKE MODEL	PIPE MODEL	PIPE P/N	BIKE YEAR	ENGINE SIZE	ECU LEVEL *	BAFFLE TYPE	HIGH-PERF AIR FILTER	SETTING NUMBER
TOURING	SE PRO 2-1	80400-01	2006	88	STOCK	STANDARD	HIGH FLOW	FP-0282
TOURING	SE PRO ONE-PIECE SLASH DOWN	64903-99	2002	88	STAGE1	STANDARD	HIGH FLOW	FP-0373
TOURING	SE PRO ONE-PIECE SLASH DOWN	64903-99	2002	88	STOCK	STANDARD	HIGH FLOW	FP-0369
TOURING	SE PRO ONE-PIECE SLASH DOWN	64903-99	2003	88	STAGE1	STANDARD	HIGH FLOW	FP-0373
TOURING	SE PRO ONE-PIECE SLASH DOWN	64903-99	2003	88	STOCK	STANDARD	HIGH FLOW	FP-0369
TOURING	SE PRO ONE-PIECE SLASH DOWN	64903-99	2004	88	STOCK	STANDARD	HIGH FLOW	FP-0383
TOURING	SE PRO ONE-PIECE SLASH DOWN	64903-99	2005	88	STOCK	STANDARD	HIGH FLOW	FP-0383
TOURING	SE PRO ONE-PIECE SLASH DOWN	64903-99	2006	88	STOCK	STANDARD	HIGH FLOW	FP-0357
TOURING	SE PRO ONE-PIECE SLASH DOWN W/DUALS	64900-99/16729	2004	88	STAGE1	STANDARD	HIGH FLOW	FP-0389
TOURING	SE PRO ONE-PIECE SLASH DOWN W/DUALS	64903-99/16729	2004	88	STOCK	STANDARD	HIGH FLOW	FP-0391
TOURING	SE PRO ONE-PIECE SLASH DOWN W/DUALS	64900-99/16729	2005	88	STAGE1	STANDARD	HIGH FLOW	FP-0389
TOURING	SE PRO ONE-PIECE SLASH DOWN W/DUALS	64903-99/16729	2005	88	STOCK	STANDARD	HIGH FLOW	FP-0391
TOURING	SE PRO ONE-PIECE SLASH DOWN W/DUALS	64903-99/16729	2006	88	STOCK	STANDARD	HIGH FLOW	FP-0375
TOURING	SE PRO ONE-PIECE SLASH UP	64924-99	2002	88	STAGE1	STANDARD	HIGH FLOW	FP-0373
TOURING	SE PRO ONE-PIECE SLASH UP	64924-99	2002	88	STOCK	STANDARD	HIGH FLOW	FP-0369
TOURING	SE PRO ONE-PIECE SLASH UP	64924-99	2003	88	STAGE1	STANDARD	HIGH FLOW	FP-0373
TOURING	SE PRO ONE-PIECE SLASH UP	64924-99	2003	88	STOCK	STANDARD	HIGH FLOW	FP-0369
TOURING	SE PRO ONE-PIECE SLASH UP	64924-99	2004	88	STAGE1	STANDARD	HIGH FLOW	FP-0384
TOURING	SE PRO ONE-PIECE SLASH UP	64924-99	2004	88	STOCK	STANDARD	HIGH FLOW	FP-0383
TOURING	SE PRO ONE-PIECE SLASH UP	64924-99	2005	88	STAGE1	STANDARD	HIGH FLOW	FP-0384
TOURING	SE PRO ONE-PIECE SLASH UP	64924-99	2005	88	STOCK	STANDARD	HIGH FLOW	FP-0383
TOURING	SE PRO ONE-PIECE SLASH UP	64924-99	2006	88	STAGE1 RACE	STANDARD	HIGH FLOW	FP-0456
TOURING	SE PRO ONE-PIECE SLASH UP	64924-99	2006	88	STOCK	STANDARD	HIGH FLOW	FP-0357
TOURING	SE PRO ONE-PIECE SLASH UP	64924-99	2007	96	STOCK	STANDARD	HIGH FLOW	FP-0617
TOURING	SE PRO ONE-PIECE SLASH UP W/DUALS	64924-99/16729	2002	88	STAGE1	STANDARD	HIGH FLOW	FP-0381
TOURING	SE PRO ONE-PIECE SLASH UP W/DUALS	64924-99/16729	2002	88	STOCK	STANDARD	HIGH FLOW	FP-0382
TOURING	SE PRO ONE-PIECE SLASH UP W/DUALS	64924-99/16729	2003	88	STAGE1	STANDARD	HIGH FLOW	FP-0381
TOURING	SE PRO ONE-PIECE SLASH UP W/DUALS	64924-99/16729	2003	88	STOCK	STANDARD	HIGH FLOW	FP-0382
TOURING	SE PRO ONE-PIECE SLASH UP W/DUALS	64924-99/16729	2004	88	STAGE1	STANDARD	HIGH FLOW	FP-0389
TOURING	SE PRO ONE-PIECE SLASH UP W/DUALS	64924-99/16729	2004	88	STOCK	STANDARD	HIGH FLOW	FP-0391
TOURING	SE PRO ONE-PIECE SLASH UP W/DUALS	64924-99/16729	2005	88	STAGE1	STANDARD	HIGH FLOW	FP-0389
TOURING	SE PRO ONE-PIECE SLASH UP W/DUALS	64924-99/16729	2005	88	STOCK	STANDARD	HIGH FLOW	FP-0391



STOCK ENGINE TOURING MODEL WITH OTHER MANUFACTURER EXHAUST

SETTING REFERENCE

*Please note: If your Electronic Control Unit (ECU) has not been modified by the dealer, then choose STOCK for your ECU LEVEL.

BIKE MODEL	PIPE MODEL	PIPE P/N	BIKE YEAR	ENGINE SIZE	ECU LEVEL *	BAFFLE TYPE	HIGH-PERF AIR FILTER	SETTING NUMBER
TOURING	SE PRO ONE-PIECE SLASH UP W/DUALS	64924-99/16729	2006	88	STAGE1 RACE	STANDARD	HIGH FLOW	FP-0455
TOURING	SE PRO ONE-PIECE SLASH UP W/DUALS	64924-99/16729	2006	88	STOCK	STANDARD	HIGH FLOW	FP-0375
TOURING	SE PRO ONE-PIECE SLASH UP W/DUALS	64924-99/16729	2007	96	STOCK	STANDARD	HIGH FLOW	FP-0611
TOURING	SE PRO PERF MUFFLER	65115-98B	2002	88	STAGE1	STANDARD	HIGH FLOW	FP-0372
TOURING	SE PRO PERF MUFFLER	65115-98B	2002	88	STOCK	STANDARD	HIGH FLOW	FP-0370
TOURING	SE PRO PERF MUFFLER	65115-98B	2003	88	STAGE1	STANDARD	HIGH FLOW	FP-0372
TOURING	SE PRO PERF MUFFLER	65115-98B	2003	88	STOCK	STANDARD	HIGH FLOW	FP-0370
TOURING	SE PRO PERF MUFFLER	65115-98B	2004	88	STAGE1	STANDARD	HIGH FLOW	FP-0386
TOURING	SE PRO PERF MUFFLER	65115-98B	2004	88	STOCK	STANDARD	HIGH FLOW	FP-0385
TOURING	SE PRO PERF MUFFLER	65115-98B	2005	88	STAGE1	STANDARD	HIGH FLOW	FP-0386
TOURING	SE PRO PERF MUFFLER	65115-98B	2005	88	STOCK	STANDARD	HIGH FLOW	FP-0385
TOURING	SE PRO PERF MUFFLER	65115-98B	2006	88	STAGE1 RACE	STANDARD	HIGH FLOW	FP-0457
TOURING	SE PRO PERF MUFFLER	65115-98B	2006	88	STOCK	STANDARD	HIGH FLOW	FP-0355
TOURING	SE PRO PERF MUFFLER	65115-98B	2007	96	STAGE1 1584 LEGAL	STANDARD	HIGH FLOW	FP-1572
TOURING	SE PRO PERF MUFFLER	65115-98B	2007	96	STOCK	STANDARD	HIGH FLOW	FP-0616
TOURING	SE PRO PERF MUFFLER W/DUALS	65115-98B/16729	2002	88	STAGE1	STANDARD	HIGH FLOW	FP-0380
TOURING	SE PRO PERF MUFFLER W/DUALS	65115-98B/16729	2002	88	STOCK	STANDARD	HIGH FLOW	FP-0379
TOURING	SE PRO PERF MUFFLER W/DUALS	65115-98B/16729	2003	88	STAGE1	STANDARD	HIGH FLOW	FP-0380
TOURING	SE PRO PERF MUFFLER W/DUALS	65115-98B/16729	2003	88	STOCK	STANDARD	HIGH FLOW	FP-0379
TOURING	SE PRO PERF MUFFLER W/DUALS	65115-98B/16729	2004	88	STAGE1	STANDARD	HIGH FLOW	FP-0387
TOURING	SE PRO PERF MUFFLER W/DUALS	65115-98B/16729	2004	88	STOCK	STANDARD	HIGH FLOW	FP-0388
TOURING	SE PRO PERF MUFFLER W/DUALS	65115-98B/16729	2005	88	STAGE1	STANDARD	HIGH FLOW	FP-0387
TOURING	SE PRO PERF MUFFLER W/DUALS	65115-98B/16729	2005	88	STOCK	STANDARD	HIGH FLOW	FP-0388
TOURING	SE PRO PERF MUFFLER W/DUALS	65115-98B/16729	2006	88	STAGE1 RACE	STANDARD	HIGH FLOW	FP-0458
TOURING	SE PRO PERF MUFFLER W/DUALS	65115-98B/16729	2006	88	STOCK	STANDARD	HIGH FLOW	FP-0374
TOURING	SE PRO PERF MUFFLER W/DUALS	65115-98B/16737	2007	96	STOCK	STANDARD	HIGH FLOW	FP-0610
TOURING	SE STREET PERF MUFFLERS W/DUALS	64985-07/16729	2004	88	STAGE1	STANDARD	HIGH FLOW	FP-1438
TOURING	SE STREET PERF MUFFLERS W/DUALS	64985-07/16729	2004	88	STOCK	STANDARD	HIGH FLOW	FP-1437
TOURING	SE STREET PERF MUFFLERS W/DUALS	64985-07/16729	2005	88	STAGE1	STANDARD	HIGH FLOW	FP-1438
TOURING	SE STREET PERF MUFFLERS W/DUALS	64985-07/16729	2005	88	STOCK	STANDARD	HIGH FLOW	FP-1437
TOURING	SE STREET PERF MUFFLERS W/DUALS	64985-07/16737	2007	96	STAGE1 STREET	STANDARD	HIGH FLOW	FP-0725
TOURING	SE STREET PERF MUFFLERS W/DUALS	64985-07/16739	2007	96	STOCK	STANDARD	HIGH FLOW	FP-0863



STOCK ENGINE TOURING MODEL WITH OTHER MANUFACTURER EXHAUST

SETTING REFERENCE

*Please note: If your Electronic Control Unit (ECU) has not been modified by the dealer, then choose STOCK for your ECU LEVEL.

BIKE MODEL	PIPE MODEL	PIPE P/N	BIKE YEAR	ENGINE SIZE	ECU LEVEL *	BAFFLE TYPE	HIGH-PERF AIR FILTER	SETTING NUMBER
TOURING	SE STREET PERF TOURING MUFFLERS	64985-07	2004	88	STAGE1	STANDARD	HIGH FLOW	FP-1428
TOURING	SE STREET PERF TOURING MUFFLERS	64985-07	2004	88	STOCK	STANDARD	HIGH FLOW	FP-1426
TOURING	SE STREET PERF TOURING MUFFLERS	64985-07	2005	88	STAGE1	STANDARD	HIGH FLOW	FP-1428
TOURING	SE STREET PERF TOURING MUFFLERS	64985-07	2005	88	STOCK	STANDARD	HIGH FLOW	FP-1426
TOURING	SE STREET PERF TOURING MUFFLERS	64985-07	2007	96	STAGE1 1584 LEGAL	STANDARD	HIGH FLOW	FP-1571
TOURING	SE STREET PERF TOURING MUFFLERS	64985-07	2007	96	STOCK	STANDARD	HIGH FLOW	FP-0842
TOURING	THUNDERCONE SLIP-ON	1061	2002	88	STAGE1	STANDARD	HIGH FLOW	FP-0488
TOURING	THUNDERCONE SLIP-ON	1061	2002	88	STOCK	STANDARD	HIGH FLOW	FP-0487
TOURING	THUNDERCONE SLIP-ON	1061	2003	88	STAGE1	STANDARD	HIGH FLOW	FP-0488
TOURING	THUNDERCONE SLIP-ON	1061	2003	88	STOCK	STANDARD	HIGH FLOW	FP-0487
TOURING	THUNDERCONE SLIP-ON	1061	2004	88	STAGE1	STANDARD	HIGH FLOW	FP-0417
TOURING	THUNDERCONE SLIP-ON	1061	2004	88	STOCK	STANDARD	HIGH FLOW	FP-0418
TOURING	THUNDERCONE SLIP-ON	1061	2005	88	STAGE1	STANDARD	HIGH FLOW	FP-0417
TOURING	THUNDERCONE SLIP-ON	1061	2005	88	STOCK	STANDARD	HIGH FLOW	FP-0418
TOURING	THUNDERCONE SLIP-ON	1061	2006	88	STAGE1	STANDARD	HIGH FLOW	FP-0424
TOURING	THUNDERCONE SLIP-ON	1061	2006	88	STOCK	STANDARD	HIGH FLOW	FP-0425
TOURING	THUNDERCONE SLIP-ON	1061	2007	96	STAGE1 1584 LEGAL	STANDARD	HIGH FLOW	FP-1573
TOURING	THUNDERCONE SLIP-ON	1061	2007	96	STOCK	STANDARD	HIGH FLOW	FP-0534
TOURING	THUNDERCONE SLIP-ON W/DUALS	1061/16729	2002	88	STAGE1	STANDARD	HIGH FLOW	FP-0491
TOURING	THUNDERCONE SLIP-ON W/DUALS	1061/16729	2002	88	STOCK	STANDARD	HIGH FLOW	FP-0492
TOURING	THUNDERCONE SLIP-ON W/DUALS	1061/16729	2003	88	STAGE1	STANDARD	HIGH FLOW	FP-0491
TOURING	THUNDERCONE SLIP-ON W/DUALS	1061/16729	2003	88	STOCK	STANDARD	HIGH FLOW	FP-0492
TOURING	THUNDERCONE SLIP-ON W/DUALS	1061/16729	2004	88	STAGE1	STANDARD	HIGH FLOW	FP-0464
TOURING	THUNDERCONE SLIP-ON W/DUALS	1061/16729	2004	88	STOCK	STANDARD	HIGH FLOW	FP-0465
TOURING	THUNDERCONE SLIP-ON W/DUALS	1061/16729	2005	88	STAGE1	STANDARD	HIGH FLOW	FP-0464
TOURING	THUNDERCONE SLIP-ON W/DUALS	1061/16729	2005	88	STOCK	STANDARD	HIGH FLOW	FP-0465
TOURING	THUNDERCONE SLIP-ON W/DUALS	1061/16729	2006	88	STAGE1 RACE	STANDARD	HIGH FLOW	FP-0547
TOURING	THUNDERCONE SLIP-ON W/DUALS	1061/16729	2006	88	STOCK	STANDARD	HIGH FLOW	FP-0412
TOURING	THUNDERCONE SLIP-ON W/DUALS	1061/16737	2007	96	STAGE1 1584 LEGAL	STANDARD	HIGH FLOW	FP-1516
TOURING	THUNDERCONE SLIP-ON W/DUALS	1061/16737	2007	96	STOCK	STANDARD	HIGH FLOW	FP-0543
TOURING	THUNDERHEADER 2-1	1024	2002	88	STAGE1	STANDARD	HIGH FLOW	FP-0489
TOURING	THUNDERHEADER 2-1	1024	2002	88	STOCK	STANDARD	HIGH FLOW	FP-0490



STOCK ENGINE TOURING MODEL WITH OTHER MANUFACTURER EXHAUST

SETTING REFERENCE

*Please note: If your Electronic Control Unit (ECU) has not been modified by the dealer, then choose STOCK for your ECU LEVEL.

BIKE MODEL	PIPE MODEL	PIPE P/N	BIKE YEAR	ENGINE SIZE	ECU LEVEL *	BAFFLE TYPE	HIGH-PERF AIR FILTER	SETTING NUMBER
TOURING	THUNDERHEADER 2-1	1024	2003	88	STAGE1	STANDARD	HIGH FLOW	FP-0489
TOURING	THUNDERHEADER 2-1	1024	2003	88	STOCK	STANDARD	HIGH FLOW	FP-0490
TOURING	THUNDERHEADER 2-1	1024	2004	88	STAGE1	STANDARD	HIGH FLOW	FP-0429
TOURING	THUNDERHEADER 2-1	1024	2004	88	STOCK	STANDARD	HIGH FLOW	FP-0421
TOURING	THUNDERHEADER 2-1	1024	2005	88	STAGE1	STANDARD	HIGH FLOW	FP-0429
TOURING	THUNDERHEADER 2-1	1024	2005	88	STOCK	STANDARD	HIGH FLOW	FP-0421
TOURING	THUNDERHEADER 2-1	1024	2006	88	STAGE1 RACE	STANDARD	HIGH FLOW	FP-0548
TOURING	THUNDERHEADER 2-1	1024	2006	88	STOCK	STANDARD	HIGH FLOW	FP-0413
TOURING	THUNDERHEADER 2-1	1054	2007	96	STAGE1 1584 LEGAL	STANDARD	HIGH FLOW	FP-1541
TOURING	THUNDERHEADER 2-1	1054	2007	96	STOCK	STANDARD	HIGH FLOW	FP-0881
TOURING SE 103	PORKER DRESSER SLIP-ONS W/DUALS	01-1007/16729	2006	103	STOCK	STANDARD	HIGH FLOW	FP-0307
TOURING SE 103	PYTHON DRESSER SLIP-ONS W/DUALS	41501/16729	2006	103	STOCK	STANDARD	HIGH FLOW	FP-0304
TOURING SE 103	RINEHART TRUE DUALS	1800-0106	2006	103	STOCK	LOUD 2 1/2 INCH	HIGH FLOW	FP-0297
TOURING SE 103	RINEHART TRUE DUALS	1800-0106	2006	103	STOCK	QUIET 2 INCH	HIGH FLOW	FP-0295
TOURING SE 103	RINEHART TRUE DUALS	1800-0106	2006	103	STOCK	STANDARD 2 1/4 INCH	HIGH FLOW	FP-0296
TOURING SE 103	SE PRO 2-1	80400-01	2006	103	STOCK	STANDARD	HIGH FLOW	FP-0298
TOURING SE 103	SE STREET PERF TOURING MUFFLERS	64985-07	2006	103	STAGE1 RACE	STANDARD	HIGH FLOW	FP-0972
TOURING SE 110	CRUSHER SLIP-ONS	499	2007	110	STOCK	STANDARD	HIGH FLOW	FP-1295
TOURING SE 110	CRUSHER SLIP-ONS W/DUALS	499/16737	2007	110	STOCK	STANDARD	HIGH FLOW	FP-1294
TOURING SE 110	RINEHART 2-1	R5-3395CG	2007	110	STOCK	STANDARD	HIGH FLOW	FP-1300
TOURING SE 110	RUSH SLIP-ON	15303-250	2007	110	STOCK	LOUD 2 1/2 INCH	HIGH FLOW	FP-0800
TOURING SE 110	RUSH SLIP-ON	15303-200	2007	110	STOCK	QUIET 2 INCH	HIGH FLOW	FP-0802
TOURING SE 110	RUSH SLIP-ON	15303-175	2007	110	STOCK	STANDARD 1 3/4 INCH	HIGH FLOW	FP-0789
TOURING SE 110	RUSH SLIP-ON	15303-225	2007	110	STOCK	STANDARD 2 1/4 INCH	HIGH FLOW	FP-0801
TOURING SE 110	RUSH SLIP-ON W/DUALS	15303-250/16737	2007	110	STOCK	LOUD 2 1/2 INCH	HIGH FLOW	FP-0803
TOURING SE 110	RUSH SLIP-ON W/DUALS	15303-200/16737	2007	110	STOCK	QUIET 2 INCH	HIGH FLOW	FP-0805
TOURING SE 110	RUSH SLIP-ON W/DUALS	15303-175/16737	2007	110	STOCK	STANDARD	HIGH FLOW	FP-0798
TOURING SE 110	RUSH SLIP-ON W/DUALS	15303-225/16737	2007	110	STOCK	STANDARD 2 1/4 INCH	HIGH FLOW	FP-0804
TOURING SE 110	SE PRO PERF MUFFLER	65115-98B	2007	110	STOCK	STANDARD	HIGH FLOW	FP-1296
TOURING SE 110	SE PRO PERF MUFFLER W/DUALS	65115-98B/16737	2007	110	STOCK	STANDARD	HIGH FLOW	FP-1297
TOURING SE 110	SE STREET PERF MUFFLERS W/DUALS	64985-07/16737	2007	110	STOCK	STANDARD	HIGH FLOW	FP-1298
TOURING SE 110	SE STREET PERF TOURING MUFFLERS	64985-07	2007	110	STOCK	STANDARD	HIGH FLOW	FP-1299



STOCK ENGINE TOURING MODEL WITH OTHER MANUFACTURER EXHAUST

SETTING REFERENCE

*Please note: If your Electronic Control Unit (ECU) has not been modified by the dealer, then choose STOCK for your ECU LEVEL.

BIKE MODEL	PIPE MODEL	PIPE P/N	BIKE YEAR	ENGINE SIZE	ECU LEVEL *	BAFFLE TYPE	HIGH-PERF AIR FILTER	SETTING NUMBER
TOURING SE 110	THUNDERCONE SLIP-ON	1061	2007	110	STOCK	STANDARD	HIGH FLOW	FP-0808
TOURING SE 110	THUNDERHEADER 2-1	1055	2007	110	STOCK	STANDARD	HIGH FLOW	FP-1301



SETTING VALUES

Please locate your Value Reference from the chart.

SUGGESTION: Use a ruler or highlight SETTING VALUES to reduce risk of losing place while entering values.

VALUES FOR MODES 1-18																		MODES 19-22		ADDITIONAL MODES WHEN REQUIRED															
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20-22	23	24	25	26	27	28	29	30	31	32	33	34	35			
																		CALIBRATE THROTTLE	DIAGNOSTICS - NO ENTRY REQUIRED																



SETTING VALUES

Please locate your Value Reference from the chart.

SUGGESTION: Use a ruler or highlight SETTING VALUES to reduce risk of losing place while entering values.

VALUES FOR MODES 1-18																		MODES 19-22				ADDITIONAL MODES WHEN REQUIRED															
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20-22	23	24	25	26	27	28	29	30	31	32	33	34	35					

CALIBRATE THROTTLE
DIAGNOSTICS - NO ENTRY REQUIRED



SETTING VALUES

Please locate your Value Reference from the chart.

SUGGESTION: Use a ruler or highlight SETTING VALUES to reduce risk of losing place while entering values.

VALUES FOR MODES 1-18																		MODES 19-22				ADDITIONAL MODES WHEN REQUIRED																	
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20-22	23	24	25	26	27	28	29	30	31	32	33	34	35							

CALIBRATE THROTTLE

DIAGNOSTICS - NO ENTRY REQUIRED



SETTING VALUES

Please locate your Value Reference from the chart.

SUGGESTION: Use a ruler or highlight SETTING VALUES to reduce risk of losing place while entering values.

	VALUES FOR MODES 1-18																		MODES 19-22		ADDITIONAL MODES WHEN REQUIRED																
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20-22	23	24	25	26	27	28	29	30	31	32	33	34	35				
FP-0100	0	0	3	2	0	14	0	8	0	8	0	0	5	20	7	10	0	0			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A		
FP-0101	8	11	9	0	0	7	-4	9	0	2	-4	-5	5	11	0	0	0	0			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A		
FP-0102	0	0	5	7	0	7	-8	0	0	6	-9	-3	-11	14	9	9	0	0			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A		
FP-0103	2	5	0	2	0	18	17	4	0	15	-7	0	15	3	17	2	0	0			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A		
FP-0104	-1	0	4	0	0	26	0	5	0	4	-10	-6	0	15	0	6	0	0			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A		
FP-0105	6	5	5	5	10	12	16	2	-10	2	3	-5	-10	0	4	0	0	32			16	0	-5	0	-3	12	18	23	30	40	50	N/A	N/A	N/A			
FP-0106	8	7	15	18	0	30	15	7	0	-1	-9	-2	0	13	0	5	0	0			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A		
FP-0107	10	12	16	14	0	30	18	12	0	-4	-2	-1	0	10	10	0	0	0			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
FP-0108	9	9	10	14	0	33	20	10	0	-2	-3	-1	0	10	10	3	0	0			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
FP-0109	0	0	6	-4	0	16	3	-2	0	0	-5	-11	0	0	7	0	0	0			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
FP-0110	0	0	0	3	0	7	1	1	0	8	1	-2	0	6	9	2	0	0			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
FP-0113	8	10	13	6	0	10	-18	4	0	14	-14	13	0	18	-13	7	0	0			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
FP-0132	5	4	0	2	0	14	3	2	0	-14	-17	-12	4	-4	-14	-5	0	0			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
FP-0133	0	2	0	0	25	25	15	17	0	-6	-2	-2	0	-2	-6	-6	0	0			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
FP-0134	2	2	3	0	0	11	5	-5	0	-19	-17	-16	0	-7	-7	-5	0	0			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
FP-0135	0	0	-1	-2	0	17	3	-1	0	-20	-16	-14	0	0	-11	-5	0	0			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
FP-0136	0	3	3	0	0	6	5	-4	0	-24	-17	-14	0	-10	-8	-5	0	0			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
FP-0137	0	-2	-4	0	0	16	0	-2	0	-12	-20	-15	4	-7	-10	-2	0	0			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
FP-0138	1	0	0	5	0	16	20	5	0	-15	-14	-13	10	-10	-2	-5	0	0			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
FP-0139	1	1	3	10	0	17	15	8	0	-10	-10	-11	16	-5	-5	-2	0	0			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
FP-0140	0	0	0	0	20	20	12	9	0	4	3	-7	10	14	-5	0	0	0			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
FP-0141	3	1	4	0	0	21	12	5	0	-15	-15	-14	9	6	-3	-3	0	0			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
FP-0142	2	4	0	12	0	31	15	12	0	4	2	0	0	10	-3	2	0	0			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
FP-0143	0	2	3	12	0	24	10	10	0	-13	-15	-7	0	6	-5	0	0	0			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
FP-0146	0	0	2	3	0	23	12	3	0	-13	-13	-13	0	5	0	0	0	0			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
FP-0147	4	3	5	10	0	20	14	9	0	-7	-4	1	6	0	5	6	0	0			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
FP-0148	2	1	2	4	5	30	12	10	0	-8	-6	0	10	0	5	3	0	0			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
FP-0149	0	0	0	0	2	13	11	6	0	-9	-9	1	14	-2	0	5	0	0			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
FP-0150	0	2	2	3	8	20	9	2	0	-9	-7	0	14	-2	10	10	0	0			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
FP-0155	4	-7	0	0	0	0	-4	-2	0	-1	-6	6	5	5	-2	5	0	0			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
FP-0156	-3	-4	-1	-3	0	1	-5	-4	0	-11	-13	-1	-12	-5	0	0	0	0			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
FP-0157	-1	-8	-1	-6	0	2	-4	1	0	-9	-9	-2	-15	-8	-2	0	0	0			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
FP-0158	0	0	3	3	0	3	1	4	0	0	1	8	-5	5	0	8	0	0			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
FP-0161	0	0	4	0	0	26	0	5	0	4	-10	-6	0	15	0	6	0	0			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A

CALIBRATE THROTTLE
DIAGNOSTICS - NO ENTRY REQUIRED

Visit fuelpakfi.com for more information

P/N 51721 062909



SETTING VALUES

Please locate your Value Reference from the chart.

SUGGESTION: Use a ruler or highlight SETTING VALUES to reduce risk of losing place while entering values.

	VALUES FOR MODES 1-18																		MODES 19-22		ADDITIONAL MODES WHEN REQUIRED															
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20-22	23	24	25	26	27	28	29	30	31	32	33	34	35			
FP-0196	10	10	5	16	13	14	15	3	-4	-8	2	-4	0	0	6	0	0	0			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A		
FP-0197	10	10	18	8	8	10	10	5	-6	-6	-1	-9	0	0	6	0	0	0			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A		
FP-0255	10	16	21	22	0	29	11	14	0	-3	-10	-6	20	20	0	13	0	0			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A		
FP-0256	8	7	7	9	9	28	11	16	0	0	-12	-6	20	12	8	9	0	0			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A		
FP-0264	0	3	0	0	0	-2	-7	-8	0	-5	-6	0	0	5	-2	4	0	0			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A		
FP-0265	11	8	11	0	0	0	-6	-12	0	-8	-6	-4	-18	-10	0	-6	0	0			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A		
FP-0266	9	7	4	1	0	-3	-13	0	0	-8	-12	0	-11	-8	-8	0	0	0			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A		
FP-0267	6	3	0	6	6	0	-11	-1	0	-4	0	2	0	0	-9	8	0	0			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A		
FP-0268	0	6	2	24	13	-1	-13	0	0	-5	-15	1	0	-1	-10	8	0	0			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A		
FP-0269	0	5	1	0	18	0	-12	0	0	-9	-15	-1	-9	-9	-17	0	0	0			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A		
FP-0278	0	-8	0	-7	6	-1	2	-9	0	-6	-8	-12	0	0	0	-8	0	0			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A		
FP-0279	0	1	1	0	8	0	-5	-11	0	3	0	-8	-9	9	7	-2	0	0			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
FP-0282	0	0	0	0	0	6	-1	-5	0	-19	-18	-20	10	-4	-8	-12	0	0			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
FP-0285	0	-7	-8	-7	0	-6	-1	0	0	-16	-12	-10	-2	-4	-4	-4	0	0			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
FP-0291	6	10	12	10	0	23	13	13	0	-8	-13	-2	17	10	7	7	0	0			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
FP-0292	-8	7	10	7	0	23	8	12	0	-7	-15	-10	15	10	8	8	0	0			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
FP-0293	0	6	2	11	0	10	2	0	0	-7	-13	-2	0	0	-5	4	0	0			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
FP-0294	0	4	0	-4	0	9	11	0	0	-9	-15	0	0	7	-4	7	0	0			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
FP-0295	0	4	-5	0	0	5	-10	-5	0	-4	-16	0	20	21	-11	7	0	0			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
FP-0296	0	2	-6	0	0	15	-6	12	0	2	-14	0	21	22	-15	10	0	0			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
FP-0297	0	7	-4	12	0	19	-6	10	0	0	-14	2	29	18	-20	6	0	0			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
FP-0298	0	0	1	9	0	5	-7	-2	0	0	-12	-3	17	9	9	-4	0	0			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
FP-0299	0	5	-6	3	0	15	-4	0	0	12	-12	-1	17	21	-10	0	0	0			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
FP-0300	0	0	2	8	0	16	6	0	0	11	-5	0	22	5	10	8	0	0			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
FP-0301	0	9	0	0	0	18	-5	0	0	10	-15	2	25	25	-12	9	0	0			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
FP-0302	7	6	5	-3	0	16	0	0	0	5	-12	2	25	8	15	0	0	0			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
FP-0303	0	1	0	2	0	15	6	-5	0	6	-3	0	9	25	8	0	0	0			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
FP-0304	4	9	-1	8	0	12	0	0	0	11	-12	0	20	24	-7	0	0	0			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
FP-0305	0	0	0	8	0	11	-4	0	0	4	0	0	15	10	4	0	0	0			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
FP-0306	3	0	4	11	0	12	-4	-4	0	7	-10	-2	10	15	0	0	0	0			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
FP-0307	3	3	5	0	0	16	0	0	0	5	-3	2	25	8	15	0	0	0			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
FP-0308	3	3	5	0	0	16	-3	0	0	5	-3	2	25	8	15	0	0	0			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
FP-0310	0	1	0	2	0	11	6	-6	0	6	-2	0	9	25	8	0	0	0			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
FP-0355	0	2	0	0	10	15	5	0	0	-6	-6	-6	6	-6	-5	-8	0	0			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A

Visit fuelpakfi.com for more information

P/N 51721 062909

CALIBRATE THROTTLE
DIAGNOSTICS - NO ENTRY REQUIRED



SETTING VALUES

Please locate your Value Reference from the chart.

SUGGESTION: Use a ruler or highlight SETTING VALUES to reduce risk of losing place while entering values.

	VALUES FOR MODES 1-18																		MODES 19-22		ADDITIONAL MODES WHEN REQUIRED																
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20-22	23	24	25	26	27	28	29	30	31	32	33	34	35				
FP-0357	0	0	0	0	15	17	10	4	0	-5	-3	-5	5	-5	-3	-3	0	0			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
FP-0366	0	2	0	2	18	20	10	10	0	-4	-4	3	0	0	-3	3	0	0			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
FP-0367	0	0	0	0	25	25	8	12	0	-3	-7	2	10	-3	-10	0	0	0			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
FP-0369	0	0	0	0	6	6	8	10	4	2	5	5	0	0	0	5	0	0			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
FP-0370	0	0	0	0	8	15	15	16	12	12	5	7	5	-1	0	8	0	0			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
FP-0371	0	2	2	3	30	30	10	20	0	2	-12	8	3	-2	-12	6	0	0			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
FP-0372	0	0	0	0	10	14	10	25	0	9	6	6	0	10	1	14	0	0			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
FP-0373	0	0	0	0	17	17	14	30	0	4	14	8	3	4	10	12	0	0			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
FP-0374	0	0	-7	-10	0	20	7	0	0	-5	-2	-7	0	0	-3	-6	0	0			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
FP-0375	0	0	-5	-15	23	15	16	4	0	-4	0	-8	4	-6	0	-7	0	0			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
FP-0379	0	0	0	0	8	30	10	10	0	16	13	-5	0	15	10	6	0	0			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
FP-0380	0	0	0	0	15	30	12	23	10	20	18	5	12	25	16	8	0	0			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
FP-0381	0	0	0	0	12	17	20	20	14	16	18	6	10	20	16	6	0	0			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
FP-0382	0	0	0	0	6	14	10	4	16	10	13	0	0	5	15	-2	0	0			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
FP-0383	0	0	0	-9	15	17	18	10	0	-3	4	2	8	-5	5	3	0	0			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
FP-0384	0	0	0	0	26	18	22	17	0	-2	3	3	0	-2	4	2	0	0			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
FP-0385	0	5	0	0	20	18	15	20	5	-2	4	4	15	-3	3	5	0	0			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
FP-0386	0	0	0	0	25	18	15	13	10	-3	3	3	10	-4	2	4	0	0			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
FP-0387	0	0	0	0	12	37	30	24	0	10	6	6	5	10	20	7	0	0			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
FP-0388	0	0	0	0	10	36	28	28	0	10	4	7	5	17	20	8	0	0			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
FP-0389	0	0	0	0	13	37	30	29	8	7	4	5	24	8	18	7	0	0			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
FP-0390	0	0	0	2	25	25	14	25	20	12	4	8	10	10	2	9	0	0			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
FP-0391	0	0	0	0	28	35	28	25	4	6	7	4	20	10	22	5	0	0			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
FP-0392	8	0	0	0	20	30	15	15	8	8	0	10	24	10	0	6	0	0			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
FP-0393	0	0	0	0	40	40	20	28	0	15	0	10	0	22	7	7	0	0			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
FP-0394	0	0	0	0	30	40	20	25	0	18	0	10	0	20	8	10	0	0			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
FP-0395	10	0	25	0	28	28	20	24	25	22	8	8	26	20	18	16	0	0			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
FP-0396	6	5	10	1	25	28	25	29	10	13	11	13	16	16	18	14	0	0			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
FP-0397	0	0	0	0	0	20	0	20	2	5	-2	6	2	0	-5	8	0	0			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
FP-0398	0	0	4	8	26	26	26	26	6	10	6	6	20	23	15	15	0	0			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
FP-0399	0	0	0	0	25	30	6	20	10	8	-3	8	10	10	-5	6	0	0			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
FP-0400	2	0	2	4	15	20	4	25	10	14	2	8	5	23	-5	19	0	0			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
FP-0401	0	0	0	0	6	23	-4	15	0	12	-3	6	0	7	-8	10	0	0			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
FP-0402	0	0	0	0	20	20	14	16	15	7	0	8	15	7	-3	5	0	0			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A

CALIBRATE THROTTLE
DIAGNOSTICS - NO ENTRY REQUIRED

Visit fuelpakfi.com for more information

P/N 51721 062909



SETTING VALUES

Please locate your Value Reference from the chart.

SUGGESTION: Use a ruler or highlight SETTING VALUES to reduce risk of losing place while entering values.

	VALUES FOR MODES 1-18																	MODES 19-22		ADDITIONAL MODES WHEN REQUIRED																			
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20-22	23	24	25	26	27	28	29	30	31	32	33	34	35						
FP-0403	0	0	0	0	18	30	10	20	10	15	10	10	0	6	-6	10	0	0			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A		
FP-0404	0	0	0	0	10	25	0	25	0	18	3	10	10	23	-2	16	0	0			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A		
FP-0405	3	2	8	9	26	20	20	19	7	9	9	5	10	9	7	7	0	0			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A		
FP-0407	0	0	0	0	0	19	6	5	0	0	0	0	5	5	-4	-8	0	0			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A		
FP-0408	0	0	0	0	10	14	4	6	0	0	0	0	10	8	2	0	0	0			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A		
FP-0409	3	4	6	2	30	25	25	30	7	5	7	11	3	3	8	10	0	0			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A		
FP-0410	0	0	0	0	10	10	18	10	5	8	10	1	5	8	4	5	0	0			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A		
FP-0411	8	5	4	0	40	40	30	30	12	30	12	13	6	21	19	12	0	0			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A		
FP-0412	0	0	4	4	15	35	0	8	6	10	-7	0	6	16	-10	0	0	0			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
FP-0413	0	0	0	0	15	25	2	14	0	0	0	0	20	3	-12	0	0	0			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A		
FP-0414	0	0	0	0	5	26	4	10	0	8	0	0	0	13	-7	0	0	0			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
FP-0415	0	0	0	0	10	10	-2	0	0	0	0	0	0	-5	-11	-8	0	0			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
FP-0416	6	0	0	0	10	10	0	0	0	0	0	0	-10	-5	-12	-10	0	0			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
FP-0417	0	0	0	0	28	28	4	16	16	20	0	10	12	16	-2	10	0	0			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
FP-0418	0	0	0	0	25	20	8	15	10	12	-3	4	10	10	-4	8	0	0			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
FP-0419	0	0	0	0	10	18	-2	0	0	0	0	0	10	-2	-16	-3	0	0			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
FP-0420	0	0	0	0	10	14	-3	-2	0	0	0	0	5	-10	-14	-8	0	0			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
FP-0421	0	0	0	0	28	20	9	26	4	4	-3	0	8	3	4	4	0	0			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
FP-0422	0	0	0	0	20	12	0	0	0	0	0	0	8	-3	-16	-6	0	0			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
FP-0423	0	2	4	0	12	12	-3	0	0	0	0	0	4	-2	-14	-6	0	0			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
FP-0424	0	0	0	0	15	17	-3	5	0	0	0	0	20	2	-16	1	0	0			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
FP-0425	0	0	0	0	20	15	-4	3	0	0	0	0	12	-4	-14	-2	0	0			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
FP-0426	0	0	0	0	18	12	0	3	0	0	0	0	4	-3	-10	-5	0	0			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
FP-0427	0	0	0	0	10	7	0	0	0	0	0	0	-10	-9	-12	-8	0	0			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
FP-0429	0	0	0	0	21	17	3	19	0	0	-8	3	0	0	-10	3	0	0			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
FP-0430	6	3	0	0	15	15	15	10	0	3	0	-8	1	3	1	-6	0	0			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
FP-0431	0	0	0	0	11	17	13	9	0	3	3	-10	0	0	0	-7	0	0			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
FP-0432	0	0	0	0	16	12	0	1	0	0	0	0	0	0	-14	-6	0	0			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
FP-0433	0	0	0	0	28	22	7	15	6	8	-5	0	5	4	-2	2	0	0			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
FP-0434	0	0	0	0	26	20	8	13	2	2	-3	3	4	3	-5	2	0	0			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
FP-0435	5	0	2	0	15	15	5	12	0	0	-2	0	3	3	-7	0	0	0			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
FP-0436	0	0	0	0	20	15	4	8	0	0	0	0	0	0	-2	-4	0	0			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
FP-0438	0	0	0	0	6	15	2	10	0	0	0	0	0	0	-2	-4	0	0			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
FP-0440	0	0	0	2	12	15	0	9	0	0	0	0	5	5	-10	0	0	0			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A

CALIBRATE THROTTLE
DIAGNOSTICS - NO ENTRY REQUIRED

Visit fuelpakfi.com for more information

P/N 51721 062909



SETTING VALUES

Please locate your Value Reference from the chart.

SUGGESTION: Use a ruler or highlight SETTING VALUES to reduce risk of losing place while entering values.

	VALUES FOR MODES 1-18																		MODES 19-22		ADDITIONAL MODES WHEN REQUIRED																		
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20-22	23	24	25	26	27	28	29	30	31	32	33	34	35						
FP-0443	0	0	-2	-2	15	10	5	-1	0	0	0	0	0	-10	-8	-8	0	0			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A				
FP-0444	0	0	0	-2	14	10	6	-2	0	0	0	0	0	-6	-4	-10	0	0			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A				
FP-0447	0	0	0	0	30	10	0	0	0	0	0	0	-2	-8	-6	-6	0	0			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A				
FP-0448	0	0	0	0	18	3	0	-3	0	0	0	0	10	-13	-10	-6	0	0			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A				
FP-0450	0	0	0	0	20	8	0	0	0	0	0	0	-6	-11	-10	-5	0	0			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A				
FP-0453	0	0	0	0	10	10	8	8	0	0	0	0	-5	25	-6	-2	-5	0	0			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A			
FP-0454	0	0	0	0	18	10	2	2	0	0	0	0	12	-6	-10	-5	0	0			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A			
FP-0455	0	0	0	0	13	8	4	-5	0	0	0	0	-7	-10	-2	-9	0	0			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A			
FP-0456	0	0	-3	-3	20	10	7	3	0	0	0	0	-4	-7	-5	-5	0	0			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A		
FP-0457	0	0	-2	-6	25	10	5	8	0	0	0	0	0	-6	-6	-3	0	0			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A		
FP-0458	0	0	0	0	20	15	7	0	0	0	0	0	0	-2	-6	-10	0	0			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A		
FP-0459	0	0	0	0	35	20	-5	10	0	0	0	0	15	-4	-20	-3	0	0			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A		
FP-0460	0	0	0	0	25	15	-2	6	0	0	0	0	4	-4	-20	-7	0	0			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A		
FP-0463	0	0	0	-4	25	15	0	8	0	0	0	0	0	-4	-10	-5	0	0			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A		
FP-0464	0	0	0	0	28	20	10	12	12	12	-10	4	20	8	-10	6	0	0			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
FP-0465	4	2	0	0	28	26	7	12	0	9	-5	1	8	9	-9	4	0	0			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
FP-0466	0	0	0	0	20	18	4	9	0	0	-4	0	9	5	-5	0	0	0			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
FP-0467	0	0	0	0	16	18	0	9	3	5	-11	-1	16	5	-15	2	0	0			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
FP-0468	0	0	0	0	20	20	10	17	5	3	-4	2	3	0	-7	6	0	0			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
FP-0469	0	0	0	0	10	17	13	10	0	5	0	0	0	0	-3	4	0	0			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
FP-0470	0	0	0	0	23	23	12	15	10	10	-4	2	0	5	-5	4	0	0			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
FP-0471	0	0	0	0	20	20	5	15	15	0	-10	0	10	6	-6	1	0	0			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
FP-0472	0	0	0	0	25	14	-6	11	8	4	-13	8	2	-1	-16	6	0	0			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
FP-0473	0	0	0	0	20	10	0	5	6	7	-3	4	20	0	-8	-5	0	0			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
FP-0474	5	0	0	0	30	28	-10	10	7	7	-10	6	7	7	-15	3	0	0			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
FP-0475	0	0	0	0	15	10	5	2	0	6	0	-7	-10	3	-5	-8	0	0			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
FP-0476	0	0	0	0	8	16	7	12	10	7	5	-2	20	7	2	0	0	0			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
FP-0477	4	4	0	3	10	10	0	18	10	12	0	6	5	12	-8	4	0	0			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
FP-0478	0	0	0	0	23	20	0	20	10	0	-3	6	20	13	-10	8	0	0			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
FP-0479	0	0	0	0	27	20	0	24	3	3	-4	2	20	20	12	5	0	0			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
FP-0480	0	0	0	0	0	10	0	0	0	0	0	-1	0	-5	-2	-6	0	0			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
FP-0481	0	0	0	0	22	20	8	12	6	5	-2	9	10	5	-7	7	0	0			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
FP-0482	0	0	0	0	19	8	-2	8	5	0	-3	2	6	-6	-13	2	0	0			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
FP-0483	0	0	0	0	8	14	10	11	0	5	8	0	0	9	5	4	0	0			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A

CALIBRATE THROTTLE
DIAGNOSTICS - NO ENTRY REQUIRED



SETTING VALUES

Please locate your Value Reference from the chart.

SUGGESTION: Use a ruler or highlight SETTING VALUES to reduce risk of losing place while entering values.

VALUES FOR MODES 1-18																		MODES 19-22		ADDITIONAL MODES WHEN REQUIRED														
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20-22	23	24	25	26	27	28	29	30	31	32	33	34	35	
FP-0484	0	0	0	0	17	13	7	17	10	10	0	7	20	6	-3	10	0	0			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
FP-0485	0	0	0	0	20	11	0	20	10	5	-4	7	15	8	-6	12	0	0			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
FP-0486	0	0	0	0	27	12	0	25	25	9	-7	8	26	10	-12	12	0	0			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
FP-0487	0	0	0	0	25	16	-3	10	11	7	-3	4	15	3	-15	4	0	0			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
FP-0488	0	0	0	0	30	22	-3	16	20	16	-3	10	26	16	-14	10	0	0			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
FP-0489	0	0	0	0	35	21	2	28	30	12	0	6	40	12	-2	8	0	0			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
FP-0490	0	0	0	0	20	17	-10	18	12	2	-12	8	7	0	-15	5	0	0			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
FP-0491	0	0	0	0	25	25	0	18	23	25	-12	15	20	22	-12	15	0	0			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
FP-0492	0	0	0	0	27	23	-4	14	12	10	-10	7	6	10	-12	5	0	0			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
FP-0493	0	2	0	0	22	20	2	17	8	3	-12	5	6	0	-15	4	0	0			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
FP-0494	0	0	0	0	20	20	15	10	6	4	-9	6	3	2	-10	3	0	0			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
FP-0495	0	0	0	0	20	20	-3	20	12	10	-6	8	18	15	-12	14	0	0			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
FP-0496	0	0	0	0	18	18	4	14	25	15	0	10	17	19	-6	13	0	0			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
FP-0497	0	0	0	0	28	30	22	25	10	10	10	10	6	5	3	6	0	0			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
FP-0498	6	4	5	0	30	26	25	22	3	3	9	8	0	0	8	7	0	0			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
FP-0499	5	0	0	0	26	26	30	15	0	0	20	6	0	0	12	6	0	0			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
FP-0500	8	8	0	0	25	27	30	20	0	0	15	6	0	0	10	4	0	0			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
FP-0501	5	0	4	0	30	25	26	20	3	3	11	5	3	3	9	8	0	0			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
FP-0502	0	0	0	0	30	30	24	20	0	5	13	12	0	0	10	10	0	0			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
FP-0503	6	2	0	0	26	25	28	20	8	4	11	8	0	0	9	10	0	0			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
FP-0504	5	0	9	0	29	22	23	19	6	5	5	12	7	4	5	14	0	0			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
FP-0505	7	0	5	0	15	16	22	22	6	5	10	12	4	0	8	12	0	0			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
FP-0506	10	10	10	0	27	25	20	18	6	6	6	10	5	5	5	8	0	0			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
FP-0507	15	10	10	3	20	22	22	14	6	5	7	4	6	5	6	6	0	0			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
FP-0508	9	8	3	0	32	30	18	25	6	9	7	10	5	8	5	9	0	0			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
FP-0509	10	8	8	0	29	28	25	20	3	7	12	8	4	4	8	7	0	0			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
FP-0510	16	14	9	0	26	26	25	20	2	4	6	6	4	4	7	9	0	0			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
FP-0512	5	6	5	6	30	30	37	32	14	12	15	10	18	13	23	13	0	0			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
FP-0514	3	2	0	0	35	35	38	35	10	8	12	5	15	12	24	10	0	0			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
FP-0515	7	2	0	0	30	26	26	25	8	6	6	12	6	6	2	12	0	0			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
FP-0516	0	4	0	0	10	14	4	12	0	2	-2	-5	0	5	2	2	0	0			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
FP-0517	0	0	0	0	24	14	10	10	4	7	3	-4	7	7	4	2	0	0			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
FP-0518	0	0	0	0	28	18	13	20	10	10	4	-6	15	10	10	2	0	0			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
FP-0519	12	6	0	0	38	38	26	38	0	16	6	6	0	17	17	13	0	0			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	

CALIBRATE THROTTLE
DIAGNOSTICS - NO ENTRY REQUIRED

Visit fuelpakfi.com for more information

P/N 51721 062909



SETTING VALUES

Please locate your Value Reference from the chart.

SUGGESTION: Use a ruler or highlight SETTING VALUES to reduce risk of losing place while entering values.

VALUES FOR MODES 1-18																		MODES 19-22		ADDITIONAL MODES WHEN REQUIRED																	
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20-22	23	24	25	26	27	28	29	30	31	32	33	34	35				
FP-0520	0	2	4	0	24	20	14	14	3	6	2	-8	4	8	7	1	0	0			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
FP-0522	5	0	0	0	40	17	18	24	10	-2	14	9	0	-5	19	10	0	2			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
FP-0523	0	0	0	0	22	20	12	10	6	11	6	-8	8	10	10	0	0	0			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
FP-0524	8	6	0	0	18	30	22	25	12	16	3	11	6	16	4	9	0	0			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
FP-0525	10	0	3	0	16	23	28	27	15	15	5	14	0	9	4	13	0	0			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
FP-0529	0	3	0	0	25	25	12	25	0	17	8	-8	12	16	11	3	0	0			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
FP-0530	0	0	0	0	30	25	14	22	11	12	3	-8	20	14	10	2	0	0			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
FP-0531	0	0	0	0	36	24	12	26	20	14	4	-6	22	16	8	3	0	0			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
FP-0532	0	0	0	0	8	8	-8	0	-12	-3	-18	-5	-8	0	-19	-4	0	2			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
FP-0533	0	0	0	0	7	12	0	4	-6	2	-10	-7	4	-8	-7	-6	0	0			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
FP-0534	0	0	3	2	30	32	8	22	16	15	4	-8	30	24	12	8	0	0			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
FP-0537	0	0	0	0	28	26	14	22	10	16	11	-9	13	15	14	-1	0	0			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
FP-0538	0	0	2	3	27	25	12	20	10	13	14	-12	15	15	17	0	0	0			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
FP-0540	0	0	0	0	30	24	10	25	10	15	10	-5	19	20	18	5	0	0			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
FP-0541	0	0	0	0	35	25	8	28	17	15	10	-6	20	20	14	6	0	0			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
FP-0542	0	0	0	0	40	32	14	22	18	16	6	0	19	19	12	8	0	0			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
FP-0543	1	0	3	0	35	20	3	18	20	14	4	-8	20	16	8	3	0	0			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
FP-0544	0	0	0	0	12	18	4	10	4	6	-2	4	15	10	-3	1	0	0			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
FP-0545	0	2	0	0	30	22	0	13	0	0	0	0	24	19	-8	6	0	0			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
FP-0546	6	4	0	0	5	13	-8	0	-6	3	-10	-4	-6	8	-18	-2	0	2			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
FP-0547	8	6	0	0	0	16	-5	0	0	5	-8	-5	0	10	-10	0	0	0			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
FP-0548	8	10	0	0	0	10	10	9	0	0	0	-3	-10	6	-5	-3	0	0			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
FP-0549	0	4	5	0	10	12	0	0	0	4	-10	-8	0	6	-7	-6	0	0			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
FP-0550	0	0	0	0	15	14	0	7	-4	-6	-8	-6	8	-3	-8	7	0	0			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
FP-0551	6	0	0	0	15	12	7	0	8	3	-6	-5	6	2	-8	-4	0	0			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
FP-0552	6	2	2	0	0	18	6	5	0	0	-12	-4	0	7	-6	-3	0	0			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
FP-0553	8	0	7	0	12	18	-4	0	0	3	-10	-6	3	3	-12	-8	0	0			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
FP-0554	10	8	4	0	10	22	0	5	0	8	-12	0	0	12	-15	0	0	0			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
FP-0555	15	9	6	-2	40	30	30	28	18	12	16	12	25	7	18	15	0	3			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
FP-0556	16	12	9	3	40	32	32	28	30	12	18	14	30	12	16	15	0	3			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
FP-0557	8	17	17	11	20	30	28	15	0	14	12	11	0	12	12	12	0	2			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
FP-0558	10	7	2	0	28	29	29	13	0	15	12	12	0	12	11	13	0	2			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
FP-0559	0	0	0	0	31	20	15	15	3	16	12	-10	10	14	19	-2	0	0			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
FP-0560	0	2	0	0	35	13	7	14	12	8	15	-8	22	8	19	0	0	0			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A

CALIBRATE THROTTLE
DIAGNOSTICS - NO ENTRY REQUIRED

Visit fuelpakfi.com for more information

P/N 51721 062909



SETTING VALUES

Please locate your Value Reference from the chart.

SUGGESTION: Use a ruler or highlight SETTING VALUES to reduce risk of losing place while entering values.

	VALUES FOR MODES 1-18																	MODES 19-22		ADDITIONAL MODES WHEN REQUIRED																			
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20-22	23	24	25	26	27	28	29	30	31	32	33	34	35						
FP-0561	0	0	0	0	30	20	12	23	14	12	14	-8	20	14	18	2	0	0	CALIBRATE THROTTLE	DIAGNOSTICS - NO ENTRY REQUIRED	16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
FP-0564	8	8	6	0	12	32	34	28	0	5	12	6	0	9	14	9	0	0			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A		
FP-0592	10	6	0	0	17	33	33	20	8	16	11	10	5	13	12	10	0	2			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A		
FP-0593	13	10	8	0	25	32	26	8	0	18	8	3	-7	16	9	4	0	2			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
FP-0594	11	10	0	0	15	36	32	10	0	18	11	5	0	20	4	6	0	2			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
FP-0601	10	0	10	0	10	20	20	20	0	12	9	12	0	10	5	12	0	0			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
FP-0610	4	1	3	0	3	10	4	5	0	11	13	-10	0	15	20	0	0	0			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
FP-0611	2	0	3	0	0	10	5	5	0	0	6	-16	0	6	18	-7	0	0			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
FP-0616	10	7	9	6	5	10	2	10	5	11	13	-3	0	15	17	5	0	0			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
FP-0617	8	7	8	6	16	16	16	16	10	11	5	-9	8	16	8	-2	0	2			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
FP-0618	10	8	8	2	10	29	24	24	0	10	7	9	0	10	6	11	0	0			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
FP-0620	10	8	7	2	12	35	25	28	0	15	1	13	0	10	6	13	0	0			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
FP-0622	12	10	9	0	0	25	20	27	0	9	5	12	0	12	4	14	0	0			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
FP-0624	12	10	8	0	0	35	18	25	0	10	0	10	0	10	0	12	0	0			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
FP-0626	9	4	8	2	0	33	19	28	0	16	2	12	0	13	0	13	0	0			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
FP-0628	4	0	0	0	10	32	25	25	0	6	8	10	0	0	6	10	0	0			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
FP-0630	4	0	2	0	10	14	13	18	0	4	8	10	0	0	6	11	0	0			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
FP-0634	12	9	6	0	10	30	28	23	0	10	12	8	0	8	10	7	0	0			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
FP-0635	10	6	4	0	10	30	26	20	0	10	14	3	0	8	12	6	0	0			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
FP-0636	8	0	2	0	15	35	34	26	0	5	12	8	0	6	17	12	0	0	16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A			
FP-0637	8	0	10	0	18	30	27	22	0	3	9	11	0	0	8	12	0	0	16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A			
FP-0638	12	10	8	2	40	19	35	30	0	10	10	9	5	14	25	5	0	3	16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A			
FP-0639	12	10	6	0	40	29	39	32	5	9	10	8	5	15	20	8	0	3	16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A			
FP-0640	10	12	8	0	15	38	20	22	0	20	0	11	0	9	-5	13	0	0	16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A			
FP-0641	11	9	4	0	10	32	15	22	0	15	0	12	0	14	-2	15	0	0	16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A			
FP-0642	9	8	7	0	10	30	9	30	0	10	2	12	0	10	0	13	0	0	16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A			
FP-0643	10	8	6	0	12	31	17	32	0	12	3	14	0	6	2	14	0	0	16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A			
FP-0644	14	11	9	0	15	26	16	24	0	7	3	12	0	7	4	14	0	0	16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A			
FP-0645	11	9	9	4	10	28	15	20	0	10	4	13	0	8	3	15	0	0	16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A			
FP-0646	14	8	12	4	20	30	16	27	0	13	3	12	0	12	5	13	0	0	16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A			
FP-0648	13	4	12	0	15	29	18	30	0	11	3	14	0	7	0	12	0	0	16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A			
FP-0649	14	6	11	0	15	32	25	26	0	7	1	11	0	4	2	12	0	0	16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A			
FP-0650	14	6	12	2	15	35	20	29	0	12	8	13	0	12	2	13	0	0	16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A			
FP-0651	13	12	10	0	15	38	22	25	8	4	5	11	0	20	1	12	0	0	16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A			

Visit fuelpakfi.com for more information



SETTING VALUES

Please locate your Value Reference from the chart.

SUGGESTION: Use a ruler or highlight SETTING VALUES to reduce risk of losing place while entering values.

	VALUES FOR MODES 1-18																		MODES 19-22		ADDITIONAL MODES WHEN REQUIRED														
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20-22	23	24	25	26	27	28	29	30	31	32	33	34	35		
FP-0652	12	12	10	2	10	35	20	25	0	15	2	14	0	15	3	14	0	0		16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
FP-0653	12	13	10	0	10	35	9	25	0	17	1	13	0	14	-2	12	0	0		16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A		
FP-0654	11	4	12	2	10	24	22	26	0	14	3	10	0	15	0	13	0	0		16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A		
FP-0655	14	8	12	2	10	28	21	26	0	8	5	12	0	7	3	13	0	0		16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A		
FP-0656	12	5	8	0	20	30	22	32	0	14	7	13	0	7	4	14	0	0		16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A		
FP-0657	8	2	8	0	15	30	29	31	0	10	10	13	0	11	4	13	0	0		16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A		
FP-0658	9	2	1	0	15	32	30	29	0	11	8	12	0	8	5	13	0	0		16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A		
FP-0659	13	4	9	2	15	35	20	30	0	12	4	14	0	7	4	14	0	0		16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A		
FP-0660	13	7	10	3	15	30	10	28	0	14	5	13	0	10	3	14	0	0		16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A		
FP-0661	13	6	10	3	15	28	18	26	0	15	4	12	0	16	0	13	0	0		16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A		
FP-0674	17	13	12	10	10	12	8	16	12	24	6	-9	10	30	15	7	0	2		16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A		
FP-0692	16	14	10	4	40	33	30	16	35	16	25	20	36	13	26	19	0	32		16	0	0	17	20	12	15	25	32	40	50	N/A	N/A			
FP-0693	10	7	6	4	30	20	25	20	25	18	24	17	34	12	23	19	0	32		16	0	0	12	16	12	15	25	30	40	50	N/A	N/A			
FP-0694	11	12	8	4	30	34	32	8	18	22	15	6	15	27	13	11	0	32		16	0	0	13	13	12	20	27	35	45	55	N/A	N/A			
FP-0695	11	9	10	6	36	38	30	6	20	26	18	8	20	25	13	14	0	32		16	0	0	14	11	12	22	27	35	47	55	N/A	N/A			
FP-0696	11	13	9	5	40	33	28	12	30	19	3	6	38	24	4	11	0	32		16	0	0	17	16	12	25	30	35	42	55	N/A	N/A			
FP-0697	13	10	6	3	30	30	21	7	6	28	10	12	-6	35	14	17	0	32		16	0	0	18	20	12	15	25	35	45	55	N/A	N/A			
FP-0698	15	10	6	3	30	40	23	7	7	30	10	10	6	34	13	16	0	32		16	0	0	20	17	12	15	25	35	45	55	N/A	N/A			
FP-0699	9	11	8	4	40	30	24	8	30	18	1	5	60	15	1	11	0	32		16	0	0	15	13	12	25	30	37	45	55	N/A	N/A			
FP-0700	8	11	4	3	30	32	34	10	20	28	14	16	23	30	11	19	0	32		16	0	0	20	16	12	22	27	35	45	55	N/A	N/A			
FP-0701	6	8	5	3	31	36	34	8	26	31	14	14	20	30	11	20	0	32		16	0	0	22	16	12	22	27	35	45	55	N/A	N/A			
FP-0702	12	10	4	0	30	28	27	6	10	16	16	15	0	16	15	20	0	32		16	0	0	18	15	12	15	25	35	45	55	N/A	N/A			
FP-0703	16	12	9	5	20	26	21	8	-4	23	15	15	-8	28	17	22	0	32		16	0	0	21	16	12	15	25	35	45	55	N/A	N/A			
FP-0707	13	16	15	6	13	27	32	4	0	40	34	9	-2	46	37	12	0	32		16	0	0	-4	0	12	20	27	32	45	55	N/A	N/A			
FP-0709	4	9	6	4	4	7	10	13	2	0	-4	-4	1	4	-1	1	0	32		16	0	0	-5	0	12	25	35	42	45	55	N/A	N/A			
FP-0710	9	10	6	5	17	36	21	5	2	46	23	9	2	50	21	9	0	32		16	0	0	0	-1	12	20	27	37	45	55	N/A	N/A			
FP-0712	13	10	8	6	35	35	22	2	32	29	12	-2	30	39	12	8	0	32		16	0	0	-4	-3	12	20	30	35	45	55	N/A	N/A			
FP-0714	12	10	6	4	30	42	24	5	30	44	11	1	22	44	9	2	0	32		16	0	0	-13	-8	12	20	27	35	45	55	N/A	N/A			
FP-0716	26	24	23	15	40	40	40	15	36	40	38	22	36	40	40	24	0	32		16	5	15	14	11	12	22	28	35	45	55	N/A	N/A			
FP-0717	26	20	18	16	40	40	40	20	40	40	38	23	25	40	40	24	0	32		16	0	0	14	16	12	22	28	35	45	55	N/A	N/A			
FP-0718	14	8	7	5	24	40	33	5	-1	32	37	12	0	30	40	16	0	32		16	0	0	5	6	12	22	28	35	45	55	N/A	N/A			
FP-0721	30	40	33	32	40	40	40	30	28	40	40	31	30	40	40	31	0	32		16	10	10	15	17	12	22	28	35	45	55	N/A	N/A			
FP-0724	6	7	7	4	0	-4	-2	3	2	-7	-15	-15	5	-3	-5	-4	0	32		16	0	0	5	1	12	20	32	37	45	55	N/A	N/A			
FP-0725	11	7	6	4	25	3	3	3	3	-14	-22	-11	28	-8	-5	-4	0	32		16	0	0	4	2	12	20	32	37	45	55	N/A	N/A			

CALIBRATE THROTTLE
DIAGNOSTICS - NO ENTRY REQUIRED

Visit fuelpakfi.com for more information



SETTING VALUES

Please locate your Value Reference from the chart.

SUGGESTION: Use a ruler or highlight SETTING VALUES to reduce risk of losing place while entering values.

	VALUES FOR MODES 1-18																		MODES 19-22		ADDITIONAL MODES WHEN REQUIRED												
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20-22	23	24	25	26	27	28	29	30	31	32	33	34	35
FP-0726	11	16	15	13	-3	-5	-3	2	7	-6	-10	-10	10	0	-2	-3	0	32			16	0	0	9	5	12	25	32	37	45	55	N/A	N/A
FP-0728	5	10	7	6	-1	6	4	8	0	0	-2	-2	-5	-3	-5	-4	0	32			16	0	0	-4	-9	12	25	35	40	45	55	N/A	N/A
FP-0729	4	8	7	4	-3	0	0	7	0	0	-2	-5	-2	3	3	-3	0	32			16	0	0	-4	0	12	25	30	35	45	55	N/A	N/A
FP-0731	6	8	6	5	1	11	7	10	5	5	3	1	1	3	-1	-1	0	32			16	0	0	-1	-1	12	25	35	40	45	55	N/A	N/A
FP-0737	5	9	8	6	-7	0	-4	1	2	1	1	-2	-1	-3	-7	-6	0	32			16	0	0	-2	-11	12	25	35	40	45	60	N/A	N/A
FP-0738	21	19	16	13	30	30	18	30	10	26	10	-3	14	37	19	12	0	2			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
FP-0739	5	3	2	0	16	4	-2	10	0	-7	-16	-20	3	3	-6	-7	0	2			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
FP-0745	4	10	8	4	0	3	5	2	-9	-4	-11	-9	-7	-4	-9	-7	0	32			16	0	0	-6	-10	12	20	32	40	50	60	N/A	N/A
FP-0784	10	8	6	0	10	15	5	-8	4	1	-2	-12	4	1	0	-8	0	7			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
FP-0785	9	7	0	0	10	32	3	-10	-5	8	2	-10	-5	10	5	-10	0	1			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
FP-0786	4	3	3	0	5	25	2	-8	-2	10	0	-8	-5	11	5	-10	0	1			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
FP-0789	5	7	7	0	5	20	8	-10	7	13	2	-5	2	13	4	1	0	32			16	0	-10	-5	1	12	20	27	37	53	54	N/A	N/A
FP-0790	6	7	6	0	0	27	2	-10	-4	13	2	-15	-6	15	3	-15	0	1			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
FP-0791	4	2	0	0	5	25	0	-5	4	13	-3	-12	1	15	0	-10	0	1			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
FP-0792	13	11	9	0	-8	35	10	8	-8	15	4	-12	-15	20	4	-12	0	1			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
FP-0793	2	11	13	0	2	0	-4	-15	10	0	-4	-18	8	-4	-4	-15	0	7			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
FP-0794	9	11	8	0	0	15	12	-10	0	6	3	-15	0	6	3	-13	0	4			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
FP-0795	11	9	9	3	-8	12	10	0	-8	5	-1	-2	-6	5	-5	4	0	32			16	0	-8	-5	-5	12	18	27	35	43	55	N/A	N/A
FP-0798	10	11	10	10	-5	11	8	-5	2	7	-4	-6	2	6	-9	-1	0	32			16	0	-8	-7	-6	12	20	27	35	43	55	N/A	N/A
FP-0799	6	8	3	0	-4	7	25	-20	-13	0	4	-4	-20	0	8	-3	0	8			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
FP-0800	15	13	11	0	0	-3	16	0	-4	-2	9	-5	-4	-2	12	-3	0	8			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
FP-0801	10	8	6	0	-7	8	5	-15	-8	2	2	-6	-13	4	8	-6	0	9			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
FP-0802	5	6	6	0	0	8	3	-10	-8	2	3	-6	-10	2	5	-6	0	9			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
FP-0803	3	5	6	0	10	0	15	-10	-5	-10	10	-6	-20	-8	12	-2	0	4			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
FP-0804	6	4	3	0	8	5	10	-15	-5	4	3	-8	-18	5	5	-6	0	9			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
FP-0805	6	6	1	0	10	5	8	-15	-2	7	1	-10	-6	6	3	-10	0	9			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
FP-0808	30	21	20	0	0	10	25	15	10	5	13	0	0	8	20	0	0	4			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
FP-0832	-6	-4	-3	0	5	10	20	15	0	16	26	15	-3	20	30	18	0	32			16	0	-15	5	0	12	18	27	35	45	60	N/A	N/A
FP-0833	3	0	0	0	11	8	20	5	-15	12	22	10	-15	13	25	10	0	32			16	0	0	7	-3	12	20	28	37	48	54	N/A	N/A
FP-0834	13	6	-5	-2	15	-5	22	23	-8	-8	24	20	-8	-8	28	24	0	32			16	0	5	10	5	12	20	26	37	42	56	N/A	N/A
FP-0835	12	8	6	3	12	28	35	20	-1	10	15	9	-8	8	18	13	0	32			16	0	10	12	4	12	18	25	32	45	60	N/A	N/A
FP-0837	5	5	2	0	10	15	20	10	12	21	26	16	15	22	34	27	0	32			16	0	10	7	7	12	18	25	32	45	60	N/A	N/A
FP-0838	5	6	7	2	12	18	22	10	10	28	30	15	10	30	32	20	0	32			16	0	10	10	10	12	18	25	30	40	55	N/A	N/A
FP-0839	-2	-1	0	0	0	22	25	8	-8	30	30	6	-2	34	37	8	0	32			16	0	-5	-1	-1	12	20	26	30	45	55	N/A	N/A

CALIBRATE THROTTLE
DIAGNOSTICS - NO ENTRY REQUIRED



SETTING VALUES

Please locate your Value Reference from the chart.

SUGGESTION: Use a ruler or highlight SETTING VALUES to reduce risk of losing place while entering values.

	VALUES FOR MODES 1-18																		MODES 19-22		ADDITIONAL MODES WHEN REQUIRED													
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20-22	23	24	25	26	27	28	29	30	31	32	33	34	35	
FP-0842	13	16	8	13	-4	-10	3	10	13	-10	-10	-13	14	-9	0	-3	0	32			16	0	0	2	2	12	22	30	37	45	55	N/A	N/A	
FP-0843	7	5	-5	-5	15	20	18	5	8	22	5	4	-5	28	3	4	0	32			16	0	-5	8	-1	12	20	27	33	45	60	N/A	N/A	
FP-0844	0	0	0	0	10	25	25	10	13	35	8	2	8	42	12	5	0	32			16	0	5	10	10	12	20	27	33	40	53	N/A	N/A	
FP-0845	8	4	-5	0	20	0	26	12	22	5	25	5	35	5	30	9	0	32			16	0	-15	6	5	12	18	24	32	45	60	N/A	N/A	
FP-0846	15	7	0	0	20	5	18	10	18	-2	22	6	15	-3	24	8	0	32			16	0	-15	5	0	12	18	24	32	45	60	N/A	N/A	
FP-0847	0	0	0	0	0	12	20	6	0	18	11	8	5	30	18	16	0	32			16	0	0	12	18	12	20	27	33	40	53	N/A	N/A	
FP-0850	0	0	0	0	-5	20	22	5	-7	28	28	12	-5	38	38	11	0	32			16	0	0	-1	0	12	21	28	35	45	55	N/A	N/A	
FP-0851	4	2	2	-2	8	0	17	20	-12	-6	20	25	-10	-8	26	30	0	32			16	0	-5	-5	-6	12	18	23	28	35	55	N/A	N/A	
FP-0852	0	0	0	0	6	18	20	5	-15	22	22	7	-20	25	21	5	0	32			16	0	0	-2	-6	12	18	27	33	45	55	N/A	N/A	
FP-0853	1	0	2	0	8	13	3	-3	2	18	8	10	0	23	13	13	0	32			16	0	0	3	-3	12	20	27	38	45	58	N/A	N/A	
FP-0854	-2	-2	-2	0	6	15	10	0	12	25	10	8	10	30	15	10	0	32			16	0	0	3	0	12	20	27	38	48	60	N/A	N/A	
FP-0855	0	-3	-4	6	0	18	14	2	2	22	16	12	5	30	24	18	0	32			16	0	0	5	3	12	20	28	37	45	55	N/A	N/A	
FP-0856	2	0	-1	-3	4	12	10	0	-8	12	15	10	-10	18	19	15	0	32			16	0	0	2	-4	12	20	28	37	45	55	N/A	N/A	
FP-0857	-5	0	0	0	20	0	20	18	20	-2	22	18	30	-2	32	28	0	32			16	0	0	8	8	12	18	24	36	42	60	N/A	N/A	
FP-0858	10	5	0	0	10	12	12	6	-10	20	25	10	-15	28	30	10	0	32			16	0	5	-10	-10	12	18	27	33	45	55	N/A	N/A	
FP-0859	6	0	0	-5	10	20	25	10	-13	18	11	12	-15	20	8	15	0	32			16	0	0	14	5	12	18	27	33	45	60	N/A	N/A	
FP-0860	10	5	0	0	12	10	5	5	-6	16	11	3	-3	20	15	2	0	32			16	0	-10	-15	-15	12	18	23	33	42	60	N/A	N/A	
FP-0861	0	-5	-5	-5	15	17	15	14	5	26	18	4	5	34	22	0	0	32			16	0	-10	-10	-8	12	18	23	33	42	55	N/A	N/A	
FP-0862	0	0	-5	0	10	25	28	18	-10	32	30	10	-5	38	34	10	0	32			16	0	0	-8	-5	12	18	28	33	42	55	N/A	N/A	
FP-0863	6	14	13	7	-4	-15	-6	5	15	-16	-10	-13	12	-13	-5	-5	0	32			16	0	0	0	12	12	22	30	35	45	55	N/A	N/A	
FP-0864	15	10	5	0	40	15	38	35	4	-8	22	8	5	-10	25	10	0	32			16	0	20	10	7	12	18	22	29	40	60	N/A	N/A	
FP-0865	13	15	12	10	30	20	13	6	35	13	17	16	40	14	22	21	0	32			16	0	0	21	15	12	16	22	32	45	55	N/A	N/A	
FP-0866	7	15	11	9	32	25	18	14	28	14	15	14	40	12	22	19	0	32			16	0	0	20	15	12	16	22	32	45	55	N/A	N/A	
FP-0867	12	15	13	11	21	23	17	10	9	20	16	14	5	26	21	19	0	32			16	0	0	19	16	12	15	25	35	45	51	N/A	N/A	
FP-0868	12	16	12	9	15	22	12	6	10	25	18	13	8	31	19	17	0	32			16	0	0	19	18	12	18	27	35	45	55	N/A	N/A	
FP-0869	10	14	12	7	20	18	14	10	12	12	11	18	10	18	21	25	0	32			16	0	0	13	13	12	14	26	32	45	55	N/A	N/A	
FP-0872	12	16	13	11	30	5	25	5	27	-2	29	18	40	-3	40	22	0	32			16	0	0	12	11	12	12	21	29	40	50	N/A	N/A	
FP-0873	4	-6	0	0	35	0	25	20	20	5	35	20	20	0	38	20	0	32			16	0	15	7	10	12	18	22	30	40	60	N/A	N/A	
FP-0874	6	5	0	0	30	28	6	0	50	30	-3	10	55	40	-1	13	0	32			16	0	0	6	0	12	18	23	31	48	60	N/A	N/A	
FP-0875	10	16	13	10	4	26	25	6	-8	34	36	16	-11	42	33	20	0	32			16	0	0	10	7	12	20	27	35	40	57	N/A	N/A	
FP-0876	11	14	12	9	30	31	23	11	11	12	12	19	10	17	20	25	0	32			16	0	0	15	14	12	13	26	32	45	51	N/A	N/A	
FP-0879	10	6	5	0	30	20	0	-5	38	10	-10	10	40	15	-8	12	0	32			16	0	0	5	0	12	18	25	32	45	60	N/A	N/A	
FP-0880	10	12	13	8	32	22	32	30	28	25	23	4	28	26	22	8	0	32			16	0	25	15	8	12	18	25	34	40	55	N/A	N/A	
FP-0881	5	6	8	5	28	13	18	25	25	10	8	2	22	15	15	9	0	2			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A

CALIBRATE THROTTLE
DIAGNOSTICS - NO ENTRY REQUIRED



SETTING VALUES

Please locate your Value Reference from the chart.

SUGGESTION: Use a ruler or highlight SETTING VALUES to reduce risk of losing place while entering values.

	VALUES FOR MODES 1-18																		MODES 19-22		ADDITIONAL MODES WHEN REQUIRED												
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20-22	23	24	25	26	27	28	29	30	31	32	33	34	35
FP-0882	3	3	6	2	16	3	3	18	7	2	-5	-3	7	3	0	5	0	2			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
FP-0883	4	7	3	0	10	1	20	20	3	-4	-4	15	5	1	5	5	0	1			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
FP-0884	10	6	5	0	8	5	20	15	3	-4	-9	2	3	1	3	5	0	7			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
FP-0885	10	8	5	0	12	10	15	15	6	0	-7	3	10	5	4	4	0	8			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
FP-0889	12	10	22	9	25	15	38	12	12	-8	35	23	8	-16	44	27	0	32			16	0	0	12	11	12	18	21	29	42	50	N/A	N/A
FP-0890	13	5	-8	0	13	-8	25	40	-15	-15	32	35	-15	-13	38	36	0	32			16	0	15	18	12	12	21	28	37	43	53	N/A	N/A
FP-0891	15	14	12	11	18	24	14	25	11	22	6	-1	12	26	15	15	0	2			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
FP-0892	8	15	13	11	-10	-1	-1	2	-14	-3	-9	-7	-8	-3	-7	-3	0	32			16	0	0	-6	-9	12	20	30	42	52	60	N/A	N/A
FP-0895	10	18	16	11	1	13	10	9	0	10	1	4	3	7	2	5	0	32			16	0	0	3	0	12	20	30	42	50	60	N/A	N/A
FP-0896	8	15	13	9	-5	13	14	10	-5	-1	2	2	-4	1	4	4	0	32			16	0	0	2	0	12	22	35	40	50	60	N/A	N/A
FP-0897	9	15	12	10	-2	-3	-4	0	-6	-9	-11	-12	-4	-6	-9	-11	0	32			16	0	0	-15	-16	12	25	35	40	47	60	N/A	N/A
FP-0898	9	14	11	9	20	28	21	22	12	26	9	-4	20	33	23	13	0	2			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
FP-0899	14	14	11	9	10	18	15	25	10	13	3	-7	10	20	2	5	0	2			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
FP-0900	11	14	9	7	10	20	5	20	0	24	0	-13	12	32	7	-2	0	2			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
FP-0901	9	7	6	5	23	35	18	28	10	29	4	-9	12	36	15	6	0	2			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
FP-0902	6	4	3	2	-5	-20	-11	5	0	-4	-11	-13	7	-5	-4	-4	0	2			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
FP-0903	7	10	9	7	35	33	27	0	23	21	20	2	34	26	19	6	0	32			16	0	0	20	15	12	13	27	35	50	57	N/A	N/A
FP-0904	7	12	9	6	35	43	35	25	32	26	20	14	38	27	21	18	0	32			16	0	0	6	8	12	13	27	32	40	50	N/A	N/A
FP-0905	7	19	17	13	2	24	27	2	-8	34	40	23	-15	42	40	27	0	32			16	0	0	12	13	12	21	29	35	42	50	N/A	N/A
FP-0906	2	-5	-5	0	25	8	25	21	35	3	30	12	40	5	35	15	0	32			16	0	-20	6	3	12	18	24	32	43	60	N/A	N/A
FP-0907	10	5	4	0	30	10	15	15	18	-8	22	10	22	-4	30	12	0	32			16	0	-22	3	-5	12	18	23	32	45	60	N/A	N/A
FP-0908	8	-2	-2	0	15	2	30	20	-8	-12	32	15	-8	-10	39	18	0	32			16	0	-20	10	5	12	20	25	36	45	60	N/A	N/A
FP-0909	5	-3	-4	0	24	5	40	20	15	-5	34	16	18	-5	42	18	0	32			16	0	-15	12	9	12	18	25	35	45	60	N/A	N/A
FP-0910	3	5	-3	-2	5	8	26	48	-10	-1	34	30	-10	-1	48	36	0	32			16	0	-15	17	15	12	23	30	37	43	60	N/A	N/A
FP-0911	7	13	11	8	0	13	21	28	0	3	30	15	44	3	40	15	0	32			16	0	0	14	23	12	10	20	27	35	50	N/A	N/A
FP-0912	8	14	11	9	24	25	30	15	10	32	20	14	12	40	17	15	0	32			16	0	0	20	19	12	22	27	32	42	52	N/A	N/A
FP-0913	12	8	7	4	25	34	38	6	18	30	13	17	22	46	29	23	0	32			16	0	0	20	19	12	20	27	35	45	55	N/A	N/A
FP-0914	8	12	9	5	30	42	42	8	32	18	14	13	30	44	23	18	0	32			16	0	0	17	18	12	22	30	35	45	55	N/A	N/A
FP-0915	12	14	9	4	12	42	39	15	7	27	31	19	-3	40	30	27	0	32			16	0	0	13	8	12	20	30	35	45	55	N/A	N/A
FP-0916	10	13	10	4	20	46	41	15	2	33	29	17	0	31	35	25	0	32			16	0	0	16	10	12	20	30	35	45	55	N/A	N/A
FP-0917	8	12	10	4	13	38	18	12	8	23	29	21	5	25	35	29	0	32			16	0	0	22	17	12	25	35	42	45	55	N/A	N/A
FP-0918	10	13	10	5	16	40	23	18	3	23	27	23	7	26	36	29	0	32			16	0	0	16	15	12	25	35	42	45	55	N/A	N/A
FP-0919	7	10	9	5	13	28	21	8	17	28	30	27	20	29	39	26	0	32			16	0	0	14	14	12	25	35	40	45	55	N/A	N/A
FP-0920	6	12	8	7	10	26	19	9	24	24	34	24	21	32	43	27	0	32			16	0	0	14	15	12	25	35	40	45	55	N/A	N/A

CALIBRATE THROTTLE
DIAGNOSTICS - NO ENTRY REQUIRED



SETTING VALUES

Please locate your Value Reference from the chart.

SUGGESTION: Use a ruler or highlight SETTING VALUES to reduce risk of losing place while entering values.

	VALUES FOR MODES 1-18																		MODES 19-22		ADDITIONAL MODES WHEN REQUIRED													
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20-22	23	24	25	26	27	28	29	30	31	32	33	34	35	
FP-0921	6	10	9	7	5	26	25	10	9	23	36	15	10	25	47	22	0	32			16	0	0	16	15	12	25	35	40	45	55	N/A	N/A	
FP-0922	6	10	8	6	13	26	38	21	11	25	34	30	9	23	45	24	0	32			16	0	0	15	17	12	25	35	38	43	55	N/A	N/A	
FP-0923	9	12	10	6	5	19	26	17	6	22	37	25	4	27	41	27	0	32			16	0	0	15	11	12	25	35	40	45	55	N/A	N/A	
FP-0924	7	9	8	6	5	23	30	20	1	23	35	29	-1	28	45	30	0	32			16	0	0	11	12	12	25	35	40	45	55	N/A	N/A	
FP-0925	9	8	11	10	40	20	35	30	26	-4	33	28	40	-10	38	28	0	32			16	0	0	18	18	12	15	25	35	45	55	N/A	N/A	
FP-0926	9	8	5	10	40	22	40	30	35	-4	31	29	38	-10	37	33	0	32			16	0	0	16	17	12	15	25	35	45	55	N/A	N/A	
FP-0927	12	7	10	5	15	15	35	35	16	-7	33	31	15	-6	41	36	0	32			16	0	0	18	14	12	20	27	37	42	55	N/A	N/A	
FP-0928	7	11	8	5	30	5	24	30	17	-4	29	33	10	-4	34	39	0	32			16	0	0	16	16	12	20	27	35	42	55	N/A	N/A	
FP-0929	7	9	7	5	20	35	30	12	10	33	26	18	14	31	37	20	0	32			16	0	0	8	9	12	25	27	32	42	55	N/A	N/A	
FP-0930	10	9	6	3	34	34	32	15	20	32	25	17	25	31	27	18	0	32			16	0	0	13	9	12	25	30	37	45	55	N/A	N/A	
FP-0931	10	8	7	4	30	40	23	0	50	41	9	3	35	52	7	6	0	32			16	0	0	0	-2	12	22	27	35	45	55	N/A	N/A	
FP-0932	11	8	6	3	35	45	28	0	50	40	4	5	40	54	8	7	0	32			16	0	0	0	0	12	22	27	35	45	55	N/A	N/A	
FP-0933	9	11	10	6	8	30	25	0	9	43	25	6	15	46	24	11	0	32			16	0	0	10	6	12	20	30	35	45	55	N/A	N/A	
FP-0934	9	9	7	5	10	42	39	4	10	43	36	8	12	49	42	14	0	32			16	0	0	14	11	12	20	27	32	45	55	N/A	N/A	
FP-0935	4	10	7	5	15	33	30	5	13	23	28	12	8	32	30	19	0	32			16	0	0	17	11	12	20	27	35	45	55	N/A	N/A	
FP-0936	10	11	10	8	29	32	26	5	27	28	25	17	30	33	26	20	0	32			16	0	0	15	14	12	25	32	35	45	55	N/A	N/A	
FP-0937	8	7	11	8	20	22	21	0	25	37	17	3	20	40	13	5	0	32			16	0	0	5	5	12	20	27	35	45	55	N/A	N/A	
FP-0938	6	5	7	5	36	37	30	5	22	36	18	3	20	42	14	9	0	32			16	0	0	7	3	12	20	27	35	45	55	N/A	N/A	
FP-0939	10	8	6	4	40	43	36	0	34	26	10	2	40	27	6	4	0	32			16	0	0	10	10	12	25	30	35	45	55	N/A	N/A	
FP-0940	9	9	7	5	40	37	28	0	35	25	6	2	45	27	3	5	0	32			16	0	0	10	10	12	25	30	35	45	55	N/A	N/A	
FP-0941	9	10	8	5	18	33	37	10	16	16	34	25	22	35	41	32	0	32			16	0	0	18	21	12	25	32	37	45	55	N/A	N/A	
FP-0942	10	12	10	6	15	37	40	15	0	29	33	22	0	38	36	29	0	32			16	0	0	12	13	12	25	32	37	45	55	N/A	N/A	
FP-0943	10	11	10	7	12	16	26	18	0	15	31	21	-2	22	36	31	0	32			16	0	0	16	14	12	25	30	40	47	50	N/A	N/A	
FP-0944	11	12	11	9	7	15	23	17	0	22	34	27	3	28	41	29	0	32			16	0	0	18	21	12	25	35	40	45	55	N/A	N/A	
FP-0945	9	8	14	8	30	9	30	20	10	-10	23	35	4	-5	28	33	0	32			16	0	0	15	15	12	22	27	35	42	50	N/A	N/A	
FP-0946	9	11	9	6	15	20	30	22	2	5	31	33	-9	3	32	33	0	32			16	0	0	20	13	12	25	30	35	42	55	N/A	N/A	
FP-0947	9	10	8	6	14	26	28	11	2	18	26	20	0	30	33	30	0	32			16	0	0	13	10	12	25	30	35	45	55	N/A	N/A	
FP-0948	10	12	8	5	15	26	29	13	6	19	28	23	8	27	29	28	0	32			16	0	0	16	12	12	25	30	35	45	55	N/A	N/A	
FP-0949	7	10	8	6	10	30	18	10	7	21	28	20	12	33	28	25	0	32			16	0	0	16	11	12	25	32	40	45	55	N/A	N/A	
FP-0950	9	10	8	6	11	27	30	10	2	18	30	26	10	28	34	26	0	32			16	0	10	14	10	12	25	30	35	45	55	N/A	N/A	
FP-0951	8	10	8	4	20	32	32	30	0	20	38	25	0	30	43	27	0	32			16	0	0	6	10	12	20	30	35	42	55	N/A	N/A	
FP-0952	10	9	7	5	10	37	36	28	0	22	36	24	0	24	46	26	0	32			16	0	0	9	6	12	20	30	35	42	55	N/A	N/A	
FP-0953	10	9	7	4	20	30	21	10	16	31	24	8	20	36	25	15	0	32			16	0	0	8	4	12	25	32	40	47	55	N/A	N/A	
FP-0954	8	9	7	5	20	32	24	10	15	34	29	14	17	40	28	19	0	32			16	0	0	4	6	12	25	32	40	47	55	N/A	N/A	

CALIBRATE THROTTLE
DIAGNOSTICS - NO ENTRY REQUIRED



SETTING VALUES

Please locate your Value Reference from the chart.

SUGGESTION: Use a ruler or highlight SETTING VALUES to reduce risk of losing place while entering values.

	VALUES FOR MODES 1-18																		MODES 19-22		ADDITIONAL MODES WHEN REQUIRED													
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20-22	23	24	25	26	27	28	29	30	31	32	33	34	35	
FP-0955	11	16	12	10	19	24	30	15	8	30	36	25	0	32	42	20	0	32			16	0	0	0	2	12	20	26	32	40	52	N/A	N/A	
FP-0956	9	10	13	10	20	15	21	25	30	2	36	33	44	-3	42	33	0	32			16	0	0	1	3	12	10	20	27	36	52	N/A	N/A	
FP-0957	11	14	12	10	13	29	25	12	8	38	5	5	4	47	4	11	0	32			16	0	0	12	12	12	20	27	35	41	52	N/A	N/A	
FP-0958	8	13	12	9	10	30	26	21	5	39	14	4	6	46	18	5	0	32			16	0	0	17	14	12	20	27	32	37	55	N/A	N/A	
FP-0972	5	3	0	3	0	27	-2	3	-8	26	-13	7	-5	30	-15	5	0	32			16	0	0	10	4	12	18	23	33	47	60	N/A	N/A	
FP-1037	10	13	13	11	18	28	22	11	10	29	27	9	12	35	28	6	0	32			16	0	0	-3	-2	12	16	25	30	45	55	N/A	N/A	
FP-1038	10	14	13	11	13	26	22	7	10	32	26	7	7	36	27	8	0	32			16	0	0	0	-3	12	16	25	30	45	60	N/A	N/A	
FP-1039	9	13	13	11	24	27	30	9	10	25	25	18	13	36	41	24	0	32			16	0	0	22	21	12	18	25	30	42	55	N/A	N/A	
FP-1040	9	15	14	12	17	26	32	10	14	27	27	19	16	42	35	29	0	32			16	0	0	24	22	12	15	27	30	40	55	N/A	N/A	
FP-1041	11	14	14	12	25	17	30	10	5	3	25	19	17	5	32	25	0	32			16	0	0	17	13	12	16	25	32	45	55	N/A	N/A	
FP-1085	8	12	11	9	12	10	30	20	20	10	11	20	21	22	32	31	0	32			16	0	0	19	21	12	17	25	30	40	60	N/A	N/A	
FP-1086	9	12	12	11	23	-5	20	15	28	-1	6	24	38	-1	13	37	0	32			16	0	0	18	18	12	16	25	32	40	55	N/A	N/A	
FP-1087	9	12	14	8	9	12	28	6	15	3	29	20	14	-3	34	27	0	32			16	0	0	18	9	12	13	25	30	45	55	N/A	N/A	
FP-1088	10	13	12	10	12	4	25	15	10	0	21	30	18	-4	23	35	0	32			16	0	0	14	15	12	17	25	30	40	55	N/A	N/A	
FP-1089	9	13	13	12	28	4	26	15	10	1	21	17	22	11	32	19	0	32			16	0	0	20	17	12	16	25	28	45	60	N/A	N/A	
FP-1092	10	5	2	0	30	15	25	22	25	3	8	-7	28	12	18	10	0	32			16	0	5	10	5	12	15	25	33	40	60	N/A	N/A	
FP-1093	15	10	3	0	22	12	35	23	12	4	8	-9	16	10	22	11	0	32			16	0	10	6	8	12	15	22	34	40	53	N/A	N/A	
FP-1094	18	8	5	2	55	35	28	23	45	18	13	-2	50	22	20	5	0	32			16	0	0	8	12	12	15	22	30	43	52	N/A	N/A	
FP-1095	10	13	12	11	28	21	30	22	25	18	35	16	31	19	36	17	0	32			16	0	0	5	6	12	17	23	30	40	55	N/A	N/A	
FP-1096	10	12	11	10	34	21	32	28	30	19	32	11	33	25	38	18	0	32			16	0	0	14	5	12	16	23	30	40	60	N/A	N/A	
FP-1097	10	13	13	12	32	27	3	-6	35	15	-8	11	37	20	-5	14	0	32			16	0	0	17	13	12	19	25	35	45	60	N/A	N/A	
FP-1098	14	13	11	10	25	14	11	-4	32	-4	-7	9	37	5	-3	13	0	32			16	0	0	18	12	12	21	30	35	45	55	N/A	N/A	
FP-1099	12	6	2	0	18	18	32	20	12	10	10	-10	14	18	20	9	0	32			16	0	10	7	8	12	15	28	33	42	53	N/A	N/A	
FP-1102	15	10	6	3	5	10	30	20	-2	10	13	-6	-1	18	25	10	0	32			16	0	5	7	1	12	20	25	33	40	60	N/A	N/A	
FP-1103	10	14	13	11	11	17	34	30	1	3	47	18	5	1	46	5	0	32			16	0	3	5	2	12	15	20	25	35	45	N/A	N/A	
FP-1104	10	8	8	0	0	15	34	30	-3	8	16	-5	-4	18	28	12	0	32			16	0	0	6	1	12	20	27	34	40	60	N/A	N/A	
FP-1105	11	14	13	11	20	26	44	34	2	4	46	17	5	1	50	14	0	32			16	0	-2	9	4	12	15	20	25	35	50	N/A	N/A	
FP-1106	20	5	2	0	45	0	35	35	25	-5	13	-5	32	0	26	12	0	32			16	0	0	12	5	12	15	25	35	40	60	N/A	N/A	
FP-1107	15	11	14	20	38	11	11	24	48	-7	-2	40	60	-8	-7	50	0	32			16	0	0	20	17	12	15	25	30	40	55	N/A	N/A	
FP-1109	8	5	0	0	10	23	25	20	4	12	13	-8	7	22	25	5	0	32			16	0	10	0	-1	12	20	25	33	42	55	N/A	N/A	
FP-1110	10	6	5	3	25	12	20	22	23	5	5	-10	27	15	13	0	0	32			16	0	0	-1	-5	12	21	28	35	42	55	N/A	N/A	
FP-1111	8	6	8	7	25	18	24	22	28	-3	21	10	37	4	35	28	0	32			16	0	0	5	7	12	15	25	32	40	50	N/A	N/A	
FP-1112	13	13	12	11	38	25	32	18	31	3	30	16	38	1	35	20	0	32			16	0	0	11	3	12	15	25	32	42	55	N/A	N/A	
FP-1113	13	11	13	12	30	10	30	25	20	-7	37	18	33	-12	38	22	0	32			16	0	0	23	16	12	15	25	35	45	55	N/A	N/A	

CALIBRATE THROTTLE
DIAGNOSTICS - NO ENTRY REQUIRED



SETTING VALUES

Please locate your Value Reference from the chart.

SUGGESTION: Use a ruler or highlight SETTING VALUES to reduce risk of losing place while entering values.

	VALUES FOR MODES 1-18																		MODES 19-22		ADDITIONAL MODES WHEN REQUIRED													
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20-22	23	24	25	26	27	28	29	30	31	32	33	34	35	
FP-1114	17	13	14	16	42	11	14	25	45	-7	-3	35	48	-7	-5	47	0	32			16	0	0	16	11	12	15	25	30	40	55	N/A	N/A	
FP-1115	13	14	15	13	40	26	30	20	20	-12	25	13	22	-9	39	19	0	32			16	0	0	14	9	12	15	25	35	45	55	N/A	N/A	
FP-1117	10	5	0	0	28	12	25	20	28	4	13	-6	28	8	25	8	0	32			16	0	2	8	4	12	15	24	33	45	55	N/A	N/A	
FP-1118	2	10	5	0	0	18	23	22	-2	13	5	-12	0	22	16	8	0	32			16	0	4	10	7	12	18	25	34	40	55	N/A	N/A	
FP-1119	10	8	0	3	18	13	18	18	13	-2	10	-5	16	6	23	13	0	32			16	0	2	12	7	12	18	28	34	43	55	N/A	N/A	
FP-1120	10	5	0	0	30	1	26	23	18	-6	12	-6	15	3	28	10	0	32			16	0	2	10	8	12	15	27	34	44	55	N/A	N/A	
FP-1123	11	13	12	10	30	32	24	1	23	25	11	-4	19	25	8	-2	0	32			16	0	0	-1	-1	12	18	25	30	40	55	N/A	N/A	
FP-1124	5	10	4	0	7	20	20	20	8	18	3	-13	12	26	11	4	0	32			16	0	0	7	5	12	21	25	33	43	55	N/A	N/A	
FP-1125	10	5	0	0	25	15	20	23	32	5	8	-10	32	18	16	5	0	32			16	0	-5	8	3	12	15	27	33	42	60	N/A	N/A	
FP-1132	12	13	12	11	30	28	20	7	26	24	6	-2	18	28	7	-1	0	32			16	0	0	1	-2	12	18	24	32	42	55	N/A	N/A	
FP-1134	12	10	13	10	25	23	23	20	35	22	5	35	60	26	5	39	0	32			16	0	0	4	5	12	15	19	25	35	55	N/A	N/A	
FP-1135	12	10	13	11	30	27	18	26	40	20	8	30	60	24	5	36	0	32			16	0	0	5	5	12	15	19	25	35	52	N/A	N/A	
FP-1136	13	11	12	10	30	19	20	10	19	3	17	17	51	-6	26	17	0	32			16	0	0	1	-1	12	15	22	30	40	50	N/A	N/A	
FP-1137	8	7	2	4	32	32	28	16	17	6	32	20	50	3	36	17	0	32			16	0	0	4	2	12	15	25	35	45	55	N/A	N/A	
FP-1138	15	10	0	0	30	0	22	28	10	-10	10	0	20	-8	28	15	0	32			16	0	-10	12	7	12	15	28	35	44	60	N/A	N/A	
FP-1139	10	5	2	2	20	22	13	5	0	30	-1	-12	1	40	9	2	0	32			16	0	0	2	-2	12	15	25	33	40	60	N/A	N/A	
FP-1140	10	3	0	0	40	15	15	12	28	22	8	-12	23	33	16	5	0	32			16	0	0	6	2	12	15	25	33	40	60	N/A	N/A	
FP-1142	10	6	4	0	32	15	20	22	18	5	6	-2	17	12	18	14	0	32			16	0	-5	10	3	12	15	25	35	40	60	N/A	N/A	
FP-1143	12	10	3	0	33	26	10	7	40	26	-10	-12	48	34	1	4	0	32			16	0	0	6	7	12	18	24	30	45	53	N/A	N/A	
FP-1144	18	10	5	0	38	15	25	22	30	8	10	0	38	12	24	10	0	32			16	0	-10	10	4	12	15	22	32	45	60	N/A	N/A	
FP-1145	2	0	4	2	30	15	17	17	27	11	8	-4	40	18	20	12	0	32			16	0	0	10	4	12	14	24	30	45	60	N/A	N/A	
FP-1146	15	9	0	-3	52	10	32	25	28	2	6	3	30	10	21	13	0	32			16	0	-15	13	7	12	15	25	37	45	60	N/A	N/A	
FP-1147	13	5	0	0	60	13	30	30	55	7	15	5	50	12	32	18	0	32			16	0	-10	24	15	12	15	26	35	45	60	N/A	N/A	
FP-1148	20	5	5	0	20	2	15	10	28	-7	4	2	28	-1	23	13	0	32			16	0	-5	14	7	12	15	28	35	50	60	N/A	N/A	
FP-1149	15	5	2	1	42	23	18	23	40	18	12	5	38	17	20	16	0	32			16	0	12	7	-4	12	15	20	35	45	60	N/A	N/A	
FP-1150	13	10	5	0	30	46	12	18	23	50	-3	-6	25	58	7	10	0	32			16	0	-5	14	5	12	18	23	30	45	60	N/A	N/A	
FP-1151	10	5	0	0	20	24	35	16	10	23	10	-7	8	35	22	7	0	32			16	0	-5	10	3	12	18	27	35	42	60	N/A	N/A	
FP-1159	12	6	5	0	43	13	17	22	40	8	12	-7	40	11	22	8	0	32			16	0	-8	12	5	12	15	21	30	40	60	N/A	N/A	
FP-1160	15	8	5	0	50	5	35	22	32	5	12	-2	35	12	28	13	0	32			16	0	-13	12	4	12	15	25	35	45	60	N/A	N/A	
FP-1161	12	8	5	2	45	32	22	30	45	11	18	2	50	12	22	13	0	32			16	0	5	13	16	12	15	21	25	35	55	N/A	N/A	
FP-1162	10	5	1	0	28	28	22	20	22	10	18	-5	38	20	35	5	0	32			16	0	13	12	16	12	15	20	25	38	50	N/A	N/A	
FP-1163	15	8	5	2	50	32	32	28	40	10	24	-1	36	12	28	8	0	32			16	0	10	12	16	12	15	20	25	38	50	N/A	N/A	
FP-1164	15	0	8	5	40	15	30	25	25	0	20	0	28	2	27	10	0	32			16	0	5	10	11	12	15	20	25	40	55	N/A	N/A	
FP-1165	8	6	10	9	26	8	35	30	24	-2	25	31	30	-4	35	39	0	32			16	0	0	21	17	12	15	25	35	40	50	N/A	N/A	

CALIBRATE THROTTLE
DIAGNOSTICS - NO ENTRY REQUIRED



SETTING VALUES

Please locate your Value Reference from the chart.

SUGGESTION: Use a ruler or highlight SETTING VALUES to reduce risk of losing place while entering values.

	VALUES FOR MODES 1-18																		MODES 19-22		ADDITIONAL MODES WHEN REQUIRED													
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20-22	23	24	25	26	27	28	29	30	31	32	33	34	35	
FP-1166	7	5	10	9	28	-1	36	23	29	-9	13	23	38	-1	26	34	0	32			16	0	0	12	21	12	15	25	35	40	50	N/A	N/A	
FP-1167	6	5	6	8	13	7	3	5	25	1	10	16	30	-7	6	18	0	32			16	0	0	3	-1	12	19	27	32	40	50	N/A	N/A	
FP-1168	7	5	6	9	15	8	11	8	33	12	16	23	42	5	11	34	0	32			16	0	0	10	8	12	18	27	32	40	52	N/A	N/A	
FP-1169	13	10	3	0	30	9	36	32	48	5	32	15	60	3	25	26	0	32			16	0	0	12	12	12	15	23	32	40	50	N/A	N/A	
FP-1170	12	6	2	0	25	10	24	24	37	5	26	18	35	-1	20	17	0	32			16	0	-4	2	0	12	16	23	32	40	50	N/A	N/A	
FP-1171	5	2	0	0	21	3	8	12	15	5	15	18	15	2	23	30	0	32			16	0	-10	5	2	12	18	24	32	40	55	N/A	N/A	
FP-1172	10	6	3	0	17	20	33	13	6	30	12	10	10	30	8	18	0	32			16	0	0	12	10	12	15	27	34	41	50	N/A	N/A	
FP-1173	8	-2	0	0	25	8	24	24	15	8	21	18	20	5	22	30	0	32			16	0	-8	12	8	12	18	24	32	40	55	N/A	N/A	
FP-1174	3	2	0	-2	18	20	20	15	8	33	15	10	8	32	13	16	0	32			16	0	-3	5	5	12	17	26	33	40	49	N/A	N/A	
FP-1175	9	5	3	0	20	18	22	16	10	28	17	8	15	26	20	23	0	32			16	0	-8	15	14	12	18	28	34	40	50	N/A	N/A	
FP-1176	6	3	0	0	15	13	12	8	8	20	14	6	8	20	18	13	0	32			16	0	-6	7	4	12	18	27	33	42	55	N/A	N/A	
FP-1177	5	0	0	2	10	12	15	18	2	13	13	12	0	10	14	18	0	32			16	0	-10	10	1	12	18	25	30	40	55	N/A	N/A	
FP-1178	8	3	6	0	18	15	26	14	5	20	13	12	3	20	20	26	0	32			16	0	-5	15	11	12	18	27	35	40	55	N/A	N/A	
FP-1179	10	1	0	-5	15	13	36	22	2	23	15	10	2	23	14	22	0	32			16	0	-10	20	13	12	20	26	33	40	58	N/A	N/A	
FP-1180	6	-2	-1	1	12	14	25	15	-3	22	16	10	0	20	18	21	0	32			16	0	-5	12	12	12	20	25	32	40	50	N/A	N/A	
FP-1181	10	4	0	-5	25	12	18	28	12	4	28	29	12	0	30	30	0	32			16	0	-4	-3	-5	12	16	20	27	35	50	N/A	N/A	
FP-1182	10	8	3	0	25	8	35	25	30	3	40	12	34	3	37	23	0	32			16	0	0	2	1	12	15	20	27	42	50	N/A	N/A	
FP-1183	10	5	0	0	25	18	28	10	8	28	20	2	13	28	18	12	0	32			16	0	-5	-4	-3	12	16	24	34	43	50	N/A	N/A	
FP-1184	5	0	0	0	24	26	16	-4	10	25	8	-5	5	25	10	-8	0	32			16	0	-8	-10	-10	12	18	23	41	48	55	N/A	N/A	
FP-1185	-3	-1	0	0	20	25	28	5	15	28	27	10	10	30	40	25	0	32			16	0	-15	10	10	12	18	25	31	42	55	N/A	N/A	
FP-1186	3	3	5	0	20	24	38	6	15	30	28	15	15	32	36	25	0	32			16	0	-8	10	12	12	18	25	31	42	60	N/A	N/A	
FP-1187	5	1	5	-3	30	21	35	10	40	18	30	18	50	15	35	30	0	32			16	0	-18	10	15	12	15	20	31	42	60	N/A	N/A	
FP-1188	0	-1	0	0	13	26	26	1	15	20	23	14	8	20	35	24	0	32			16	0	-10	8	8	12	15	26	35	42	55	N/A	N/A	
FP-1189	3	-4	-4	0	0	20	20	3	-8	24	28	11	-12	25	40	20	0	32			16	0	-13	-5	-1	12	20	28	33	42	55	N/A	N/A	
FP-1190	5	-3	0	0	0	18	14	-2	-2	26	22	7	-5	25	26	7	0	32			16	0	-12	-5	-4	12	20	27	35	45	55	N/A	N/A	
FP-1191	2	1	0	0	7	18	23	10	-3	32	25	12	-1	30	28	21	0	32			16	0	-10	3	4	12	20	27	35	40	55	N/A	N/A	
FP-1192	5	2	0	0	0	23	24	4	-8	31	30	10	-6	28	35	18	0	32			16	0	-10	5	4	12	20	28	36	45	55	N/A	N/A	
FP-1193	3	-2	-1	0	36	6	5	25	40	-1	1	28	45	-2	-1	38	0	32			16	0	-10	7	6	12	16	23	28	38	55	N/A	N/A	
FP-1194	8	4	0	0	40	12	8	35	45	3	6	30	50	0	0	45	0	32			16	0	-5	18	16	12	16	23	28	38	51	N/A	N/A	
FP-1195	8	4	9	9	17	-2	20	8	20	-2	19	18	27	-11	19	23	0	32			16	0	0	3	3	12	16	25	32	42	50	N/A	N/A	
FP-1196	7	5	10	9	19	1	17	15	23	7	24	18	37	1	28	32	0	32			16	0	0	10	13	12	16	25	30	42	55	N/A	N/A	
FP-1198	8	6	9	8	10	2	19	12	12	6	23	18	16	-1	25	36	0	32			16	0	0	16	15	12	18	25	35	40	50	N/A	N/A	
FP-1199	10	3	0	0	20	10	28	22	15	5	20	25	10	0	22	38	0	32			16	0	0	13	8	12	18	25	35	40	55	N/A	N/A	
FP-1200	5	-4	-2	0	22	7	15	16	12	5	18	22	15	0	20	30	0	32			16	0	-10	5	2	12	18	25	35	40	55	N/A	N/A	

CALIBRATE THROTTLE
DIAGNOSTICS - NO ENTRY REQUIRED



SETTING VALUES

Please locate your Value Reference from the chart.

SUGGESTION: Use a ruler or highlight SETTING VALUES to reduce risk of losing place while entering values.

	VALUES FOR MODES 1-18																		MODES 19-22		ADDITIONAL MODES WHEN REQUIRED												
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20-22	23	24	25	26	27	28	29	30	31	32	33	34	35
FP-1201	6	3	9	8	8	1	2	-1	6	4	15	13	6	1	21	18	0	32			16	0	0	-3	-1	12	18	25	35	40	50	N/A	N/A
FP-1202	7	5	8	7	10	-2	7	6	15	11	27	16	14	5	29	28	0	32			16	0	0	5	7	12	18	25	35	40	52	N/A	N/A
FP-1203	8	5	8	9	20	2	21	26	34	5	40	22	35	1	53	42	0	32			16	0	0	8	11	12	17	25	35	40	50	N/A	N/A
FP-1204	7	6	9	8	20	2	25	20	28	-2	34	21	20	-8	43	25	0	32			16	0	0	4	1	12	17	25	35	40	50	N/A	N/A
FP-1205	5	4	10	8	5	-2	10	9	1	3	24	19	-4	-2	24	21	0	32			16	0	-4	2	-4	12	17	25	35	40	50	N/A	N/A
FP-1206	7	5	10	7	4	-1	5	7	10	2	25	25	14	-1	24	32	0	32			16	0	-6	3	7	12	19	25	30	40	52	N/A	N/A
FP-1207	16	2	0	0	34	8	40	2	4	5	35	10	53	0	36	10	0	32			16	0	0	14	8	12	15	24	34	50	60	N/A	N/A
FP-1208	5	1	2	1	22	12	17	12	45	5	36	17	45	3	30	32	0	32			16	0	0	5	5	12	15	24	34	40	50	N/A	N/A
FP-1209	8	1	0	0	24	7	21	23	52	-2	39	30	48	-15	36	30	0	32			16	0	0	14	8	12	14	24	34	40	50	N/A	N/A
FP-1210	7	0	-1	-2	36	5	36	35	50	-5	34	30	55	-8	35	35	0	32			16	0	4	13	13	12	14	24	34	40	50	N/A	N/A
FP-1213	6	5	7	9	20	-4	8	25	28	-16	10	31	35	-24	11	38	0	32			16	0	0	9	3	12	16	25	32	40	50	N/A	N/A
FP-1214	5	2	3	0	30	5	14	40	47	-10	6	40	60	-10	-8	55	0	32			16	0	10	20	18	12	14	24	30	37	50	N/A	N/A
FP-1215	5	7	9	8	3	5	18	1	10	21	21	8	4	23	29	9	0	32			16	0	0	5	8	12	19	30	35	45	55	N/A	N/A
FP-1216	8	9	10	9	8	4	10	10	4	3	17	9	6	-5	17	11	0	32			16	0	-4	-2	-3	12	18	25	30	40	50	N/A	N/A
FP-1217	12	9	7	9	20	9	-3	-4	46	12	-10	10	50	5	-14	11	0	32			16	0	0	0	-4	12	19	25	30	42	52	N/A	N/A
FP-1219	13	9	11	9	23	6	2	2	48	17	-2	11	60	16	-8	20	0	32			16	0	0	11	8	12	18	25	31	40	55	N/A	N/A
FP-1220	6	6	11	8	18	8	14	13	10	6	26	18	14	5	23	23	0	32			16	0	0	3	1	12	17	25	30	40	50	N/A	N/A
FP-1221	7	6	10	8	12	10	10	18	24	10	38	26	25	9	37	33	0	32			16	0	0	12	8	12	18	25	30	40	55	N/A	N/A
FP-1222	6	7	11	9	6	6	20	10	-17	36	27	7	-20	30	30	19	0	32			16	0	-4	4	3	12	17	25	35	40	50	N/A	N/A
FP-1223	5	7	9	6	2	4	10	0	-10	15	24	9	-16	12	24	7	0	32			16	0	-4	-7	-8	12	17	25	30	40	50	N/A	N/A
FP-1224	6	7	9	8	19	18	26	13	20	20	23	7	13	22	27	5	0	32			16	0	0	-1	-4	12	19	25	30	37	50	N/A	N/A
FP-1225	8	6	7	5	12	12	19	1	19	33	20	1	13	37	20	4	0	32			16	0	0	6	9	12	17	23	35	45	55	N/A	N/A
FP-1226	10	8	3	-2	30	22	25	20	28	15	33	8	55	15	30	20	0	32			16	0	-5	7	5	12	15	22	26	40	50	N/A	N/A
FP-1227	10	5	0	0	28	16	20	20	35	14	32	16	45	14	28	20	0	32			16	0	-10	2	0	12	15	20	28	38	50	N/A	N/A
FP-1228	9	0	0	0	22	28	22	4	-10	45	11	6	-15	40	10	10	0	32			16	0	-10	0	-5	12	16	25	35	42	50	N/A	N/A
FP-1229	8	5	-4	-5	18	28	35	12	2	42	10	6	6	42	11	17	0	32			16	0	-5	2	0	12	18	26	35	40	50	N/A	N/A
FP-1230	10	5	0	1	25	26	18	15	4	24	0	-3	5	32	8	2	0	32			16	0	0	3	5	12	18	23	33	42	55	N/A	N/A
FP-1231	10	3	1	5	27	30	27	25	3	23	8	1	3	33	18	7	0	32			16	0	0	5	9	12	18	25	35	42	55	N/A	N/A
FP-1234	8	0	3	0	22	24	20	18	7	22	-1	-7	5	32	5	2	0	32			16	0	3	16	13	12	20	25	32	40	55	N/A	N/A
FP-1235	15	2	5	5	46	15	38	18	30	3	10	5	30	6	20	14	0	32			16	0	-5	15	18	12	15	24	35	45	55	N/A	N/A
FP-1236	15	5	10	2	45	15	30	25	38	0	16	12	40	0	25	12	0	32			16	0	0	11	10	12	15	20	27	42	55	N/A	N/A
FP-1237	10	5	3	-2	18	30	11	-1	18	42	0	13	25	45	-3	16	0	32			16	0	-5	8	5	12	15	21	29	42	55	N/A	N/A
FP-1238	10	6	5	0	30	25	15	5	60	30	0	12	60	30	-5	20	0	32			16	0	-5	15	10	12	16	22	30	42	55	N/A	N/A
FP-1239	7	5	10	9	12	-7	15	25	10	-2	32	29	29	-8	36	42	0	32			16	0	0	9	12	12	16	25	35	40	50	N/A	N/A

CALIBRATE THROTTLE
DIAGNOSTICS - NO ENTRY REQUIRED



SETTING VALUES

Please locate your Value Reference from the chart.

SUGGESTION: Use a ruler or highlight SETTING VALUES to reduce risk of losing place while entering values.

	VALUES FOR MODES 1-18																		MODES 19-22		ADDITIONAL MODES WHEN REQUIRED													
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20-22	23	24	25	26	27	28	29	30	31	32	33	34	35	
FP-1240	5	4	8	7	6	-7	12	20	4	-7	24	25	6	13	25	30	0	32			16	0	-6	3	3	12	16	25	35	40	50	N/A	N/A	
FP-1241	10	2	-5	-4	60	15	16	35	55	-2	0	37	58	-6	-3	53	0	32			16	0	10	18	12	12	15	24	29	38	50	N/A	N/A	
FP-1242	22	10	0	0	55	12	16	45	60	0	5	42	60	-4	-2	60	0	32			16	0	10	20	17	12	15	24	29	38	50	N/A	N/A	
FP-1243	8	7	10	9	16	-1	19	21	22	1	29	32	31	-2	35	37	0	32			16	0	-6	8	10	12	18	25	32	40	50	N/A	N/A	
FP-1244	8	4	9	10	13	-2	16	15	14	-2	20	24	10	-9	21	28	0	32			16	0	0	3	3	12	19	25	32	40	50	N/A	N/A	
FP-1246	6	5	4	1	15	23	18	18	-5	19	5	-5	2	25	10	5	0	32			16	0	5	17	20	12	20	25	30	38	55	N/A	N/A	
FP-1247	10	5	0	0	38	25	20	28	32	5	6	5	38	10	11	16	0	32			16	0	0	21	22	12	15	20	30	40	55	N/A	N/A	
FP-1248	9	8	10	8	25	20	20	7	13	8	22	16	10	5	20	14	0	32			16	0	0	14	11	12	17	25	35	45	55	N/A	N/A	
FP-1249	9	6	10	9	20	13	18	11	16	6	17	20	13	10	24	31	0	32			16	0	0	10	12	12	17	25	30	40	50	N/A	N/A	
FP-1250	9	7	8	9	20	16	27	17	10	5	24	21	15	3	18	28	0	32			16	0	0	16	19	12	16	25	35	40	50	N/A	N/A	
FP-1251	8	7	10	8	19	18	21	14	15	4	23	21	9	5	22	32	0	32			16	0	0	24	19	12	17	25	35	40	55	N/A	N/A	
FP-1252	8	6	10	8	13	17	25	12	-2	10	28	9	-4	17	35	22	0	32			16	0	0	10	9	12	17	25	30	40	50	N/A	N/A	
FP-1253	8	7	10	9	12	9	20	10	5	11	25	13	9	16	31	19	0	32			16	0	0	5	6	12	17	25	30	40	50	N/A	N/A	
FP-1254	11	5	9	8	31	2	3	2	43	-10	8	15	60	-7	9	16	0	32			16	0	0	19	11	12	21	33	40	45	52	N/A	N/A	
FP-1255	9	8	10	9	23	26	4	3	48	33	-11	8	53	34	-10	16	0	32			16	0	0	13	8	12	19	25	30	45	50	N/A	N/A	
FP-1256	8	10	11	9	4	8	23	6	-3	9	27	7	-12	15	36	15	0	32			16	0	0	1	4	12	18	25	30	40	50	N/A	N/A	
FP-1257	7	9	10	8	4	20	29	9	2	15	41	14	-12	22	43	16	0	32			16	0	0	7	5	12	16	25	30	40	50	N/A	N/A	
FP-1258	9	7	10	9	7	19	34	7	4	30	25	4	-16	41	27	6	0	32			16	0	0	6	10	12	17	25	30	40	55	N/A	N/A	
FP-1259	8	7	11	10	11	25	33	10	-8	24	9	-2	-10	35	6	6	0	32			16	0	0	-3	1	12	17	25	35	40	50	N/A	N/A	
FP-1260	9	6	10	11	30	10	18	20	15	-1	12	30	28	0	22	29	0	32			16	0	0	15	9	12	17	25	30	40	50	N/A	N/A	
FP-1261	9	8	11	9	30	10	20	25	10	2	11	28	25	-2	22	36	0	32			16	0	0	13	9	12	17	25	30	40	50	N/A	N/A	
FP-1262	10	9	11	10	18	15	25	35	21	2	33	35	26	4	39	37	0	32			16	0	0	21	16	12	17	25	35	40	50	N/A	N/A	
FP-1263	8	6	10	9	38	6	40	45	35	4	30	36	30	5	36	39	0	32			15	0	0	15	12	12	16	25	35	40	50	N/A	N/A	
FP-1264	8	7	11	10	21	17	15	10	17	10	10	23	27	10	21	30	0	32			16	0	0	17	15	12	17	25	30	40	50	N/A	N/A	
FP-1265	9	8	10	7	16	13	17	14	15	7	6	15	20	11	20	26	0	32			16	0	0	13	10	12	17	25	30	40	55	N/A	N/A	
FP-1266	11	8	12	10	42	17	36	35	45	8	45	40	50	7	50	41	0	32			16	0	0	34	25	12	16	25	35	45	55	N/A	N/A	
FP-1267	11	6	10	9	30	15	25	30	50	7	39	42	58	7	44	40	0	32			16	0	0	31	29	12	16	25	35	45	50	N/A	N/A	
FP-1294	10	7	2	0	15	22	32	10	-1	10	13	5	-3	9	15	9	0	32			16	0	-5	0	0	12	20	28	33	42	55	N/A	N/A	
FP-1295	5	5	0	0	8	22	25	10	-2	9	12	6	-3	10	15	10	0	32			16	0	-5	-2	-4	12	20	28	33	43	55	N/A	N/A	
FP-1296	15	10	5	2	6	22	22	5	-4	13	16	4	-6	14	18	7	0	32			16	0	-10	-6	-2	12	20	28	32	42	55	N/A	N/A	
FP-1297	5	3	0	0	16	25	28	8	10	16	10	-2	10	20	11	1	0	32			16	0	-10	-8	-6	12	18	28	33	43	55	N/A	N/A	
FP-1298	10	5	0	0	32	18	10	0	25	1	-3	-2	27	0	-3	3	0	32			16	0	-10	-4	-3	12	19	29	35	45	55	N/A	N/A	
FP-1299	15	10	5	0	35	20	20	10	25	8	-1	5	25	12	-2	8	0	32			16	0	-5	-1	-2	12	20	28	33	43	55	N/A	N/A	
FP-1300	10	10	5	2	0	20	35	6	-10	12	15	3	-10	15	15	7	0	32			16	0	-5	-4	-2	12	19	29	33	42	55	N/A	N/A	

CALIBRATE THROTTLE
DIAGNOSTICS - NO ENTRY REQUIRED



SETTING VALUES

Please locate your Value Reference from the chart.

SUGGESTION: Use a ruler or highlight SETTING VALUES to reduce risk of losing place while entering values.

	VALUES FOR MODES 1-18																		MODES 19-22		ADDITIONAL MODES WHEN REQUIRED													
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20-22	23	24	25	26	27	28	29	30	31	32	33	34	35	
FP-1301	7	5	9	8	5	0	10	2	6	7	5	4	-11	2	6	1	0	32			16	0	0	-6	-10	12	18	22	32	40	55	N/A	N/A	
FP-1305	7	0	0	0	36	24	30	25	25	3	14	3	32	8	21	11	0	32			16	0	-5	15	15	12	18	23	30	42	55	N/A	N/A	
FP-1306	8	2	0	0	43	15	25	26	20	-4	13	7	22	2	23	15	0	32			16	0	-5	18	20	12	15	25	33	43	55	N/A	N/A	
FP-1307	7	1	0	0	30	8	30	23	15	-8	15	5	15	-5	25	17	0	32			16	0	-2	20	22	12	15	27	35	43	55	N/A	N/A	
FP-1308	15	5	0	3	48	10	16	30	28	-4	-8	12	28	2	-5	23	0	32			16	0	8	15	20	12	18	23	28	37	50	N/A	N/A	
FP-1309	5	0	0	0	32	18	13	25	13	4	4	5	16	7	10	17	0	32			16	0	0	16	15	12	15	23	33	40	55	N/A	N/A	
FP-1310	5	0	-5	0	22	28	20	15	3	30	18	-9	6	38	25	1	0	32			16	0	0	6	6	12	20	25	28	35	55	N/A	N/A	
FP-1311	4	0	0	0	50	20	15	13	45	1	-12	-2	53	5	-8	7	0	32			16	0	0	15	15	12	19	27	33	42	55	N/A	N/A	
FP-1312	3	1	0	1	11	10	13	2	10	22	8	1	13	25	10	7	0	32			16	0	0	10	6	12	17	25	30	40	50	N/A	N/A	
FP-1313	5	3	4	3	12	6	3	29	17	6	4	9	32	-4	10	21	0	32			16	0	0	12	11	12	16	25	30	40	50	N/A	N/A	
FP-1314	3	1	2	2	8	7	3	9	13	13	-3	-9	14	17	3	2	0	32			16	0	0	-2	5	12	17	25	30	40	50	N/A	N/A	
FP-1315	5	0	0	0	30	26	28	20	20	18	5	-2	22	26	15	5	0	32			16	0	0	10	11	12	18	28	33	40	55	N/A	N/A	
FP-1317	9	7	5	4	25	14	13	46	31	9	7	14	38	8	13	34	0	32			16	0	0	10	11	12	17	25	30	42	52	N/A	N/A	
FP-1318	3	5	2	4	12	5	1	26	20	7	5	5	24	4	8	17	0	32			16	0	0	8	10	12	16	25	30	40	50	N/A	N/A	
FP-1320	2	3	1	2	20	21	15	-2	14	7	4	-2	19	5	2	-3	0	32			16	0	0	-5	-6	12	17	25	30	40	50	N/A	N/A	
FP-1321	2	1	2	2	24	23	17	0	15	5	2	-2	16	3	-2	-1	0	32			16	0	0	-4	-2	12	17	25	32	40	55	N/A	N/A	
FP-1322	2	1	0	1	19	28	19	4	14	26	15	10	21	25	8	13	0	32			16	0	0	11	7	12	17	27	35	40	55	N/A	N/A	
FP-1323	4	2	3	3	22	12	22	23	12	2	21	20	14	-1	21	22	00	32			16	0	0	13	11	12	19	25	30	40	50	N/A	N/A	
FP-1324	4	4	4	3	23	28	22	14	36	24	9	23	42	21	1	20	0	32			16	0	0	18	11	12	19	25	30	40	50	N/A	N/A	
FP-1325	5	4	5	3	20	25	22	13	39	21	10	24	50	15	-2	27	0	32			16	0	0	17	15	12	17	25	30	40	50	N/A	N/A	
FP-1326	3	4	4	2	19	18	25	22	12	5	20	23	18	8	31	29	0	32			16	0	0	13	18	12	17	25	30	40	55	N/A	N/A	
FP-1327	5	3	2	6	8	10	14	25	11	14	20	5	13	15	29	13	0	32			16	0	0	3	9	12	17	25	30	40	50	N/A	N/A	
FP-1328	8	3	5	9	33	9	17	48	47	14	7	24	51	14	12	37	0	32			16	0	35	7	10	12	12	25	30	38	47	N/A	N/A	
FP-1332	7	5	4	6	18	11	9	26	27	11	14	5	22	13	15	16	0	32			16	0	0	9	11	12	15	25	30	40	50	N/A	N/A	
FP-1334	6	3	5	4	16	6	-3	5	30	26	-13	1	36	22	-11	4	0	32			16	0	0	13	12	12	18	25	30	40	50	N/A	N/A	
FP-1336	10	7	0	0	32	46	22	30	35	22	4	2	40	30	8	16	0	32			16	0	5	15	15	12	18	24	28	38	55	N/A	N/A	
FP-1337	5	4	6	7	10	4	8	16	17	7	15	9	13	5	18	16	0	32			16	0	0	13	13	12	16	25	30	40	50	N/A	N/A	
FP-1338	5	3	4	3	10	-5	3	19	5	-10	6	1	26	-2	12	27	0	32			16	0	0	5	14	12	17	25	30	40	50	N/A	N/A	
FP-1339	4	3	4	6	2	0	-3	-6	10	-5	-14	-21	17	5	-3	-6	0	32			16	0	0	-10	-3	12	16	25	30	40	50	N/A	N/A	
FP-1351	15	10	5	5	22	25	25	30	30	0	10	-5	35	6	20	12	0	32			16	0	0	12	0	12	18	28	35	40	60	N/A	N/A	
FP-1355	8	9	8	6	30	38	50	30	8	12	40	40	5	22	56	44	0	32			16	0	0	18	20	12	17	25	30	40	50	N/A	N/A	
FP-1366	7	5	8	6	26	29	52	32	22	5	38	43	7	7	52	53	0	32			16	0	0	19	18	12	16	22	30	37	50	N/A	N/A	
FP-1424	5	3	4	2	10	11	10	5	2	-1	-2	2	2	3	2	7	0	32			16	0	0	5	4	12	17	25	30	45	55	N/A	N/A	
FP-1425	5	3	3	4	16	13	13	7	3	1	0	2	3	4	3	8	0	32			16	0	0	5	2	12	17	25	30	45	55	N/A	N/A	

CALIBRATE THROTTLE
DIAGNOSTICS - NO ENTRY REQUIRED



SETTING VALUES

Please locate your Value Reference from the chart.

SUGGESTION: Use a ruler or highlight SETTING VALUES to reduce risk of losing place while entering values.

	VALUES FOR MODES 1-18																		MODES 19-22		ADDITIONAL MODES WHEN REQUIRED													
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20-22	23	24	25	26	27	28	29	30	31	32	33	34	35	
FP-1426	5	2	4	3	10	9	4	2	2	8	-6	1	-1	7	-4	8	0	32			16	0	0	7	4	12	17	25	35	45	55	N/A	N/A	
FP-1428	4	2	3	2	10	12	4	1	3	8	-6	3	-1	7	-4	7	0	32			16	0	0	8	6	12	17	25	35	45	55	N/A	N/A	
FP-1429	4	2	3	2	11	9	7	4	2	1	-1	3	4	4	2	8	0	32			16	0	0	5	2	12	17	25	35	45	55	N/A	N/A	
FP-1430	5	4	2	4	15	11	7	3	2	2	-2	2	4	4	2	5	0	32			16	0	0	5	2	12	17	25	35	45	55	N/A	N/A	
FP-1431	5	6	7	3	5	26	30	10	-2	2	8	6	-5	5	13	7	0	32			16	0	0	4	5	12	17	25	30	40	55	N/A	N/A	
FP-1432	4	8	6	5	4	21	30	9	-3	1	7	1	-3	3	10	9	0	32			16	0	0	2	3	12	17	25	30	40	55	N/A	N/A	
FP-1433	6	5	5	3	14	11	11	6	7	1	5	1	8	1	7	7	0	32			16	0	0	5	2	12	17	25	35	45	55	N/A	N/A	
FP-1434	5	6	5	4	9	9	10	5	5	-1	4	1	7	1	7	9	0	32			16	0	0	6	5	12	17	25	35	45	55	N/A	N/A	
FP-1435	5	4	5	3	11	10	14	7	2	3	1	3	4	0	3	9	0	32			16	0	0	12	10	12	17	25	35	45	55	N/A	N/A	
FP-1436	6	7	5	7	7	9	9	4	3	4	2	5	5	2	3	11	0	32			16	0	0	14	13	12	17	25	35	45	55	N/A	N/A	
FP-1437	6	5	5	4	5	13	2	-6	6	6	-5	-1	10	7	-6	5	0	32			16	0	0	4	4	12	17	25	32	45	55	N/A	N/A	
FP-1438	6	5	4	5	7	13	5	-3	7	8	-5	1	9	8	-8	5	0	32			16	0	0	5	4	12	19	25	32	45	55	N/A	N/A	
FP-1439	7	5	4	4	18	4	18	5	3	-1	0	1	6	2	5	5	0	32			16	0	0	4	4	12	18	25	35	45	55	N/A	N/A	
FP-1440	6	5	6	4	15	5	15	6	3	-1	0	1	10	1	5	7	0	32			16	0	0	3	4	12	17	25	32	45	55	N/A	N/A	
FP-1441	7	0	0	0	45	22	20	33	50	5	8	0	60	8	13	13	0	32			16	0	-5	20	18	12	15	20	30	40	55	N/A	N/A	
FP-1442	0	0	0	0	25	25	18	18	6	21	-3	-5	5	32	0	5	0	32			16	0	0	18	15	12	18	26	33	43	54	N/A	N/A	
FP-1443	5	0	0	0	40	25	27	23	40	8	6	-3	38	14	15	7	0	32			16	0	-5	15	14	12	15	23	33	43	55	N/A	N/A	
FP-1444	7	3	-5	-1	25	32	20	28	5	28	6	-5	7	33	13	2	0	32			16	0	-5	4	3	12	18	23	30	40	54	N/A	N/A	
FP-1446	20	4	0	0	50	5	35	28	27	-9	13	4	28	-10	23	12	0	32			16	0	-15	15	14	12	15	20	34	43	55	N/A	N/A	
FP-1447	15	5	0	0	40	18	30	24	27	0	20	-2	32	1	28	4	0	32			16	0	0	8	6	12	15	20	24	45	53	N/A	N/A	
FP-1448	7	4	0	0	36	20	26	25	27	3	6	3	28	5	12	16	0	32			16	0	5	19	20	12	15	21	32	38	53	N/A	N/A	
FP-1449	5	7	0	0	30	40	16	10	22	34	-12	6	40	38	-6	13	0	32			16	0	0	20	11	12	18	22	30	48	60	N/A	N/A	
FP-1450	7	5	2	0	42	28	25	22	36	16	20	-2	43	20	25	7	0	32			16	0	-5	13	10	12	15	20	25	40	55	N/A	N/A	
FP-1451	10	3	0	0	27	22	14	10	26	8	-6	-14	30	10	-3	-5	0	32			16	0	0	2	2	12	15	20	28	40	54	N/A	N/A	
FP-1452	15	3	0	0	40	15	30	25	28	-8	12	3	28	-2	21	16	0	32			16	0	-5	20	16	12	15	25	33	44	55	N/A	N/A	
FP-1453	20	7	0	0	40	8	42	25	26	-9	12	7	28	-7	25	18	0	32			16	0	-5	22	18	12	15	25	37	45	55	N/A	N/A	
FP-1454	15	5	3	0	60	16	10	2	54	-3	-10	12	60	-2	-5	24	0	32			16	0	10	23	17	12	15	22	28	37	60	N/A	N/A	
FP-1457	10	0	0	0	33	18	25	18	33	0	12	1	38	4	20	10	0	32			16	0	-5	16	13	12	15	25	31	45	55	N/A	N/A	
FP-1458	2	1	4	3	2	-16	9	10	6	-7	7	6	11	-8	15	14	0	32			16	0	0	14	7	12	16	25	35	45	60	N/A	N/A	
FP-1461	1	2	2	2	3	1	7	12	5	-3	4	-1	4	-4	8	7	0	32			16	0	0	8	6	12	16	25	30	40	55	N/A	N/A	
FP-1462	2	2	4	3	2	-6	15	13	-8	-3	3	-6	2	8	15	12	0	32			16	0	0	9	14	12	16	27	35	45	55	N/A	N/A	
FP-1463	2	3	2	5	-2	5	-1	4	12	19	-4	2	27	18	0	9	0	32			16	0	0	12	10	12	17	22	30	45	55	N/A	N/A	
FP-1464	2	3	5	5	-3	-6	3	7	4	1	-1	2	1	-3	4	6	0	32			16	0	0	10	2	12	17	25	35	40	55	N/A	N/A	
FP-1465	2	1	4	3	-2	1	-7	1	8	10	-2	-7	11	12	0	2	0	32			16	0	0	9	2	12	17	25	30	45	57	N/A	N/A	

CALIBRATE THROTTLE
DIAGNOSTICS - NO ENTRY REQUIRED



SETTING VALUES

Please locate your Value Reference from the chart.

SUGGESTION: Use a ruler or highlight SETTING VALUES to reduce risk of losing place while entering values.

	VALUES FOR MODES 1-18																		MODES 19-22		ADDITIONAL MODES WHEN REQUIRED													
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20-22	23	24	25	26	27	28	29	30	31	32	33	34	35	
FP-1466	4	3	5	5	1	14	11	12	6	14	12	1	2	17	17	8	0	32			16	0	0	16	11	12	17	25	30	40	55	N/A	N/A	
FP-1470	3	2	4	3	-6	2	5	7	-5	3	7	-1	-8	5	10	3	0	32			16	0	0	9	3	12	17	25	30	45	55	N/A	N/A	
FP-1471	4	6	4	3	-16	16	17	7	-12	3	13	5	-9	4	20	13	0	32			16	0	0	11	7	12	17	25	35	45	55	N/A	N/A	
FP-1480	4	3	6	5	-2	-5	2	10	6	3	3	7	10	2	9	12	0	32			16	0	0	15	6	12	17	25	35	45	55	N/A	N/A	
FP-1481	8	6	9	8	13	8	5	22	11	0	4	1	17	1	11	17	0	32			16	0	0	5	7	12	17	27	32	40	55	N/A	N/A	
FP-1482	3	1	2	3	5	2	-4	6	24	12	-8	1	38	12	-6	8	0	32			16	0	0	14	8	12	20	25	32	45	55	N/A	N/A	
FP-1483	8	7	9	6	24	12	33	38	21	4	12	4	19	4	20	11	0	32			16	0	0	10	4	12	17	27	35	45	55	N/A	N/A	
FP-1488	5	6	3	5	12	8	12	10	3	1	0	1	3	4	8	6	0	32			16	0	0	10	7	12	17	25	35	45	55	N/A	N/A	
FP-1489	3	3	6	5	-1	-4	7	11	5	0	3	7	8	0	10	14	0	32			16	0	0	13	9	12	17	25	35	45	55	N/A	N/A	
FP-1490	3	2	4	3	2	1	-2	10	5	-3	-5	-1	13	2	1	14	0	32			16	0	0	4	7	12	17	25	30	40	55	N/A	N/A	
FP-1493	1	4	5	3	-2	25	20	27	-1	10	22	13	3	12	32	23	0	32			16	8	16	6	15	12	17	25	30	35	45	N/A	N/A	
FP-1498	7	3	3	0	25	20	25	6	9	-6	5	7	12	-7	2	2	0	32			16	0	0	3	6	12	13	22	28	46	55	N/A	N/A	
FP-1499	5	4	3	4	10	16	20	40	-6	9	14	8	-9	9	23	18	0	32			16	0	0	2	9	12	17	25	30	37	50	N/A	N/A	
FP-1506	15	8	4	0	40	18	22	13	30	-9	5	8	25	-9	4	5	0	32			16	0	0	4	5	12	13	20	30	43	60	N/A	N/A	
FP-1511	7	0	0	0	30	18	16	25	18	7	0	-5	18	11	8	12	0	32			16	0	0	15	12	12	15	25	32	43	60	N/A	N/A	
FP-1512	5	3	1	0	30	22	16	27	16	10	2	-6	17	15	8	10	0	32			16	0	8	12	17	12	15	24	30	40	55	N/A	N/A	
FP-1513	12	1	0	0	40	15	10	27	32	3	3	-2	22	8	8	10	0	32			16	0	5	4	9	12	13	20	30	38	55	N/A	N/A	
FP-1514	15	7	0	0	32	16	25	20	20	4	-1	-3	19	17	12	8	0	32			16	0	0	12	8	12	15	21	40	45	60	N/A	N/A	
FP-1516	6	0	0	0	41	20	10	35	30	8	-2	0	32	12	6	15	0	32			16	0	0	16	12	12	15	23	30	43	60	N/A	N/A	
FP-1521	8	4	3	0	40	16	24	18	28	-10	4	6	30	-8	3	7	0	32			16	0	8	2	3	12	16	20	30	40	50	N/A	N/A	
FP-1522	8	0	5	0	28	18	22	5	8	-4	6	4	10	-5	3	5	0	32			16	0	5	12	10	12	14	23	30	48	60	N/A	N/A	
FP-1529	10	0	3	0	40	32	12	35	30	17	2	-1	35	18	9	14	0	32			16	0	0	15	15	12	15	20	29	43	60	N/A	N/A	
FP-1530	10	0	0	0	30	30	15	35	23	18	6	-4	25	21	11	12	0	32			16	0	0	16	15	12	15	20	30	43	60	N/A	N/A	
FP-1531	10	1	0	0	28	22	10	25	15	10	-1	-9	18	18	5	4	0	32			16	0	0	13	10	12	15	23	30	43	60	N/A	N/A	
FP-1536	7	2	1	0	18	16	4	18	10	5	-6	-15	10	9	-1	-3	0	32			16	0	0	0	2	12	15	23	30	40	55	N/A	N/A	
FP-1537	5	3	0	0	27	16	11	25	10	3	-2	-12	15	5	4	1	0	32			16	0	0	3	8	12	15	20	30	40	55	N/A	N/A	
FP-1539	5	0	3	0	20	15	12	28	10	2	0	-11	10	6	5	1	0	32			16	0	-5	10	6	12	15	20	30	40	60	N/A	N/A	
FP-1541	7	2	0	0	25	20	8	32	13	7	-3	-7	18	9	3	8	0	32			16	0	-15	10	4	12	15	20	30	40	60	N/A	N/A	
FP-1562	5	0	1	0	32	12	12	25	30	1	-1	-3	33	4	10	10	0	32			16	0	-5	7	3	12	13	20	35	42	60	N/A	N/A	
FP-1563	9	1	3	0	36	15	18	38	30	1	-1	-3	30	4	9	8	0	32			16	0	-5	3	6	12	13	20	35	40	55	N/A	N/A	
FP-1564	5	0	0	0	19	16	3	20	6	4	-3	-10	7	8	2	4	0	32			16	0	5	5	10	10	15	23	30	40	55	N/A	N/A	
FP-1565	5	0	0	0	20	18	6	22	8	3	-5	-10	8	11	1	5	0	32			16	0	0	10	8	12	15	23	30	40	60	N/A	N/A	
FP-1566	9	0	1	0	30	12	3	28	13	0	-5	-5	12	5	1	8	0	32			16	0	-5	10	8	12	15	23	30	40	60	N/A	N/A	
FP-1567	8	0	0	0	25	12	2	22	10	1	-4	-10	10	7	2	6	0	32			16	0	0	10	8	12	15	23	30	40	60	N/A	N/A	

CALIBRATE THROTTLE
DIAGNOSTICS - NO ENTRY REQUIRED



SETTING VALUES

Please locate your Value Reference from the chart.

SUGGESTION: Use a ruler or highlight SETTING VALUES to reduce risk of losing place while entering values.

	VALUES FOR MODES 1-18																		MODES 19-22		ADDITIONAL MODES WHEN REQUIRED													
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20-22	23	24	25	26	27	28	29	30	31	32	33	34	35	
FP-1568	3	0	0	0	20	10	2	18	8	2	-5	-12	10	8	3	5	0	32			16	0	0	10	8	12	15	23	30	40	60	N/A	N/A	
FP-1569	2	1	1	0	20	15	10	25	3	6	-3	-15	6	10	3	0	0	32			16	0	-5	8	6	12	15	23	30	40	60	N/A	N/A	
FP-1570	3	0	3	0	20	15	10	16	6	5	-4	-13	8	10	4	0	0	32			16	0	5	2	8	12	15	23	30	40	55	N/A	N/A	
FP-1571	7	2	0	0	18	28	7	20	5	16	-5	-11	5	18	0	1	0	32			16	0	0	11	8	12	15	23	30	40	60	N/A	N/A	
FP-1572	7	0	0	0	25	16	10	28	6	5	-4	-11	8	9	2	3	0	32			16	0	-5	10	8	12	15	23	30	40	60	N/A	N/A	
FP-1573	6	2	0	0	28	10	1	26	17	0	-5	-8	17	6	0	6	0	32			16	0	-2	10	8	12	15	23	30	40	60	N/A	N/A	
FP-1595	3	0	-7	-3	60	16	-10	26	60	-15	-13	17	60	-10	-14	32	0	32			16	0	0	22	13	12	16	23	28	38	55	N/A	N/A	
FP-1596	5	0	-3	0	60	15	-2	28	60	-10	-15	17	60	-8	-13	32	0	32			16	0	0	22	15	12	16	23	28	38	55	N/A	N/A	
FP-1600	5	-2	-5	0	30	25	17	13	20	11	16	-4	40	13	23	6	0	32			16	0	0	18	17	12	15	20	25	40	55	N/A	N/A	
FP-1601	3	-2	-5	0	30	22	18	10	20	11	14	-4	30	16	23	6	0	32			16	0	0	20	18	12	15	20	25	40	55	N/A	N/A	
FP-1602	5	-3	-4	-8	45	15	12	23	43	-8	6	3	55	-4	10	19	0	32			16	0	-5	20	13	12	15	25	33	38	55	N/A	N/A	
FP-1603	1	-4	-2	-5	50	15	5	25	45	-5	5	7	52	-2	10	18	0	32			16	0	-3	14	12	12	15	24	33	38	55	N/A	N/A	
FP-1606	0	-5	-10	-8	40	16	15	17	35	-4	12	-3	45	1	14	12	0	32			16	0	-2	16	15	12	15	22	27	38	55	N/A	N/A	
FP-1607	3	-2	-6	-5	38	17	16	16	34	-3	10	-3	42	0	15	10	0	32			16	0	-2	15	17	12	15	22	27	38	55	N/A	N/A	
FP-1618	1	0	-5	-7	50	6	18	22	27	-12	15	8	40	-10	22	22	0	32			16	0	0	13	8	12	15	23	30	38	55	N/A	N/A	
FP-1619	3	0	-6	-8	45	7	18	12	33	-13	17	-1	42	-9	25	10	0	32			16	0	0	10	3	12	15	22	28	43	55	N/A	N/A	
FP-1620	20	1	4	0	-8	10	15	30	-32	7	10	18	-30	16	14	34	0	32			16	0	-5	10	5	12	22	29	34	37	55	N/A	N/A	
FP-1621	5	0	1	3	60	2	15	30	38	-16	12	8	48	-15	15	20	0	32			16	0	-8	19	13	12	15	25	33	40	55	N/A	N/A	
FP-1622	15	0	0	0	60	40	43	48	60	15	30	18	60	18	40	24	0	32			16	0	10	25	19	12	15	28	35	45	55	N/A	N/A	
FP-1623	0	-3	-7	-4	36	14	18	7	35	-3	6	13	58	0	22	15	0	32			16	0	-5	18	14	12	20	30	40	50	55	N/A	N/A	
FP-1624	7	2	3	0	45	24	28	8	40	-1	8	10	58	0	22	15	0	32			16	0	-3	22	14	12	20	30	40	50	55	N/A	N/A	
FP-1625	10	0	0	0	20	30	40	42	0	42	12	10	0	55	16	16	0	32			16	0	10	30	22	12	17	27	35	45	55	N/A	N/A	
FP-1626	10	0	0	-5	25	35	40	40	5	42	12	15	0	54	17	17	0	32			16	-5	13	26	25	12	17	27	35	45	55	N/A	N/A	
FP-1650	5	5	0	0	13	26	20	8	-10	6	-2	6	-8	3	-5	4	0	32			16	0	2	8	2	12	13	24	30	45	60	N/A	N/A	
FP-1651	5	4	0	0	13	30	20	13	-8	8	0	9	-5	7	-2	7	0	32			16	0	2	5	6	12	13	24	31	43	55	N/A	N/A	
FP-1652	5	1	0	0	20	22	12	25	7	11	-4	-10	8	15	2	4	0	32			16	0	6	5	9	12	18	24	30	40	55	N/A	N/A	
FP-1653	5	3	0	0	18	22	11	28	7	12	-3	-10	5	18	2	5	0	32			16	0	-10	8	6	12	18	24	30	40	60	N/A	N/A	
FP-1693	10	0	0	-5	15	18	18	12	-10	19	3	-7	-10	30	7	6	0	32			16	-5	-2	24	16	12	20	27	33	40	55	N/A	N/A	
FP-1694	20	0	-6	-2	20	5	30	30	-20	-12	23	9	-30	-10	36	14	0	32			16	0	-10	20	13	12	18	28	37	43	58	N/A	N/A	
FP-1695	20	0	-6	-2	20	5	30	30	-20	-12	23	9	-20	-9	38	16	0	32			16	0	-10	20	13	12	18	28	37	43	58	N/A	N/A	
FP-1696	6	4	3	2	32	20	27	15	48	4	31	15	60	4	30	15	0	32			16	0	0	13	11	12	15	25	35	45	55	N/A	N/A	
FP-1697	7	4	3	4	40	30	20	40	55	18	3	30	60	21	3	30	0	32			16	0	0	11	9	12	15	22	26	36	50	N/A	N/A	
FP-1698	7	5	6	3	48	8	40	17	42	-5	28	21	60	-5	46	24	0	32			16	0	0	21	24	12	17	22	30	45	55	N/A	N/A	
FP-1699	7	3	5	4	40	10	37	28	42	-8	29	28	60	-10	34	32	0	32			16	0	0	17	18	12	16	22	32	40	50	N/A	N/A	

CALIBRATE THROTTLE
DIAGNOSTICS - NO ENTRY REQUIRED



SETTING VALUES

Please locate your Value Reference from the chart.

SUGGESTION: Use a ruler or highlight SETTING VALUES to reduce risk of losing place while entering values.

	VALUES FOR MODES 1-18																		MODES 19-22		ADDITIONAL MODES WHEN REQUIRED												
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20-22	23	24	25	26	27	28	29	30	31	32	33	34	35
FP-1700	5	6	3	2	35	42	30	25	35	23	6	21	47	23	4	26	0	32			16	0	0	15	12	12	19	25	30	37	55	N/A	N/A
FP-1701	6	5	3	2	30	33	22	18	39	24	6	23	45	30	4	28	0	32			16	0	0	19	13	12	19	25	30	37	55	N/A	N/A
FP-1703	5	0	-2	-3	25	20	15	18	-1	15	14	5	0	25	25	9	0	32			16	0	-5	8	1	12	20	25	35	43	55	N/A	N/A
FP-1709	6	7	4	3	30	19	32	18	-2	16	23	18	26	13	42	26	0	32			16	0	0	25	24	12	16	21	27	42	55	N/A	N/A
FP-1710	6	3	5	2	20	15	36	15	10	15	22	16	3	22	44	24	0	32			16	0	0	25	25	12	15	22	30	40	55	N/A	N/A
FP-1711	5	3	6	4	33	12	38	20	18	-2	30	27	30	-5	29	36	0	32			16	0	0	18	13	12	15	25	32	40	55	N/A	N/A
FP-1712	5	2	4	3	50	20	39	20	60	-9	29	31	50	-8	27	33	0	32			16	0	0	19	15	12	15	22	32	40	55	N/A	N/A
FP-1713	4	6	5	3	10	15	30	18	10	7	40	4	6	5	47	2	0	32			16	0	0	15	12	12	16	22	27	33	55	N/A	N/A
FP-1714	6	4	5	3	17	20	35	22	14	9	39	7	9	8	48	5	0	32			16	0	0	6	9	12	16	22	27	33	55	N/A	N/A
FP-1715	5	3	4	3	25	16	30	33	30	-1	30	13	50	-5	31	13	0	32			16	0	0	17	17	12	16	20	27	35	55	N/A	N/A
FP-1716	4	3	5	3	25	16	26	28	40	1	26	15	60	-2	34	12	0	32			16	0	0	20	21	12	15	20	27	35	55	N/A	N/A
FP-1732	6	4	5	3	40	35	34	20	26	6	33	22	22	15	31	22	0	32			16	0	0	1	-2	12	15	22	30	40	55	N/A	N/A
FP-1733	5	4	5	3	23	27	30	20	30	5	34	24	32	8	36	23	0	32			16	0	0	4	-2	12	15	22	30	40	55	N/A	N/A
FP-1734	5	4	4	2	15	29	20	12	4	28	20	15	6	30	21	13	0	32			16	0	0	0	-3	12	16	25	30	45	55	N/A	N/A
FP-1735	4	6	5	2	15	32	25	16	8	29	23	12	7	32	22	16	0	32			16	0	0	-12	-5	12	16	25	27	40	55	N/A	N/A
FP-1736	40	34	37	31	46	20	10	37	33	3	-3	36	58	6	-7	40	6	32			16	0	15	10	12	12	16	19	27	37	55	N/A	N/A
FP-1737	25	20	20	5	60	30	10	45	40	1	-9	42	55	-4	-9	41	6	32			16	0	0	15	14	12	16	19	27	37	55	N/A	N/A
FP-1738	6	5	4	2	35	20	40	13	33	-3	34	23	54	-9	38	25	0	32			16	0	0	11	9	12	15	22	33	40	55	N/A	N/A
FP-1739	7	5	3	4	33	10	29	12	17	2	33	22	32	-2	39	24	0	32			16	0	0	9	9	12	16	23	35	40	55	N/A	N/A
FP-1740	6	4	5	2	32	14	32	10	29	-2	37	22	28	-2	38	22	0	32			16	0	0	10	8	12	17	22	32	40	55	N/A	N/A
FP-1741	5	2	4	3	30	12	35	10	20	-2	34	19	40	-6	36	21	0	32			16	0	0	10	8	12	17	22	32	40	55	N/A	N/A
FP-1742	22	7	16	7	35	7	28	20	50	-18	16	45	60	-21	22	46	0	32			16	0	0	16	12	12	16	18	30	40	55	N/A	N/A
FP-1743	38	7	14	10	60	3	35	30	9	-10	15	44	56	-7	18	51	0	32			16	0	0	19	6	12	15	18	30	40	55	N/A	N/A
FP-1792	9	3	5	4	45	6	23	15	42	5	26	27	48	6	27	31	0	32			16	0	0	19	17	12	15	26	35	42	55	N/A	N/A
FP-1793	8	5	6	3	38	10	20	15	46	2	28	29	48	4	26	30	0	32			16	0	0	16	17	12	15	26	35	42	55	N/A	N/A
FP-1794	6	4	7	2	20	16	32	10	20	11	38	2	29	10	41	6	0	32			16	0	0	26	22	12	15	22	27	40	55	N/A	N/A
FP-1795	4	8	6	2	20	40	30	10	9	33	32	6	7	39	30	9	0	32			16	0	0	24	22	12	17	27	30	40	55	N/A	N/A
FP-1796	8	2	6	3	27	10	26	10	26	6	25	13	42	5	22	20	0	32			16	0	0	30	22	12	15	22	27	42	55	N/A	N/A
FP-1797	9	4	5	2	40	15	30	10	30	4	25	13	40	2	24	19	0	32			16	0	0	26	20	12	15	22	27	42	55	N/A	N/A
FP-1813	10	3	5	8	46	5	18	30	60	-3	19	34	60	-4	26	44	0	32			16	0	0	27	23	12	15	25	35	40	55	N/A	N/A
FP-1814	12	6	8	7	42	17	35	40	30	-3	23	40	37	4	35	47	0	32			16	0	0	25	23	12	15	27	35	40	52	N/A	N/A
FP-1815	7	5	3	2	34	19	20	13	36	-2	10	13	50	1	21	25	0	32			16	0	0	15	11	12	16	22	32	40	50	N/A	N/A
FP-1816	7	4	6	3	30	16	16	8	33	6	27	15	37	4	29	16	0	32			16	0	0	20	13	12	15	25	37	45	55	N/A	N/A
FP-1817	6	7	3	3	17	30	5	2	12	20	-2	2	14	19	5	-2	0	32			16	0	0	11	3	12	16	25	40	47	55	N/A	N/A

CALIBRATE THROTTLE
DIAGNOSTICS - NO ENTRY REQUIRED



SETTING VALUES

Please locate your Value Reference from the chart.

SUGGESTION: Use a ruler or highlight SETTING VALUES to reduce risk of losing place while entering values.

	VALUES FOR MODES 1-18																		MODES 19-22		ADDITIONAL MODES WHEN REQUIRED													
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20-22	23	24	25	26	27	28	29	30	31	32	33	34	35	
FP-1818	6	7	4	2	15	23	8	3	13	26	10	6	13	22	10	8	0	32			16	0	0	10	7	12	16	25	40	47	55	N/A	N/A	
FP-1819	7	2	5	4	12	3	17	15	20	0	25	27	15	3	38	25	0	32			16	0	0	20	18	12	16	25	40	47	55	N/A	N/A	
FP-1820	4	5	4	2	20	14	15	10	18	2	30	27	32	0	38	25	0	32			16	0	0	21	19	12	16	25	40	47	57	N/A	N/A	
FP-1821	7	5	3	4	25	15	10	5	30	5	19	20	30	9	28	19	0	32			16	0	0	21	16	12	16	25	40	47	55	N/A	N/A	
FP-1822	6	4	5	2	16	7	15	6	27	5	22	19	30	6	34	16	0	32			16	0	0	17	17	12	16	25	40	47	55	N/A	N/A	
FP-1823	9	5	7	6	33	10	32	30	20	-6	15	32	29	-4	26	44	0	32			16	0	0	20	18	12	15	27	35	40	52	N/A	N/A	
FP-1824	9	4	6	3	30	15	32	40	36	-11	30	29	42	-8	33	31	0	32			16	0	0	25	19	12	16	25	35	47	57	N/A	N/A	
FP-1825	5	7	4	0	10	23	8	2	15	43	-9	10	20	45	-8	15	0	32			16	0	0	25	18	12	18	22	35	40	55	N/A	N/A	
FP-1830	4	7	3	2	9	32	8	7	13	44	-7	10	19	43	-6	12	0	32			16	0	0	26	21	12	18	22	35	40	55	N/A	N/A	
FP-1831	5	7	4	1	28	36	17	-7	30	38	-4	8	32	50	-7	8	0	32			16	0	0	20	15	12	18	22	32	45	55	N/A	N/A	
FP-1832	6	7	4	1	20	26	15	-3	25	42	-3	7	33	48	-8	8	0	32			16	0	0	22	13	12	18	22	32	45	55	N/A	N/A	
FP-1833	9	6	5	3	45	12	15	22	56	-9	1	38	60	-12	-2	45	0	32			16	0	0	25	20	12	15	25	32	40	52	N/A	N/A	
FP-1834	9	7	3	4	30	25	17	20	50	-20	2	28	60	-13	-4	46	0	32			16	0	0	22	19	12	15	25	32	40	55	N/A	N/A	
FP-1835	4	6	5	2	15	22	20	3	38	16	30	3	42	22	25	7	0	32			16	0	0	12	4	12	17	22	30	45	55	N/A	N/A	
FP-1836	5	7	4	3	30	27	28	5	37	19	31	6	44	18	30	7	0	32			16	0	0	12	5	12	17	22	30	45	55	N/A	N/A	
FP-1846	7	5	3	6	20	15	12	36	33	-2	-5	45	35	-2	-6	52	0	32			16	0	7	23	19	12	15	22	31	40	47	N/A	N/A	
FP-1847	7	4	3	6	30	20	12	26	38	-3	2	0	50	4	-9	45	0	32			16	0	0	27	22	12	16	22	32	37	50	N/A	N/A	
FP-1848	7	5	6	4	30	15	27	16	45	-5	39	21	54	-8	43	20	0	32			16	0	0	23	20	12	15	27	37	47	55	N/A	N/A	
FP-1849	7	4	5	4	40	15	21	25	44	-6	42	21	45	-7	41	18	0	32			16	0	0	23	20	12	15	27	37	47	55	N/A	N/A	
FP-1850	7	4	6	3	26	17	22	10	34	4	30	20	40	2	38	13	0	32			16	0	0	10	10	12	17	25	35	47	55	N/A	N/A	
FP-1851	6	4	4	2	33	20	21	10	42	5	33	17	45	2	33	13	0	32			16	0	0	11	9	12	15	25	35	47	55	N/A	N/A	
FP-1852	6	4	2	0	17	14	4	-5	12	8	2	0	17	2	-2	-3	0	32			16	0	0	-2	-3	12	17	25	37	47	55	N/A	N/A	
FP-1853	5	4	2	2	16	15	5	0	13	3	1	-1	22	1	-2	-3	0	32			16	0	0	-4	-5	12	17	25	37	47	55	N/A	N/A	
FP-1855	6	5	3	2	28	17	32	15	7	11	26	17	8	12	31	24	0	32			16	0	0	17	12	12	17	27	35	42	55	N/A	N/A	
FP-1856	5	2	4	3	20	16	35	20	4	8	32	22	7	11	31	19	0	32			16	0	0	21	20	12	17	27	35	42	55	N/A	N/A	
FP-1857	7	4	6	3	30	20	40	13	36	-4	31	28	38	-7	37	34	0	32			16	0	0	23	23	12	15	25	35	47	55	N/A	N/A	
FP-1863	10	-5	-5	-10	27	30	8	15	0	24	7	-4	10	32	12	6	0	32			16	0	6	1	0	12	20	24	30	38	48	N/A	N/A	
FP-1864	5	0	-5	-10	23	30	8	15	0	21	7	-4	2	30	10	6	0	32			16	0	6	-2	0	12	20	24	30	38	48	N/A	N/A	
FP-1865	5	0	-2	-3	25	28	20	25	-4	15	11	3	0	25	22	9	0	32			16	0	-5	8	2	12	20	25	35	43	55	N/A	N/A	
FP-1866	0	0	-10	-10	45	30	18	15	55	15	15	-4	60	24	20	4	0	32			16	0	-14	10	8	12	15	23	30	45	55	N/A	N/A	
FP-1867	0	0	-10	-10	45	22	15	10	50	12	10	-4	45	24	18	4	0	32			16	0	-14	10	6	12	15	23	30	45	55	N/A	N/A	
FP-1868	5	2	1	2	7	-11	-15	-13	42	-16	-20	-7	0	32	16	0	0	32			16	0	0	10	5	12	19	30	34	45	55	N/A	N/A	
FP-1869	5	2	1	0	18	-15	-15	-12	40	-15	-25	-10	54	-17	-16	-4	0	32			16	0	0	10	8	12	19	30	34	45	55	N/A	N/A	
FP-1870	10	4	2	0	40	2	-20	-5	55	-6	-21	9	60	-5	-26	33	0	32			16	0	12	21	12	12	17	22	30	37	55	N/A	N/A	

CALIBRATE THROTTLE
DIAGNOSTICS - NO ENTRY REQUIRED



SETTING VALUES

Please locate your Value Reference from the chart.

SUGGESTION: Use a ruler or highlight SETTING VALUES to reduce risk of losing place while entering values.

	VALUES FOR MODES 1-18																		MODES 19-22		ADDITIONAL MODES WHEN REQUIRED												
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20-22	23	24	25	26	27	28	29	30	31	32	33	34	35
FP-1873	9	6	3	2	40	8	-18	5	60	-10	-24	16	60	-5	-26	29	0	32			16	0	5	27	14	12	17	22	30	37	55	N/A	N/A
FP-1874	4	2	0	3	15	3	-12	7	30	-6	-8	4	37	-6	-8	22	0	32			16	0	0	19	12	12	15	25	30	40	55	N/A	N/A
FP-1875	3	2	0	1	0	-5	-13	-3	30	-13	-13	-7	36	-4	-13	11	0	32			16	0	0	13	11	12	16	22	30	37	55	N/A	N/A
FP-1879	10	7	4	4	28	-6	-23	13	40	-8	-29	6	60	-2	-26	27	0	32			16	0	0	9	10	12	15	20	28	37	55	N/A	N/A
FP-1882	3	3	0	-4	50	45	-12	20	60	10	-22	9	60	30	-24	32	0	32			16	0	12	14	20	12	12	18	28	37	55	N/A	N/A
FP-1887	7	2	2	5	25	-10	-13	12	40	-24	3	-5	58	-24	17	5	0	32			16	0	0	4	3	12	13	25	35	45	55	N/A	N/A
FP-1888	9	4	6	4	25	-13	6	11	53	-21	9	-8	60	-20	17	6	0	32			16	0	0	9	7	12	13	25	35	45	55	N/A	N/A
FP-1889	7	3	1	4	20	4	1	15	55	-2	6	-5	60	3	17	2	0	32			16	0	0	10	3	12	13	25	35	45	55	N/A	N/A
FP-1890	5	0	1	4	15	-4	-10	8	50	-8	9	-6	58	-2	17	4	0	32			16	0	0	9	5	12	13	25	35	45	55	N/A	N/A
FP-1891	6	3	4	3	3	-5	-16	-3	18	-8	-18	-18	26	-8	-17	-10	0	32			16	0	0	-7	-7	12	16	25	35	45	55	N/A	N/A
FP-1892	7	4	2	3	4	-3	-7	-4	23	-12	-22	-23	33	-7	-17	-13	0	32			16	0	0	-8	-10	12	16	25	35	45	55	N/A	N/A
FP-1896	7	2	1	4	9	-15	-19	13	30	-22	-9	7	47	-16	-14	35	0	32			16	0	0	8	10	12	15	25	28	37	55	N/A	N/A
FP-1897	7	3	1	4	10	-10	-20	6	50	-10	-14	14	60	-12	-12	30	0	32			16	0	0	9	8	12	15	22	27	40	55	N/A	N/A
FP-1898	7	6	1	3	12	-8	0	2	32	-12	6	-7	40	-12	10	7	0	32			16	0	0	10	10	12	16	22	30	40	55	N/A	N/A
FP-1899	5	4	1	3	0	-10	-3	5	20	-10	6	0	33	-9	14	10	0	32			16	0	0	14	10	12	16	22	30	40	55	N/A	N/A
FP-1900	3	2	0	1	1	-1	-10	-2	7	10	-1	-7	10	13	-1	1	0	32			16	0	0	7	1	12	15	25	32	42	55	N/A	N/A
FP-1901	3	6	1	2	4	8	0	-7	3	10	-13	-20	7	14	-6	-5	0	32			16	0	0	1	-1	12	15	25	32	42	55	N/A	N/A
FP-1902	6	1	2	4	10	-2	-4	1	31	-6	2	-2	42	-7	6	15	0	32			16	0	0	15	8	12	15	25	32	42	55	N/A	N/A
FP-1903	7	2	1	4	12	-6	-9	6	26	-10	2	-6	38	-5	11	18	0	32			16	0	0	10	9	12	15	25	32	42	55	N/A	N/A
FP-1904	10	4	3	6	7	-12	2	4	36	-14	7	7	44	-19	20	14	0	32			16	0	0	12	5	12	16	22	37	45	55	N/A	N/A
FP-1905	9	4	4	5	5	-14	3	0	33	-13	11	10	45	-16	21	16	0	32			16	0	0	16	8	12	16	22	37	45	55	N/A	N/A
FP-1906	10	5	6	9	34	-5	4	20	50	-14	8	11	60	-16	15	32	0	32			16	0	15	12	10	12	13	25	35	40	50	N/A	N/A
FP-1907	9	6	5	7	30	-4	-3	23	55	-13	11	16	60	-14	17	30	0	32			16	0	12	24	9	12	13	25	35	40	55	N/A	N/A
FP-1908	6	3	0	2	5	-6	-12	2	12	-6	0	2	20	-8	-2	18	0	32			16	0	0	8	1	12	17	22	30	40	55	N/A	N/A
FP-1909	5	2	0	3	3	-13	-15	-2	17	-7	-3	6	23	-5	3	21	0	32			16	0	0	7	3	12	17	22	30	40	55	N/A	N/A
FP-1910	3	5	0	1	-8	10	-15	-5	-7	35	-10	-15	7	42	-10	1	0	32			16	0	0	15	13	12	18	22	30	40	55	N/A	N/A
FP-1911	2	4	1	0	1	5	-17	-8	3	38	-11	-13	7	43	-10	1	0	32			16	0	0	20	12	12	18	22	30	40	55	N/A	N/A
FP-1912	6	2	1	4	3	-10	-15	3	15	-7	-5	10	30	-7	-5	28	0	32			16	0	0	9	6	12	17	22	28	40	55	N/A	N/A
FP-1913	5	1	0	4	2	-8	-17	6	13	-6	-5	8	30	-6	-7	28	0	32			16	0	0	8	7	12	17	22	28	40	55	N/A	N/A
FP-1933	10	6	8	4	25	15	30	18	27	4	21	22	33	4	23	33	0	32			16	0	0	25	22	12	16	25	35	40	55	N/A	N/A
FP-1934	9	7	5	4	25	20	30	25	25	6	22	26	29	4	23	31	0	32			16	0	0	24	20	12	16	25	35	40	55	N/A	N/A
FP-1935	10	6	3	4	30	26	15	11	22	8	30	25	30	8	37	21	0	32			16	0	0	25	21	12	17	25	38	45	55	N/A	N/A
FP-1936	10	7	5	3	34	24	18	13	24	4	27	26	29	9	37	23	0	32			16	0	0	30	21	12	16	25	38	45	55	N/A	N/A
FP-1953	8	2	9	10	26	6	27	35	35	-15	25	35	45	-18	36	42	0	32			16	0	0	7	11	12	15	22	30	38	55	N/A	N/A

CALIBRATE THROTTLE
DIAGNOSTICS - NO ENTRY REQUIRED



SETTING VALUES

Please locate your Value Reference from the chart.

SUGGESTION: Use a ruler or highlight SETTING VALUES to reduce risk of losing place while entering values.

	VALUES FOR MODES 1-18																		MODES 19-22		ADDITIONAL MODES WHEN REQUIRED												
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20-22	23	24	25	26	27	28	29	30	31	32	33	34	35
FP-1954	9	5	8	10	20	9	28	44	22	-15	31	38	40	-15	36	47	0	32			16	0	0	1	5	12	15	22	30	38	55	N/A	N/A
FP-1955	7	5	9	7	16	15	30	20	16	6	22	25	25	6	28	40	0	32			16	0	0	22	18	12	17	25	35	40	55	N/A	N/A
FP-1956	7	5	9	8	20	14	30	20	22	-5	16	20	28	6	28	38	0	32			16	0	0	21	17	12	17	25	35	40	55	N/A	N/A
FP-1957	7	9	4	3	13	20	5	-2	39	36	-5	17	52	40	-5	17	0	32			16	0	0	15	9	12	17	22	32	45	55	N/A	N/A
FP-1958	8	6	4	5	13	15	8	1	52	13	-10	9	60	20	-9	12	0	32			16	0	0	14	7	12	17	25	32	45	55	N/A	N/A
FP-1959	4	5	5	1	5	6	8	-2	15	5	-2	-17	20	5	2	-5	0	32			16	0	0	-5	-3	12	17	22	30	40	55	N/A	N/A
FP-1960	4	6	2	1	13	7	5	-5	15	5	-4	-10	25	2	1	-9	0	32			16	0	0	-5	-7	12	17	22	30	40	55	N/A	N/A
FP-1961	9	4	6	5	20	3	10	10	10	8	9	13	19	3	21	21	0	32			16	0	0	8	4	12	17	22	32	40	55	N/A	N/A
FP-1962	5	2	9	7	6	3	12	11	12	1	15	12	20	10	33	33	0	32			16	0	0	12	13	12	17	22	32	40	55	N/A	N/A
FP-1963	5	6	4	2	10	20	10	4	15	28	6	1	16	22	10	3	0	32			16	0	0	11	4	12	17	25	30	40	55	N/A	N/A
FP-1964	6	9	7	4	7	22	15	3	14	21	8	4	21	30	17	8	0	32			16	0	0	8	8	12	17	25	30	40	55	N/A	N/A
FP-1965	8	9	5	3	20	30	6	2	35	35	-12	5	45	34	-6	10	0	32			16	0	0	17	7	12	17	22	32	42	55	N/A	N/A
FP-1966	7	10	4	3	10	30	5	2	20	46	1	17	47	34	-4	11	0	32			16	0	0	18	8	12	17	22	32	42	55	N/A	N/A
FP-1967	3	4	8	1	10	6	36	-2	1	-10	29	16	5	-7	44	12	0	32			16	0	0	3	1	12	15	22	30	47	55	N/A	N/A
FP-1968	7	3	8	2	10	2	36	-1	10	-8	42	19	10	-7	47	19	0	32			16	0	0	9	10	12	15	22	30	47	55	N/A	N/A
FP-1979	5	9	6	4	7	18	12	15	12	35	5	17	3	38	3	23	0	32			16	0	0	17	4	12	15	20	30	40	55	N/A	N/A
FP-1980	5	9	6	5	15	32	25	25	30	41	15	27	16	35	9	26	0	32			16	0	0	22	6	12	15	20	30	40	55	N/A	N/A
FP-1981	6	4	8	5	13	-3	25	18	35	-4	18	15	33	-1	32	32	0	32			16	0	0	15	14	12	17	22	32	40	55	N/A	N/A
FP-1982	9	2	7	4	20	-4	30	15	15	-6	17	15	45	-6	26	27	0	32			16	0	0	15	15	12	15	22	32	40	55	N/A	N/A
FP-1983	7	4	8	5	13	1	18	15	17	-2	14	4	30	-1	23	20	0	32			16	0	0	16	13	12	15	22	30	40	55	N/A	N/A
FP-1984	7	5	9	7	17	8	19	16	15	-2	18	7	22	-2	29	15	0	32			16	0	0	10	10	12	15	22	30	40	55	N/A	N/A
FP-2141	10	5	1	0	32	22	10	23	18	10	-3	-12	20	14	0	2	0	32			16	0	6	2	6	12	15	23	30	40	53	N/A	N/A
FP-2142	6	3	1	4	7	-3	-10	4	20	-3	-14	-5	32	3	-5	8	0	32			16	0	0	14	9	12	17	25	35	45	55	N/A	N/A
FP-2143	5	1	0	3	2	-6	-10	-4	20	-6	-15	-6	32	2	-6	8	0	32			16	0	0	10	6	12	17	25	35	45	55	N/A	N/A
FP-2144	7	1	0	4	10	2	-6	6	30	5	-14	-11	36	11	-9	4	0	32			16	0	0	15	13	12	17	25	32	40	55	N/A	N/A
FP-2145	5	1	0	3	4	-2	-12	2	20	7	-9	-11	28	15	-9	4	0	32			16	0	0	12	11	12	17	25	32	40	55	N/A	N/A
FP-2146	7	6	4	5	10	12	15	2	33	13	9	14	38	17	3	19	0	32			16	0	0	22	16	12	17	25	35	45	55	N/A	N/A
FP-2147	6	8	9	4	15	20	25	2	33	8	3	10	36	16	3	20	0	32			16	0	0	22	12	12	17	25	35	45	55	N/A	N/A
FP-2148	7	5	4	2	35	26	24	15	28	22	8	17	31	22	5	20	0	32			16	0	0	25	16	12	15	25	32	40	55	N/A	N/A
FP-2149	6	7	4	2	35	27	20	5	32	20	10	17	38	17	11	15	0	32			16	0	0	25	21	12	15	25	35	45	55	N/A	N/A
FP-2150	6	4	2	2	20	25	15	10	17	10	4	14	28	18	12	24	0	32			16	0	0	20	16	12	17	27	35	42	55	N/A	N/A
FP-2151	6	4	4	2	30	18	14	5	24	17	8	25	28	17	10	27	0	32			16	0	0	23	16	12	17	27	35	42	55	N/A	N/A
FP-2152	5	0	0	0	23	18	14	4	-2	-3	-5	1	4	-4	-7	1	0	32			16	0	-5	3	0	12	15	21	33	45	55	N/A	N/A
FP-2153	5	0	0	0	30	20	16	7	3	-1	-4	4	6	-2	-4	4	0	32			16	0	0	4	4	12	15	21	33	45	55	N/A	N/A

CALIBRATE THROTTLE
DIAGNOSTICS - NO ENTRY REQUIRED



SETTING VALUES

Please locate your Value Reference from the chart.

SUGGESTION: Use a ruler or highlight SETTING VALUES to reduce risk of losing place while entering values.

	VALUES FOR MODES 1-18																		MODES 19-22		ADDITIONAL MODES WHEN REQUIRED													
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20-22	23	24	25	26	27	28	29	30	31	32	33	34	35	
FP-2168	5	0	0	0	5	28	8	5	-15	9	-12	5	-10	8	-13	4	0	32			16	0	0	6	4	12	15	25	33	45	55	N/A	N/A	
FP-2169	4	0	0	0	12	24	9	6	-10	6	-10	4	-13	6	-10	4	0	32			16	0	2	4	2	12	15	25	33	43	53	N/A	N/A	
FP-2170	5	0	0	0	15	25	10	5	-11	5	-9	5	-12	5	-12	4	0	32			16	0	0	6	3	12	15	26	33	45	55	N/A	N/A	
FP-2171	4	2	3	6	6	-5	-7	15	10	3	-9	-10	12	6	-3	3	0	32			16	0	0	10	6	12	17	25	32	45	60	N/A	N/A	
FP-2172	5	0	3	0	30	21	18	5	5	-2	0	4	9	-2	-5	3	0	32			16	0	2	6	3	12	15	23	33	45	55	N/A	N/A	
FP-2173	2	3	2	6	-7	-1	-11	9	2	8	-13	-14	3	11	-6	2	0	32			16	0	0	2	3	12	17	25	32	45	55	N/A	N/A	
FP-2174	3	2	4	5	-9	1	-12	6	5	13	-6	-6	5	11	-10	2	0	32			16	0	0	15	-4	12	17	25	30	50	60	N/A	N/A	
FP-2175	2	1	3	4	-4	-5	-12	5	10	12	-8	-4	7	8	-2	2	0	32			16	0	0	5	4	12	17	25	32	45	55	N/A	N/A	
FP-2176	3	5	2	6	4	6	-4	14	5	7	-10	-9	4	9	-5	2	0	32			16	0	0	6	0	12	17	25	32	45	55	N/A	N/A	
FP-2177	5	0	3	0	10	30	15	7	-15	8	-8	2	-18	8	-11	3	0	32			16	0	1	8	5	12	15	23	32	43	55	N/A	N/A	
FP-2179	10	5	0	0	38	10	9	18	18	-13	4	5	19	-12	-1	6	0	32			16	0	5	8	3	12	15	25	38	45	55	N/A	N/A	
FP-2180	5	5	2	0	35	12	20	10	6	-10	2	6	2	-10	1	4	0	32			16	0	2	8	5	12	15	25	35	43	55	N/A	N/A	
FP-2197	2	1	3	5	-4	-3	-1	6	18	2	9	-5	19	3	13	4	0	32			16	0	0	5	2	12	17	27	32	40	55	N/A	N/A	
FP-2198	2	3	2	6	-4	-3	-2	22	20	4	7	-7	21	6	12	2	0	32			16	0	0	1	2	12	17	27	32	40	55	N/A	N/A	
FP-2199	8	4	5	7	35	7	22	40	60	-2	21	-1	60	-3	26	5	0	32			16	0	0	7	1	12	18	31	5	45	55	N/A	N/A	
FP-2200	7	2	4	8	30	-4	12	25	52	-12	17	-5	55	-11	23	1	0	32			16	0	0	2	-2	12	18	31	35	45	55	N/A	N/A	
FP-2201	9	4	2	7	14	-4	-12	8	20	1	-13	-12	24	3	-7	4	0	32			16	0	0	1	1	12	17	22	30	42	55	N/A	N/A	
FP-2202	6	2	1	5	5	-7	-17	8	16	1	-14	-14	22	2	-10	1	0	32			16	0	0	0	2	12	17	22	30	42	55	N/A	N/A	
FP-2203	7	3	2	4	8	-7	-12	2	22	8	-4	1	35	14	1	20	0	32			16	0	0	10	20	12	17	22	30	40	55	N/A	N/A	
FP-2204	4	2	1	6	5	4	-15	7	16	8	-10	-9	20	13	-3	8	0	32			16	0	0	6	1	12	17	22	30	42	55	N/A	N/A	
FP-2205	5	2	4	6	6	-8	6	10	14	-6	-12	-4	16	-2	2	4	0	32			16	0	0	12	1	12	16	32	40	50	60	N/A	N/A	
FP-2206	3	2	1	0	30	3	14	25	20	3	-6	-8	22	2	0	3	0	32			16	0	10	8	3	12	15	25	35	45	55	N/A	N/A	
FP-2207	2	3	1	4	-5	-3	-3	5	4	10	-13	-13	-3	4	-16	-4	0	32			16	0	0	6	-3	12	17	25	30	45	55	N/A	N/A	
FP-2208	2	5	2	3	-8	3	-18	4	2	8	-7	-10	1	17	-4	6	0	32			16	0	0	6	8	12	17	25	30	45	55	N/A	N/A	
FP-2209	3	2	1	3	-14	1	-20	-10	1	11	-5	-17	-3	18	-10	-5	0	32			16	0	0	5	7	12	17	25	30	35	55	N/A	N/A	
FP-2210	2	3	5	4	-5	1	-10	-10	2	15	-12	-14	-2	20	-11	-3	0	32			16	0	0	2	7	12	17	25	30	35	55	N/A	N/A	
FP-2258	9	8	12	7	20	10	20	10	16	13	15	22	20	15	20	27	0	32			16	0	0	16	17	12	17	27	35	40	50	N/A	N/A	
FP-2259	12	8	9	6	22	10	17	11	17	11	10	18	22	18	20	31	0	32			16	0	0	15	20	12	17	27	35	40	50	N/A	N/A	
FP-2260	9	12	6	4	16	20	10	5	5	31	3	9	10	37	7	18	0	32			16	0	0	16	14	12	17	22	30	40	50	N/A	N/A	
FP-2261	9	13	7	4	16	35	8	6	1	37	-15	-1	1	46	-4	14	0	32			16	0	0	18	17	12	17	22	32	42	50	N/A	N/A	
FP-2262	3	13	7	3	4	30	6	1	5	40	-4	6	2	47	1	13	0	32			16	0	0	18	20	12	17	22	32	42	50	N/A	N/A	
FP-2263	7	9	6	4	10	20	8	5	5	33	7	9	10	38	13	19	0	32			16	0	0	17	19	12	17	22	30	40	50	N/A	N/A	
FP-2264	9	6	7	8	25	18	40	25	15	8	28	28	32	9	42	35	0	32			16	0	0	18	16	12	16	22	30	45	55	N/A	N/A	
FP-2265	10	5	6	7	46	40	37	42	50	40	10	45	60	44	18	55	0	32			16	0	0	20	17	12	15	22	30	37	55	N/A	N/A	

CALIBRATE THROTTLE
DIAGNOSTICS - NO ENTRY REQUIRED



SETTING VALUES

Please locate your Value Reference from the chart.

SUGGESTION: Use a ruler or highlight SETTING VALUES to reduce risk of losing place while entering values.

	VALUES FOR MODES 1-18																		MODES 19-22		ADDITIONAL MODES WHEN REQUIRED												
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20-22	23	24	25	26	27	28	29	30	31	32	33	34	35
FP-2266	9	7	6	8	40	20	35	48	55	40	8	50	60	42	17	56	0	32			16	0	0	20	17	12	15	22	30	37	55	N/A	N/A
FP-2267	8	6	8	7	25	14	38	30	15	8	25	30	32	8	38	40	0	32			16	0	0	13	8	12	16	22	30	45	55	N/A	N/A
FP-2268	8	4	7	6	24	7	13	30	32	-6	10	42	34	-8	10	53	0	32			16	0	0	24	22	12	17	22	30	40	55	N/A	N/A
FP-2269	10	7	8	6	40	13	14	12	58	-3	-1	30	56	-2	-3	40	0	32			16	0	0	22	17	12	17	22	30	40	55	N/A	N/A
FP-2270	7	6	8	9	30	18	10	16	57	-3	-1	30	56	-1	-4	38	0	32			16	0	0	22	15	12	17	22	30	40	55	N/A	N/A
FP-2271	10	7	8	9	22	10	15	30	35	-5	10	40	40	-7	8	50	0	32			16	0	0	34	30	12	17	22	30	40	55	N/A	N/A
FP-2283	12	10	7	3	42	40	10	5	40	-10	5	20	60	-1	20	36	0	32			16	0	0	26	23	12	19	32	40	50	55	N/A	N/A
FP-2284	9	7	6	3	35	20	6	4	50	-10	7	26	60	-9	6	27	0	32			16	0	0	20	19	12	19	32	40	50	55	N/A	N/A
FP-2285	12	8	6	5	42	28	7	5	48	-8	4	23	56	-6	8	30	0	32			16	0	0	22	22	12	19	32	40	50	55	N/A	N/A
FP-2286	13	9	7	6	38	25	11	10	55	-6	15	25	60	-10	20	28	0	32			16	0	0	28	2	12	19	32	40	50	55	N/A	N/A
FP-2495	10	4	4	2	15	22	0	7	20	18	-3	2	35	15	-4	6	0	32			16	0	-12	-6	0	12	13	17	22	35	50	N/A	N/A
FP-2496	10	4	4	2	24	26	7	10	34	10	4	0	28	13	1	2	0	32			16	0	-10	-10	0	12	13	17	22	35	50	N/A	N/A
FP-2507	10	0	5	0	60	20	22	8	60	7	15	-13	60	8	21	-3	0	32			16	0	0	1	4	12	13	21	28	43	53	N/A	N/A
FP-2511	10	5	5	0	60	14	15	12	15	-5	11	-8	55	-8	21	1	0	32			16	0	0	0	3	12	13	21	30	43	53	N/A	N/A
FP-2512	10	0	0	0	50	16	18	15	44	5	15	-10	45	6	24	-3	0	32			16	0	-1	-1	1	12	15	22	29	43	53	N/A	N/A
FP-2513	10	5	5	0	52	15	20	15	45	3	12	-9	55	-2	20	-2	0	32			16	0	0	0	2	12	15	22	28	43	53	N/A	N/A
FP-2514	5	5	5	0	60	14	20	10	50	0	12	-9	50	1	1	1	0	32			16	0	0	2	5	12	13	22	29	43	53	N/A	N/A
FP-2515	5	0	0	0	60	20	25	10	60	12	19	-14	60	9	25	-7	0	32			16	0	-5	-3	0	12	13	22	28	45	53	N/A	N/A
FP-2516	10	0	0	0	60	16	20	16	60	-5	13	-4	60	-5	21	5	0	32			16	0	-5	4	7	12	13	22	30	43	53	N/A	N/A
FP-2517	10	0	0	0	50	18	24	16	38	0	12	-8	42	-4	20	0	0	32			16	0	0	0	2	12	15	22	28	43	53	N/A	N/A
FP-2518	10	0	0	0	25	25	28	12	10	18	14	-10	11	17	20	-2	0	32			16	0	2	0	0	12	15	20	28	43	53	N/A	N/A
FP-2519	10	0	5	0	60	8	25	13	42	-5	17	-14	40	-7	26	-6	0	32			16	0	0	0	2	12	15	21	30	43	53	N/A	N/A
FP-2662	10	0	0	0	8	15	10	15	-10	9	2	1	-8	16	10	14	0	32			16	0	10	0	4	12	17	23	30	38	50	N/A	N/A
FP-2663	10	0	0	0	25	15	5	17	3	-1	5	3	13	2	9	13	0	32			16	0	12	0	4	12	15	20	25	35	50	N/A	N/A
FP-2664	10	0	0	0	20	10	5	22	8	1	4	1	8	1	5	12	0	32			16	0	15	2	2	12	15	23	28	38	50	N/A	N/A
FP-2665	10	0	0	0	17	10	6	19	12	-3	5	1	18	-4	8	10	0	32			16	0	12	0	2	12	13	20	25	38	50	N/A	N/A
FP-2666	6	4	0	0	5	0	0	5	8	-2	4	0	10	0	4	9	0	32			16	0	2	0	2	12	15	20	25	38	46	N/A	N/A
FP-2667	5	3	0	0	32	10	8	20	20	-1	5	5	20	0	8	16	0	32			16	0	8	1	5	12	13	20	24	38	50	N/A	N/A
FP-2668	5	0	0	0	20	15	12	15	8	1	8	0	20	0	11	10	0	32			16	0	10	-3	0	12	13	18	23	38	50	N/A	N/A
FP-2669	10	0	0	0	30	8	12	14	18	-5	10	2	20	-3	13	14	0	32			16	0	9	-3	0	12	13	20	25	38	50	N/A	N/A
FP-2670	10	0	0	0	38	10	12	15	20	-5	11	-2	25	-2	12	8	0	32			16	0	7	-5	-3	12	13	18	25	38	50	N/A	N/A
FP-2671	10	5	0	0	40	6	8	20	26	-9	4	5	25	-6	6	15	0	32			16	0	8	-1	2	12	15	20	25	38	50	N/A	N/A
FP-2672	5	0	0	0	28	10	10	17	20	-1	5	1	35	-1	9	14	0	32			16	0	10	0	5	12	13	15	25	38	50	N/A	N/A
FP-2673	5	0	0	0	18	12	5	7	15	-5	4	-5	22	0	7	8	0	32			16	0	5	-4	-2	12	13	18	23	38	50	N/A	N/A

CALIBRATE THROTTLE
DIAGNOSTICS - NO ENTRY REQUIRED

