



INSTRUCTIONS FOR FINDING YOUR SETTING

DYNA / VRSC MODELS

New Fuelpak settings are continually being developed, if you do not find your application please visit fuelpakfi.com to search for your specific application information. If you need further help you may email: tech@fuelpakfi.com or call (562) 921-0071.

1

Locate the appropriate section for your configuration.

- Stock Engine With Vance & Hines Exhaust
- Modified Engine With Vance & Hines Exhaust
- Stock Engine With Other Manufacturer Exhaust
- Modified Engine With Other Manufacturer Exhaust

2

Now locate your specific configuration from the choices listed. (Note: you must know the ECU LEVEL of your bike as each setting is directly related to this information. If you have purchased a used bike or do not know if the ECU has been modified, visit your local Harley-Davidson dealership to have your ECU analyzed. Your bike will not run properly if you do not install the proper Fuelpak Setting for your application.)

3

Fuelpak is designed to work in conjunction with a High Performance Air Filter. (Note: Fuelpak does not provide settings for applications that do not have a High Performance Air Filter installed.)

4

Once you have located your setting, match the SETTING NUMBER for your application to the same number on the SETTING VALUES pages. Please see example below.

5

Now that you have found your setting, you are ready to install Fuelpak. See INSTALLATION INSTRUCTIONS to install the Fuelpak module on your bike.

6

Please follow the instructions carefully and be sure to calibrate your Fuelpak in MODE 19. See INSTALLATION INSTRUCTIONS for more information on calibrating your Fuelpak.

EXAMPLE:

Here's an example of how to look up your application:

IF YOU HAVE:

- 2007 Harley-Davidson® Dyna
- Stock 88 cu. in. Motor
- Stock ECU Level
- Quiet Baffles
- High Performance Air Filter
- Vance & Hines Straightshots HS Slip-Ons

YOUR VALUE REFERENCE IS: FP-0602.



NOTICE: Fuelpak is intended for racing or off-highway use only, and is not legal for sale or use in California on pollution-controlled vehicles.



STOCK ENGINE DYNA / VRSC MODELS WITH VANCE & HINES EXHAUST

SETTING REFERENCE

*Please note: If your Electronic Control Unit (ECU) has not been modified by the dealer, then choose STOCK for your ECU LEVEL.

BIKE MODEL	PIPE MODEL	PIPE P/N	BIKE YEAR	ENGINE SIZE	ECU LEVEL *	BAFFLE TYPE	HIGH-PERF AIR FILTER	SETTING NUMBER
DYNA	BIG RADIUS	26007	2004	88	STAGE1	STANDARD	HIGH FLOW	FP-0009
DYNA	BIG RADIUS	26007	2004	88	STOCK	STANDARD	HIGH FLOW	FP-0007
DYNA	BIG RADIUS	26007	2005	88	STAGE1	STANDARD	HIGH FLOW	FP-0008
DYNA	BIG RADIUS	26007	2005	88	STOCK	STANDARD	HIGH FLOW	FP-0007
DYNA	BIG RADIUS	26013	2006	88	STAGE1 1450 LEGAL	STANDARD	HIGH FLOW	FP-1269
DYNA	BIG RADIUS	26007	2006	88	STOCK	NO BAFFLE	HIGH FLOW	FP-1632
DYNA	BIG RADIUS	26013	2006	88	STOCK	STANDARD	HIGH FLOW	FP-0165
DYNA	BIG RADIUS	26013	2007	96	STAGE1 1584 LEGAL	NO BAFFLE	HIGH FLOW	FP-1352
DYNA	BIG RADIUS	26013	2007	96	STAGE1 STREET	STANDARD	HIGH FLOW	FP-0672
DYNA	BIG RADIUS	26013	2007	96	STOCK	STANDARD	HIGH FLOW	FP-0597
DYNA	BIG RADIUS	26013	2008	96	STOCK	STANDARD	HIGH FLOW	FP-0597
DYNA	BIG RADIUS 2-1	28003	2006	88	STAGE1 1450 LEGAL	STANDARD	HIGH FLOW	FP-1268
DYNA	BIG RADIUS 2-1	28003	2006	88	STOCK	NO BAFFLE	HIGH FLOW	FP-1636
DYNA	BIG RADIUS 2-1	28003	2006	88	STOCK	STANDARD	HIGH FLOW	FP-1637
DYNA	BIG RADIUS 2-1	28003	2007	96	STAGE1 1584 LEGAL	NO BAFFLE	HIGH FLOW	FP-1402
DYNA	BIG RADIUS 2-1	28003	2007	96	STAGE1 1584 LEGAL	STANDARD	HIGH FLOW	FP-1357
DYNA	BIG RADIUS 2-1	28003	2007	96	STOCK	STANDARD	HIGH FLOW	FP-1141
DYNA	BIG RADIUS 2-1	28003	2008	96	STOCK	STANDARD	HIGH FLOW	FP-1141
DYNA	BIG SHOTS	17905	2004	88	STAGE1	STANDARD	HIGH FLOW	FP-0020
DYNA	BIG SHOTS	17905	2004	88	STOCK	STANDARD	HIGH FLOW	FP-0018
DYNA	BIG SHOTS	17905	2005	88	STOCK	STANDARD	HIGH FLOW	FP-0018
DYNA	BIG SHOTS STAGGERED	17911	2004	88	STAGE1	QUIET	HIGH FLOW	FP-0012
DYNA	BIG SHOTS STAGGERED	17911	2004	88	STAGE1	STANDARD	HIGH FLOW	FP-0001
DYNA	BIG SHOTS STAGGERED	17911	2004	88	STOCK	QUIET	HIGH FLOW	FP-0002
DYNA	BIG SHOTS STAGGERED	17911	2004	88	STOCK	STANDARD	HIGH FLOW	FP-0011
DYNA	BIG SHOTS STAGGERED	17911	2005	88	STAGE1	QUIET	HIGH FLOW	FP-0003
DYNA	BIG SHOTS STAGGERED	17911	2005	88	STAGE1	STANDARD	HIGH FLOW	FP-0010
DYNA	BIG SHOTS STAGGERED	17911	2005	88	STOCK	QUIET	HIGH FLOW	FP-0002
DYNA	BIG SHOTS STAGGERED	17911	2005	88	STOCK	STANDARD	HIGH FLOW	FP-0011
DYNA	BIG SHOTS STAGGERED	17919	2006	88	STAGE1 1450 LEGAL	QUIET	HIGH FLOW	FP-1271
DYNA	BIG SHOTS STAGGERED	17919	2006	88	STAGE1 1450 LEGAL	STANDARD	HIGH FLOW	FP-1270
DYNA	BIG SHOTS STAGGERED	17919	2006	88	STOCK	QUIET	HIGH FLOW	FP-0164



STOCK ENGINE DYNA / VRSC MODELS WITH VANCE & HINES EXHAUST

SETTING REFERENCE

*Please note: If your Electronic Control Unit (ECU) has not been modified by the dealer, then choose STOCK for your ECU LEVEL.

BIKE MODEL	PIPE MODEL	PIPE P/N	BIKE YEAR	ENGINE SIZE	ECU LEVEL *	BAFFLE TYPE	HIGH-PERF AIR FILTER	SETTING NUMBER
DYNA	BIG SHOTS STAGGERED	17919	2006	88	STOCK	STANDARD	HIGH FLOW	FP-0163
DYNA	BIG SHOTS STAGGERED	17919	2007	96	STAGE1 1584 LEGAL	QUIET	HIGH FLOW	FP-1358
DYNA	BIG SHOTS STAGGERED	17919	2007	96	STAGE1 1584 LEGAL	STANDARD	HIGH FLOW	FP-1359
DYNA	BIG SHOTS STAGGERED	17919	2007	96	STOCK	QUIET	HIGH FLOW	FP-0600
DYNA	BIG SHOTS STAGGERED	17919	2007	96	STOCK	STANDARD	HIGH FLOW	FP-0598
DYNA	BIG SHOTS STAGGERED	17919	2008	96	STOCK	QUIET	HIGH FLOW	FP-0600
DYNA	BIG SHOTS STAGGERED	17919	2008	96	STOCK	STANDARD	HIGH FLOW	FP-0598
DYNA	DOUBLE BARREL	18003	2006	88	STAGE1 1450 LEGAL	STANDARD	HIGH FLOW	FP-1280
DYNA	DOUBLE BARREL	18003	2006	88	STOCK	OPTIONAL QUIET	HIGH FLOW	FP-1635
DYNA	DOUBLE BARREL	18003	2006	88	STOCK	STANDARD	HIGH FLOW	FP-1633
DYNA	DOUBLE BARREL	18003	2007	96	STOCK	OPTIONAL QUIET	HIGH FLOW	FP-1349
DYNA	DOUBLE BARREL	18003	2008	96	STOCK	OPTIONAL QUIET	HIGH FLOW	FP-1349
DYNA	LONGSHOTS	17805	2004	88	STAGE1	STANDARD	HIGH FLOW	FP-0013
DYNA	LONGSHOTS	17805	2004	88	STOCK	STANDARD	HIGH FLOW	FP-0015
DYNA	LONGSHOTS	17805	2005	88	STAGE1	STANDARD	HIGH FLOW	FP-0016
DYNA	LONGSHOTS	17805	2005	88	STOCK	STANDARD	HIGH FLOW	FP-0015
DYNA	PRO PIPE BP	17549	2006	88	STAGE1 1450 LEGAL	STANDARD	HIGH FLOW	FP-1279
DYNA	PRO PIPE BP	17549	2006	88	STOCK	STANDARD	HIGH FLOW	FP-1634
DYNA	PRO PIPE BP	17549	2007	96	STOCK	STANDARD	HIGH FLOW	FP-0830
DYNA	PRO PIPE BP	17549	2008	96	STOCK	STANDARD	HIGH FLOW	FP-0830
DYNA	PRO PIPE HS	17523	2004	88	STAGE1	STANDARD	HIGH FLOW	FP-0032
DYNA	PRO PIPE HS	17523	2004	88	STOCK	STANDARD	HIGH FLOW	FP-0030
DYNA	PRO PIPE HS	17523	2005	88	STAGE1	STANDARD	HIGH FLOW	FP-0029
DYNA	PRO PIPE HS	17523	2005	88	STOCK	STANDARD	HIGH FLOW	FP-0030
DYNA	SHORTSHOTS	17205	2004	88	STAGE1	STANDARD	HIGH FLOW	FP-0020
DYNA	SHORTSHOTS	17205	2004	88	STOCK	STANDARD	HIGH FLOW	FP-0018
DYNA	SHORTSHOTS	17205	2005	88	STOCK	STANDARD	HIGH FLOW	FP-0018
DYNA	SHORTSHOTS STAGGERED	17213	2004	88	STAGE1	QUIET	HIGH FLOW	FP-0114
DYNA	SHORTSHOTS STAGGERED	17213	2004	88	STAGE1	STANDARD	HIGH FLOW	FP-0033
DYNA	SHORTSHOTS STAGGERED	17213	2004	88	STOCK	QUIET	HIGH FLOW	FP-0116
DYNA	SHORTSHOTS STAGGERED	17213	2004	88	STOCK	STANDARD	HIGH FLOW	FP-0035
DYNA	SHORTSHOTS STAGGERED	17213	2005	88	STOCK	QUIET	HIGH FLOW	FP-0116



STOCK ENGINE DYNA / VRSC MODELS WITH VANCE & HINES EXHAUST

SETTING REFERENCE

*Please note: If your Electronic Control Unit (ECU) has not been modified by the dealer, then choose STOCK for your ECU LEVEL.

BIKE MODEL	PIPE MODEL	PIPE P/N	BIKE YEAR	ENGINE SIZE	ECU LEVEL *	BAFFLE TYPE	HIGH-PERF AIR FILTER	SETTING NUMBER
DYNA	SHORTSHOTS STAGGERED	17213	2005	88	STOCK	STANDARD	HIGH FLOW	FP-0035
DYNA	SHORTSHOTS STAGGERED	17217	2006	88	STAGE1 1450 LEGAL	QUIET	HIGH FLOW	FP-1272
DYNA	SHORTSHOTS STAGGERED	17217	2006	88	STAGE1 1450 LEGAL	STANDARD	HIGH FLOW	FP-1273
DYNA	SHORTSHOTS STAGGERED	17217	2006	88	STOCK	QUIET	HIGH FLOW	FP-0260
DYNA	SHORTSHOTS STAGGERED	17217	2006	88	STOCK	STANDARD	HIGH FLOW	FP-0259
DYNA	SHORTSHOTS STAGGERED	17217	2007	96	STAGE1 1584 LEGAL	NO BAFFLE	HIGH FLOW	FP-1381
DYNA	SHORTSHOTS STAGGERED	17217	2007	96	STAGE1 1584 LEGAL	QUIET	HIGH FLOW	FP-1356
DYNA	SHORTSHOTS STAGGERED	17217	2007	96	STAGE1 1584 LEGAL	STANDARD	HIGH FLOW	FP-1382
DYNA	SHORTSHOTS STAGGERED	17217	2007	96	STOCK	NO BAFFLE	HIGH FLOW	FP-1348
DYNA	SHORTSHOTS STAGGERED	17217	2007	96	STOCK	QUIET	HIGH FLOW	FP-0536
DYNA	SHORTSHOTS STAGGERED	17217	2007	96	STOCK	STANDARD	HIGH FLOW	FP-0535
DYNA	SHORTSHOTS STAGGERED	17217	2008	96	STOCK	NO BAFFLE	HIGH FLOW	FP-1348
DYNA	SHORTSHOTS STAGGERED	17217	2008	96	STOCK	QUIET	HIGH FLOW	FP-0536
DYNA	SHORTSHOTS STAGGERED	17217	2008	96	STOCK	STANDARD	HIGH FLOW	FP-0535
DYNA	SIDESHOTS	26009	2004	88	STAGE1	QUIET	HIGH FLOW	FP-0041
DYNA	SIDESHOTS	26009	2004	88	STAGE1	STANDARD	HIGH FLOW	FP-0009
DYNA	SIDESHOTS	26009	2004	88	STOCK	QUIET	HIGH FLOW	FP-0039
DYNA	SIDESHOTS	26009	2004	88	STOCK	STANDARD	HIGH FLOW	FP-0038
DYNA	SIDESHOTS	26009	2005	88	STOCK	QUIET	HIGH FLOW	FP-0039
DYNA	SIDESHOTS	26009	2005	88	STOCK	STANDARD	HIGH FLOW	FP-0038
DYNA	SIDESHOTS	26001	2006	88	STAGE1 1450 LEGAL	QUIET	HIGH FLOW	FP-1275
DYNA	SIDESHOTS	26001	2006	88	STAGE1 1450 LEGAL	STANDARD	HIGH FLOW	FP-1274
DYNA	SIDESHOTS	26001	2006	88	STOCK	QUIET	HIGH FLOW	FP-0290
DYNA	SIDESHOTS	26001	2006	88	STOCK	STANDARD	HIGH FLOW	FP-0263
DYNA	SIDESHOTS	26001	2007	96	STOCK	QUIET	HIGH FLOW	FP-0595
DYNA	SIDESHOTS	26001	2007	96	STOCK	STANDARD	HIGH FLOW	FP-0596
DYNA	SIDESHOTS	26001	2008	96	STOCK	QUIET	HIGH FLOW	FP-0595
DYNA	SIDESHOTS	26001	2008	96	STOCK	STANDARD	HIGH FLOW	FP-0596
DYNA	STEPPED DRAG PIPE	17529	2004	88	STAGE1	QUIET	HIGH FLOW	FP-0114
DYNA	STEPPED DRAG PIPE	17529	2004	88	STAGE1	STANDARD	HIGH FLOW	FP-0020
DYNA	STEPPED DRAG PIPE	17529	2004	88	STOCK	QUIET	HIGH FLOW	FP-0039
DYNA	STEPPED DRAG PIPE	17529	2004	88	STOCK	STANDARD	HIGH FLOW	FP-0018



STOCK ENGINE DYNA / VRSC MODELS WITH VANCE & HINES EXHAUST

SETTING REFERENCE

*Please note: If your Electronic Control Unit (ECU) has not been modified by the dealer, then choose STOCK for your ECU LEVEL.

BIKE MODEL	PIPE MODEL	PIPE P/N	BIKE YEAR	ENGINE SIZE	ECU LEVEL *	BAFFLE TYPE	HIGH-PERF AIR FILTER	SETTING NUMBER
DYNA	STEPPED DRAG PIPE	17529	2005	88	STOCK	QUIET	HIGH FLOW	FP-0039
DYNA	STEPPED DRAG PIPE	17529	2005	88	STOCK	STANDARD	HIGH FLOW	FP-0018
DYNA	STRAIGHTSHOTS	16805	2004	88	STAGE1	STANDARD	HIGH FLOW	FP-0020
DYNA	STRAIGHTSHOTS	16805	2004	88	STOCK	STANDARD	HIGH FLOW	FP-0018
DYNA	STRAIGHTSHOTS	16805	2005	88	STAGE1	STANDARD	HIGH FLOW	FP-0017
DYNA	STRAIGHTSHOTS	16805	2005	88	STOCK	STANDARD	HIGH FLOW	FP-0018
DYNA	STRAIGHTSHOTS HS	16817	2004	88	STAGE1	QUIET	HIGH FLOW	FP-0041
DYNA	STRAIGHTSHOTS HS	16817	2004	88	STAGE1	STANDARD	HIGH FLOW	FP-0020
DYNA	STRAIGHTSHOTS HS	16817	2004	88	STOCK	QUIET	HIGH FLOW	FP-0039
DYNA	STRAIGHTSHOTS HS	16817	2004	88	STOCK	STANDARD	HIGH FLOW	FP-0018
DYNA	STRAIGHTSHOTS HS	16817	2005	88	STOCK	QUIET	HIGH FLOW	FP-0039
DYNA	STRAIGHTSHOTS HS	16817	2005	88	STOCK	STANDARD	HIGH FLOW	FP-0018
DYNA	STRAIGHTSHOTS HS SLIP-ONS	16823	2006	88	STAGE1 1450 LEGAL	NO BAFFLE	HIGH FLOW	FP-1276
DYNA	STRAIGHTSHOTS HS SLIP-ONS	16823	2006	88	STAGE1 1450 LEGAL	QUIET	HIGH FLOW	FP-1278
DYNA	STRAIGHTSHOTS HS SLIP-ONS	16823	2006	88	STAGE1 1450 LEGAL	STANDARD	HIGH FLOW	FP-1277
DYNA	STRAIGHTSHOTS HS SLIP-ONS	16823	2006	88	STOCK	NO BAFFLE	HIGH FLOW	FP-1670
DYNA	STRAIGHTSHOTS HS SLIP-ONS	16823	2006	88	STOCK	QUIET	HIGH FLOW	FP-0329
DYNA	STRAIGHTSHOTS HS SLIP-ONS	16823	2006	88	STOCK	STANDARD	HIGH FLOW	FP-0330
DYNA	STRAIGHTSHOTS HS SLIP-ONS	16823	2007	96	STOCK	QUIET	HIGH FLOW	FP-0602
DYNA	STRAIGHTSHOTS HS SLIP-ONS	16823	2007	96	STOCK	STANDARD	HIGH FLOW	FP-0604
DYNA	STRAIGHTSHOTS HS SLIP-ONS	16821	2007	96	STOCK	STANDARD	HIGH FLOW	FP-0604
DYNA	STRAIGHTSHOTS HS SLIP-ONS	16823	2008	96	STOCK	QUIET	HIGH FLOW	FP-0602
DYNA	STRAIGHTSHOTS HS SLIP-ONS	16823	2008	96	STOCK	STANDARD	HIGH FLOW	FP-0604
DYNA	STRAIGHTSHOTS HS SLIP-ONS	16821	2008	96	STOCK	STANDARD	HIGH FLOW	FP-0604
DYNA SE 110	BIG RADIUS	26013	2007	110	STOCK	STANDARD	HIGH FLOW	FP-0987
DYNA SE 110	BIG RADIUS 2-1	28003	2007	110	STOCK	NO BAFFLE	HIGH FLOW	FP-2028
DYNA SE 110	BIG RADIUS 2-1	28003	2007	110	STOCK	STANDARD	HIGH FLOW	FP-0997
DYNA SE 110	BIG RADIUS 2-1	28003	2008	110	STOCK	NO BAFFLE	HIGH FLOW	FP-2028
DYNA SE 110	BIG SHOTS STAGGERED	17919	2007	110	STOCK	QUIET	HIGH FLOW	FP-0998
DYNA SE 110	BIG SHOTS STAGGERED	17919	2007	110	STOCK	STANDARD	HIGH FLOW	FP-1002
DYNA SE 110	DOUBLE BARREL	18003	2007	110	STOCK	STANDARD	HIGH FLOW	FP-1010
DYNA SE 110	PRO PIPE BP	17549	2007	110	STOCK	STANDARD	HIGH FLOW	FP-1006



STOCK ENGINE DYNA / VRSC MODELS WITH VANCE & HINES EXHAUST

SETTING REFERENCE

*Please note: If your Electronic Control Unit (ECU) has not been modified by the dealer, then choose STOCK for your ECU LEVEL.

BIKE MODEL	PIPE MODEL	PIPE P/N	BIKE YEAR	ENGINE SIZE	ECU LEVEL *	BAFFLE TYPE	HIGH-PERF AIR FILTER	SETTING NUMBER
DYNA SE 110	Q SERIES DOUBLE BARREL	18003	2007	110	STOCK	OPTIONAL QUIET	HIGH FLOW	FP-2031
DYNA SE 110	Q SERIES DOUBLE BARREL	18003	2008	110	STOCK	OPTIONAL QUIET	HIGH FLOW	FP-2031
DYNA SE 110	SHORTSHOTS STAGGERED	17217	2007	110	STOCK	NO BAFFLE	HIGH FLOW	FP-2029
DYNA SE 110	SHORTSHOTS STAGGERED	17217	2007	110	STOCK	QUIET	HIGH FLOW	FP-0996
DYNA SE 110	SHORTSHOTS STAGGERED	17217	2007	110	STOCK	STANDARD	HIGH FLOW	FP-0999
DYNA SE 110	SHORTSHOTS STAGGERED	17217	2008	110	STOCK	NO BAFFLE	HIGH FLOW	FP-2029
DYNA SE 110	SIDESHOTS	26001	2007	110	STOCK	QUIET	HIGH FLOW	FP-1003
DYNA SE 110	SIDESHOTS	26001	2007	110	STOCK	STANDARD	HIGH FLOW	FP-1004
DYNA SE 110	STRAIGHTSHOTS HS SLIP-ONS	16823	2007	110	STOCK	NO BAFFLE	HIGH FLOW	FP-2030
DYNA SE 110	STRAIGHTSHOTS HS SLIP-ONS	16823	2007	110	STOCK	QUIET	HIGH FLOW	FP-1011
DYNA SE 110	STRAIGHTSHOTS HS SLIP-ONS	16823	2007	110	STOCK	STANDARD	HIGH FLOW	FP-1012
DYNA SE 110	STRAIGHTSHOTS HS SLIP-ONS	16823	2008	110	STOCK	NO BAFFLE	HIGH FLOW	FP-2030
VRSC NIGHT-ROD	INDY SERIES	75-106-4	2008	76	STOCK	NO BAFFLE	HIGH FLOW	FP-2250
VRSC NIGHT-ROD	INDY SERIES	75-106-4	2008	76	STOCK	STANDARD	HIGH FLOW	FP-2251
VRSC NIGHT-ROD	NIGHT-ROD 2-1	17555	2008	76	STOCK	STANDARD	HIGH FLOW	FP-1645
VRSC SE V-ROD	DOUBLE BARREL	18021	2006	76	STOCK	STANDARD	HIGH FLOW	FP-0983
VRSC SE V-ROD	POWERSHOTS	17913	2005	76	STOCK	STANDARD	HIGH FLOW	FP-0166
VRSC SE V-ROD	POWERSHOTS	17913	2006	76	STOCK	STANDARD	HIGH FLOW	FP-0982
VRSC SE V-ROD	V-ROD 2-1	17537	2006	76	STOCK	STANDARD	HIGH FLOW	FP-0984
VRSC V-ROD	DOUBLE BARREL	18021	2002	70	STOCK	STANDARD	HIGH FLOW	FP-2103
VRSC V-ROD	DOUBLE BARREL	18021	2003	70	STOCK	STANDARD	HIGH FLOW	FP-2103
VRSC V-ROD	DOUBLE BARREL	18021	2004	70	STOCK	STANDARD	HIGH FLOW	FP-2103
VRSC V-ROD	DOUBLE BARREL	18021	2005	70	STOCK	STANDARD	HIGH FLOW	FP-2103
VRSC V-ROD	DOUBLE BARREL	18021	2006	70	STOCK	STANDARD	HIGH FLOW	FP-0632
VRSC V-ROD	DOUBLE BARREL	18021	2007	70	STOCK	STANDARD	HIGH FLOW	FP-0632
VRSC V-ROD	DOUBLE BARREL	18021	2008	76	STOCK	STANDARD	HIGH FLOW	FP-1631
VRSC V-ROD	INDY SERIES	75-101-4	2006	70	STOCK	NO BAFFLE	HIGH FLOW	FP-1552
VRSC V-ROD	INDY SERIES	75-101-4	2006	70	STOCK	OPTIONAL QUIET	HIGH FLOW	FP-1551
VRSC V-ROD	INDY SERIES	75-101-4	2007	70	STOCK	NO BAFFLE	HIGH FLOW	FP-1552
VRSC V-ROD	INDY SERIES	75-101-4	2007	70	STOCK	OPTIONAL QUIET	HIGH FLOW	FP-1551
VRSC V-ROD	INDY SERIES	75-104-4	2008	76	STOCK	NO BAFFLE	HIGH FLOW	FP-2165
VRSC V-ROD	INDY SERIES	75-104-4	2008	76	STOCK	OPTIONAL QUIET	HIGH FLOW	FP-2166



STOCK ENGINE DYNA / VRSC MODELS WITH VANCE & HINES EXHAUST

SETTING REFERENCE

*Please note: If your Electronic Control Unit (ECU) has not been modified by the dealer, then choose STOCK for your ECU LEVEL.

BIKE MODEL	PIPE MODEL	PIPE P/N	BIKE YEAR	ENGINE SIZE	ECU LEVEL *	BAFFLE TYPE	HIGH-PERF AIR FILTER	SETTING NUMBER
VRSC V-ROD	INDY SERIES 2-1	75-101-4	2002	70	STOCK	NO BAFFLE	HIGH FLOW	FP-2119
VRSC V-ROD	INDY SERIES 2-1	75-101-4	2002	70	STOCK	OPTIONAL QUIET	HIGH FLOW	FP-2118
VRSC V-ROD	INDY SERIES 2-1	75-101-4	2003	70	STOCK	NO BAFFLE	HIGH FLOW	FP-2119
VRSC V-ROD	INDY SERIES 2-1	75-101-4	2003	70	STOCK	OPTIONAL QUIET	HIGH FLOW	FP-2118
VRSC V-ROD	INDY SERIES 2-1	75-101-4	2004	70	STOCK	NO BAFFLE	HIGH FLOW	FP-2119
VRSC V-ROD	INDY SERIES 2-1	75-101-4	2004	70	STOCK	OPTIONAL QUIET	HIGH FLOW	FP-2118
VRSC V-ROD	INDY SERIES 2-1	75-101-4	2005	70	STOCK	NO BAFFLE	HIGH FLOW	FP-2119
VRSC V-ROD	INDY SERIES 2-1	75-101-4	2005	70	STOCK	OPTIONAL QUIET	HIGH FLOW	FP-2118
VRSC V-ROD	POWERSHOTS	17913	2002	70	STAGE1	STANDARD	HIGH FLOW	FP-0111
VRSC V-ROD	POWERSHOTS	17913	2002	70	STOCK	STANDARD	HIGH FLOW	FP-0112
VRSC V-ROD	POWERSHOTS	17913	2003	70	STAGE1	STANDARD	HIGH FLOW	FP-0111
VRSC V-ROD	POWERSHOTS	17913	2003	70	STOCK	STANDARD	HIGH FLOW	FP-0112
VRSC V-ROD	POWERSHOTS	17913	2004	70	STAGE1	STANDARD	HIGH FLOW	FP-0111
VRSC V-ROD	POWERSHOTS	17913	2004	70	STOCK	STANDARD	HIGH FLOW	FP-0112
VRSC V-ROD	POWERSHOTS	17913	2005	70	STAGE1	STANDARD	HIGH FLOW	FP-0111
VRSC V-ROD	POWERSHOTS	17913	2006	70	STOCK	STANDARD	HIGH FLOW	FP-0631
VRSC V-ROD	POWERSHOTS	17913	2007	70	STOCK	STANDARD	HIGH FLOW	FP-0631
VRSC V-ROD	POWERSHOTS	17913	2008	76	STOCK	STANDARD	HIGH FLOW	FP-1630
VRSC V-ROD	V-ROD 2-1	17537	2006	70	STOCK	STANDARD	HIGH FLOW	FP-0772
VRSC V-ROD	V-ROD 2-1	17537	2007	70	STOCK	STANDARD	HIGH FLOW	FP-0772
VRSC V-ROD	V-ROD 2-1	17553	2008	76	STOCK	STANDARD	HIGH FLOW	FP-2160



STOCK ENGINE DYNA / VRSC MODELS WITH OTHER MANUFACTURER EXHAUST

SETTING REFERENCE

*Please note: If your Electronic Control Unit (ECU) has not been modified by the dealer, then choose STOCK for your ECU LEVEL.

BIKE MODEL	PIPE MODEL	PIPE P/N	BIKE YEAR	ENGINE SIZE	ECU LEVEL *	BAFFLE TYPE	HIGH-PERF AIR FILTER	SETTING NUMBER
DYNA	PORKER DYNA 2-1	01-1003	2004	88	STAGE1	STANDARD	HIGH FLOW	FP-0032
DYNA	PORKER DYNA 2-1	01-1003	2004	88	STOCK	STANDARD	HIGH FLOW	FP-0223
DYNA	PORKER DYNA 2-1	01-1003	2005	88	STOCK	STANDARD	HIGH FLOW	FP-0223
DYNA	PORKER JACKKNIVES	01-1005	2004	88	STAGE1	QUIET	HIGH FLOW	FP-0041
DYNA	PORKER JACKKNIVES	01-1005	2004	88	STAGE1	STANDARD	HIGH FLOW	FP-0020
DYNA	PORKER JACKKNIVES	01-1005	2004	88	STOCK	STANDARD	HIGH FLOW	FP-0018
DYNA	PORKER JACKKNIVES	01-1005	2005	88	STOCK	STANDARD	HIGH FLOW	FP-0018
DYNA	PORKER SWITCHBLADES	01-1004	2004	88	STAGE1	QUIET	HIGH FLOW	FP-0041
DYNA	PORKER SWITCHBLADES	01-1004	2004	88	STAGE1	STANDARD	HIGH FLOW	FP-0020
DYNA	PORKER SWITCHBLADES	01-1004	2004	88	STOCK	QUIET	HIGH FLOW	FP-0039
DYNA	PORKER SWITCHBLADES	01-1005	2004	88	STOCK	QUIET	HIGH FLOW	FP-0039
DYNA	PORKER SWITCHBLADES	01-1004	2004	88	STOCK	STANDARD	HIGH FLOW	FP-0018
DYNA	PORKER SWITCHBLADES	01-1004	2005	88	STOCK	QUIET	HIGH FLOW	FP-0039
DYNA	PORKER SWITCHBLADES	01-1005	2005	88	STOCK	QUIET	HIGH FLOW	FP-0039
DYNA	PORKER SWITCHBLADES	01-1004	2005	88	STOCK	STANDARD	HIGH FLOW	FP-0018
DYNA	PYTHON DYNA 2-1	41705	2006	88	STAGE1 1450 LEGAL	STANDARD	HIGH FLOW	FP-1281
DYNA	PYTHON DYNA 2-1	41705	2006	88	STOCK	STANDARD	HIGH FLOW	FP-0288
DYNA	PYTHON STAGGERED DUALS	41603	2004	88	STAGE1	QUIET	HIGH FLOW	FP-0012
DYNA	PYTHON STAGGERED DUALS	41603	2004	88	STAGE1	STANDARD	HIGH FLOW	FP-0001
DYNA	PYTHON STAGGERED DUALS	41603	2004	88	STOCK	QUIET	HIGH FLOW	FP-0002
DYNA	PYTHON STAGGERED DUALS	41603	2004	88	STOCK	STANDARD	HIGH FLOW	FP-0011
DYNA	PYTHON STAGGERED DUALS	41603	2005	88	STOCK	QUIET	HIGH FLOW	FP-0002
DYNA	PYTHON STAGGERED DUALS	41603	2005	88	STOCK	STANDARD	HIGH FLOW	FP-0011
DYNA	PYTHON STAGGERED DUALS	41503	2006	88	STOCK	QUIET	HIGH FLOW	FP-0164
DYNA	PYTHON STAGGERED DUALS	41503	2006	88	STOCK	STANDARD	HIGH FLOW	FP-0163
DYNA	PYTHON STAGGERED DUALS	41503	2007	96	STOCK	QUIET	HIGH FLOW	FP-0600
DYNA	PYTHON STAGGERED DUALS	41503	2007	96	STOCK	STANDARD	HIGH FLOW	FP-0598
DYNA	PYTHON STAGGERED DUALS	41503	2008	96	STOCK	QUIET	HIGH FLOW	FP-0600
DYNA	PYTHON STAGGERED DUALS	41503	2008	96	STOCK	STANDARD	HIGH FLOW	FP-0598
DYNA	RINEHART 2-1	R5-2393CG	2006	88	STAGE1 1450 LEGAL	STANDARD	HIGH FLOW	FP-1287
DYNA	RINEHART 2-1	R5-2393CG	2006	88	STOCK	STANDARD	HIGH FLOW	FP-0406
DYNA	RINEHART 2-1	1800-0430	2007	96	STOCK	STANDARD	HIGH FLOW	FP-0670



STOCK ENGINE DYNA / VRSC MODELS WITH OTHER MANUFACTURER EXHAUST

SETTING REFERENCE

*Please note: If your Electronic Control Unit (ECU) has not been modified by the dealer, then choose STOCK for your ECU LEVEL.

BIKE MODEL	PIPE MODEL	PIPE P/N	BIKE YEAR	ENGINE SIZE	ECU LEVEL *	BAFFLE TYPE	HIGH-PERF AIR FILTER	SETTING NUMBER
DYNA	RINEHART 2-1	1800-0430	2008	96	STOCK	STANDARD	HIGH FLOW	FP-0670
DYNA	RUSH SLIP-ON	14201-150	2006	88	STAGE1 1450 LEGAL	QUIET 1 1/2 INCH	HIGH FLOW	FP-1284
DYNA	RUSH SLIP-ON	14201-200	2006	88	STAGE1 1450 LEGAL	QUIET 2 INCH	HIGH FLOW	FP-1285
DYNA	RUSH SLIP-ON	14201-225	2006	88	STAGE1 1450 LEGAL	STANDARD 2 1/4 INCH	HIGH FLOW	FP-1286
DYNA	RUSH SLIP-ON	14201-150	2006	88	STOCK	QUIET 1 1/2 INCH	HIGH FLOW	FP-1671
DYNA	RUSH SLIP-ON	14201-200	2006	88	STOCK	QUIET 2 INCH	HIGH FLOW	FP-1672
DYNA	RUSH SLIP-ON	14201-225	2006	88	STOCK	STANDARD 2 1/4 INCH	HIGH FLOW	FP-1673
DYNA	SE 16 GAUGE DOUBLE BARREL	64829-02	2004	88	STAGE1	STANDARD	HIGH FLOW	FP-0251
DYNA	SE 16 GAUGE DOUBLE BARREL	64829-02	2004	88	STOCK	STANDARD	HIGH FLOW	FP-0227
DYNA	SE 16 GAUGE DOUBLE BARREL	64829-02	2005	88	STOCK	STANDARD	HIGH FLOW	FP-0227
DYNA	SE PRO 2-1	64809-01	2004	88	STAGE1	STANDARD	HIGH FLOW	FP-0326
DYNA	SE PRO 2-1	64809-01	2004	88	STOCK	STANDARD	HIGH FLOW	FP-0228
DYNA	SE PRO 2-1	64809-01	2005	88	STOCK	STANDARD	HIGH FLOW	FP-0228
DYNA	SE PRO II SLIP-FIT MUFF	80293-99A	2006	88	STAGE1 1450 LEGAL	STANDARD	HIGH FLOW	FP-1283
DYNA	SE SLASHCUT SLIP-ON	80293-99A	2006	88	STOCK	STANDARD	HIGH FLOW	FP-0378
DYNA	SE STREET PERF SLIP-ON MUFFLERS	80493-07	2006	88	STAGE1 1450 LEGAL	STANDARD	HIGH FLOW	FP-1282
DYNA	SE STREET PERF SLIP-ON MUFFLERS	80493-07	2006	88	STOCK	STANDARD	HIGH FLOW	FP-1644
DYNA	SE STREET PERF SLIP-ON MUFFLERS	80493-07	2007	96	STOCK	STANDARD	HIGH FLOW	FP-1232
DYNA	SE STREET PERF SLIP-ON MUFFLERS	80493-07	2008	96	STOCK	STANDARD	HIGH FLOW	FP-1232
DYNA	THUNDERHEADER 2-1	1031	2006	88	STAGE1 1450 LEGAL	STANDARD	HIGH FLOW	FP-1288
DYNA	THUNDERHEADER 2-1	1031	2006	88	STOCK	STANDARD	HIGH FLOW	fp-1643
DYNA SE 110	PYTHON DYNA 2-1	41705	2007	110	STOCK	STANDARD	HIGH FLOW	FP-1013
DYNA SE 110	RINEHART 2-1	1800-0430	2007	110	STOCK	STANDARD	HIGH FLOW	FP-1014
DYNA SE 110	RINEHART 2-1	R5-2393CG	2007	110	STOCK	STANDARD	HIGH FLOW	FP-2033
DYNA SE 110	RINEHART 2-1	R5-2393CG	2008	110	STOCK	STANDARD	HIGH FLOW	FP-2033
DYNA SE 110	RUSH SLIP-ON	14201-150	2007	110	STOCK	QUIET 1 1/2 INCH	HIGH FLOW	FP-1015
DYNA SE 110	RUSH SLIP-ON	14201-200	2007	110	STOCK	QUIET 2 INCH	HIGH FLOW	FP-1017
DYNA SE 110	RUSH SLIP-ON	14201-175	2007	110	STOCK	STANDARD 1 3/4 INCH	HIGH FLOW	FP-1016
DYNA SE 110	RUSH SLIP-ON	14201-225	2007	110	STOCK	STANDARD 2 1/4 INCH	HIGH FLOW	FP-1018
DYNA SE 110	SE PRO II SLIP-FIT MUFF	80293-99A	2007	110	STOCK	STANDARD	HIGH FLOW	FP-1019
DYNA SE 110	STOCK MUFFLERS		2007	110	STOCK	STANDARD	HIGH FLOW	FP-2032
DYNA SE 110	STOCK MUFFLERS		2008	110	STOCK	STANDARD	HIGH FLOW	FP-2032



STOCK ENGINE DYNA / VRSC MODELS WITH OTHER MANUFACTURER EXHAUST

SETTING REFERENCE

*Please note: If your Electronic Control Unit (ECU) has not been modified by the dealer, then choose STOCK for your ECU LEVEL.

BIKE MODEL	PIPE MODEL	PIPE P/N	BIKE YEAR	ENGINE SIZE	ECU LEVEL *	BAFFLE TYPE	HIGH-PERF AIR FILTER	SETTING NUMBER
DYNA SE 110	THUNDERHEADER 2-1	1031	2007	110	STOCK	STANDARD	HIGH FLOW	FP-2034
DYNA SE 110	THUNDERHEADER 2-1	1031	2008	110	STOCK	STANDARD	HIGH FLOW	FP-2034
VRSC NIGHT-ROD	BUB JUG HUGGER	05-2374CG	2008	76	STOCK	NO BAFFLE	HIGH FLOW	FP-2253
VRSC NIGHT-ROD	BUB JUG HUGGER	05-2374CG	2008	76	STOCK	STANDARD	HIGH FLOW	FP-2252
VRSC NIGHT-ROD	TAB SLIP-ONS	NRACBKBAFF	2008	76	STOCK	STANDARD	HIGH FLOW	FP-2249
VRSC V-ROD	BUB JUG HUGGER	05-2374CG	2002	70	STOCK	NO BAFFLE	HIGH FLOW	FP-2121
VRSC V-ROD	BUB JUG HUGGER	05-2374CG	2002	70	STOCK	STANDARD	HIGH FLOW	FP-2120
VRSC V-ROD	BUB JUG HUGGER	05-2374CG	2003	70	STOCK	NO BAFFLE	HIGH FLOW	FP-2121
VRSC V-ROD	BUB JUG HUGGER	05-2374CG	2003	70	STOCK	STANDARD	HIGH FLOW	FP-2120
VRSC V-ROD	BUB JUG HUGGER	05-2374CG	2004	70	STOCK	NO BAFFLE	HIGH FLOW	FP-2121
VRSC V-ROD	BUB JUG HUGGER	05-2374CG	2004	70	STOCK	STANDARD	HIGH FLOW	FP-2120
VRSC V-ROD	BUB JUG HUGGER	05-2374CG	2005	70	STOCK	NO BAFFLE	HIGH FLOW	FP-2121
VRSC V-ROD	BUB JUG HUGGER	05-2374CG	2005	70	STOCK	STANDARD	HIGH FLOW	FP-2120
VRSC V-ROD	BUB JUG HUGGER	05-2374CG	2008	76	STOCK	NO BAFFLE	HIGH FLOW	FP-2158
VRSC V-ROD	BUB JUG HUGGER	05-2374CG	2008	76	STOCK	STANDARD	HIGH FLOW	FP-2157
VRSC V-ROD	SE 16 GAUGE DOUBLE BARREL	64798-02	2002	70	STOCK	STANDARD	HIGH FLOW	FP-2103
VRSC V-ROD	SE 16 GAUGE DOUBLE BARREL	64798-02	2003	70	STOCK	STANDARD	HIGH FLOW	FP-2103
VRSC V-ROD	SE 16 GAUGE DOUBLE BARREL	64798-02	2004	70	STOCK	STANDARD	HIGH FLOW	FP-2103
VRSC V-ROD	SE 16 GAUGE DOUBLE BARREL	64798-02	2005	70	STOCK	STANDARD	HIGH FLOW	FP-2103
VRSC V-ROD	SE 16 GAUGE DOUBLE BARREL	64798-02	2006	70	STOCK	STANDARD	HIGH FLOW	FP-0632
VRSC V-ROD	SE 16 GAUGE DOUBLE BARREL	64798-02	2007	70	STOCK	STANDARD	HIGH FLOW	FP-0632
VRSC V-ROD	SE PRO SLIP FIT	65030-02	2002	70	STOCK	STANDARD	HIGH FLOW	FP-2102
VRSC V-ROD	SE PRO SLIP FIT	65030-02	2003	70	STOCK	STANDARD	HIGH FLOW	FP-2102
VRSC V-ROD	SE PRO SLIP FIT	65030-02	2004	70	STOCK	STANDARD	HIGH FLOW	FP-2102
VRSC V-ROD	SE PRO SLIP FIT	65030-02	2005	70	STOCK	STANDARD	HIGH FLOW	FP-2102
VRSC V-ROD	SE PRO SLIP FIT	65030-02	2006	70	STOCK	STANDARD	HIGH FLOW	FP-0633
VRSC V-ROD	SE PRO SLIP FIT	65030-02	2007	70	STOCK	STANDARD	HIGH FLOW	FP-0633
VRSC V-ROD	STREETFIGHTER MUFFLERS	7082-500	2002	70	STOCK	STANDARD	HIGH FLOW	FP-2105
VRSC V-ROD	STREETFIGHTER MUFFLERS	7082-500	2003	70	STOCK	STANDARD	HIGH FLOW	FP-2105
VRSC V-ROD	STREETFIGHTER MUFFLERS	7082-500	2004	70	STOCK	STANDARD	HIGH FLOW	FP-2105
VRSC V-ROD	STREETFIGHTER MUFFLERS	7082-500	2005	70	STOCK	STANDARD	HIGH FLOW	FP-2105
VRSC V-ROD	STREETFIGHTER MUFFLERS	7082-500	2008	76	STOCK	NO BAFFLE	HIGH FLOW	FP-2130



**STOCK ENGINE
DYNA / VRSC MODELS
WITH OTHER MANUFACTURER EXHAUST**

**SETTING
REFERENCE**

*Please note: If your Electronic Control Unit (ECU) has not been modified by the dealer, then choose STOCK for your ECU LEVEL.

BIKE MODEL	PIPE MODEL	PIPE P/N	BIKE YEAR	ENGINE SIZE	ECU LEVEL *	BAFFLE TYPE	HIGH-PERF AIR FILTER	SETTING NUMBER
VRSC V-ROD	SUPERTRAPP 2-1 SLIP-ON	528-71132	2008	76	STOCK	STANDARD	HIGH FLOW	FP-2159
VRSC V-ROD	THUNDERHEADER 2-1 SLIP-ON	1029	2002	70	STOCK	STANDARD	HIGH FLOW	FP-2104
VRSC V-ROD	THUNDERHEADER 2-1 SLIP-ON	1029	2003	70	STOCK	STANDARD	HIGH FLOW	FP-2104
VRSC V-ROD	THUNDERHEADER 2-1 SLIP-ON	1029	2004	70	STOCK	STANDARD	HIGH FLOW	FP-2104
VRSC V-ROD	THUNDERHEADER 2-1 SLIP-ON	1029	2005	70	STOCK	STANDARD	HIGH FLOW	FP-2104
VRSC V-ROD	THUNDERHEADER 2-1 SLIP-ON	1029	2008	76	STOCK	STANDARD	HIGH FLOW	FP-2131



MODIFIED ENGINE DYNA / VRSC MODELS WITH VANCE & HINES EXHAUST

SETTING REFERENCE

*Please note: If your Electronic Control Unit (ECU) has not been modified by the dealer, for your ECU LEVEL, choose stock.
**Please note: All settings reflect stock cams.

BIKE MODEL	PIPE MODEL	PIPE P/N	BIKE YEAR	ENGINE SIZE	PISTON	CAMSHAFT	HEADS	THROTTLEBODY	ECU LEVEL*	BAFFLE TYPE	HIGH-PERF AIR FILTER	SETTING NUMBER
DYNA	BIG RADIUS	26013	2006	95	FLAT TOP 9.4:1	STOCK	STOCK	STOCK	STAGE1 1550 LEGAL	STANDARD	HIGH FLOW	FP-0974
DYNA	BIG RADIUS	26013	2006	95	FLAT TOP 9.4:1	SE-203	STOCK	STOCK	STAGE2 1550 LEGAL	STANDARD	HIGH FLOW	FP-1034
DYNA	BIG RADIUS	26013	2006	95	FLAT TOP 9.4:1	STOCK	STOCK	STOCK	STOCK	STANDARD	HIGH FLOW	FP-0959
DYNA	BIG RADIUS	26013	2007	96	STOCK 9.2:1	AN-26H	STOCK	STOCK	STAGE1 1584 LEGAL	STANDARD	HIGH FLOW	FP-1997
DYNA	BIG RADIUS	26013	2007	96	STOCK 9.2:1	AN-26H	STOCK	STOCK	STOCK	STANDARD	HIGH FLOW	FP-1996
DYNA	BIG RADIUS	26013	2008	96	STOCK 9.2:1	AN-26H	STOCK	STOCK	STAGE1 1584 LEGAL	STANDARD	HIGH FLOW	FP-1997
DYNA	BIG RADIUS	26013	2008	96	STOCK 9.2:1	AN-26H	STOCK	STOCK	STOCK	STANDARD	HIGH FLOW	FP-1996
DYNA	BIG RADIUS 2-1	28003	2006	95	FLAT TOP 9.4:1	SE-203	STOCK	STOCK	STAGE2 1550 LEGAL	STANDARD	HIGH FLOW	FP-1076
DYNA	BIG RADIUS 2-1	28003	2007	96	STOCK 9.2:1	AN-26H	STOCK	STOCK	STAGE1 1584 LEGAL	NO BAFFLE	HIGH FLOW	FP-1993
DYNA	BIG RADIUS 2-1	28003	2007	96	STOCK 9.2:1	AN-26H	STOCK	STOCK	STAGE1 1584 LEGAL	STANDARD	HIGH FLOW	FP-1990
DYNA	BIG RADIUS 2-1	28003	2007	96	STOCK 9.2:1	AN-26H	STOCK	STOCK	STOCK	NO BAFFLE	HIGH FLOW	FP-1992
DYNA	BIG RADIUS 2-1	28003	2007	96	STOCK 9.2:1	AN-26H	STOCK	STOCK	STOCK	STANDARD	HIGH FLOW	FP-1991
DYNA	BIG RADIUS 2-1	28003	2008	96	STOCK 9.2:1	AN-26H	STOCK	STOCK	STAGE1 1584 LEGAL	NO BAFFLE	HIGH FLOW	FP-1993
DYNA	BIG RADIUS 2-1	28003	2008	96	STOCK 9.2:1	AN-26H	STOCK	STOCK	STAGE1 1584 LEGAL	STANDARD	HIGH FLOW	FP-1990
DYNA	BIG RADIUS 2-1	28003	2008	96	STOCK 9.2:1	AN-26H	STOCK	STOCK	STOCK	NO BAFFLE	HIGH FLOW	FP-1992
DYNA	BIG RADIUS 2-1	28003	2008	96	STOCK 9.2:1	AN-26H	STOCK	STOCK	STOCK	STANDARD	HIGH FLOW	FP-1991
DYNA	BIG SHOTS STAGGERED	17919	2006	95	FLAT TOP 9.4:1	STOCK	STOCK	STOCK	STAGE1 1550 LEGAL	QUIET	HIGH FLOW	FP-0975
DYNA	BIG SHOTS STAGGERED	17919	2006	95	FLAT TOP 9.4:1	STOCK	STOCK	STOCK	STAGE1 1550 LEGAL	STANDARD	HIGH FLOW	FP-1020
DYNA	BIG SHOTS STAGGERED	17919	2006	95	FLAT TOP 9.4:1	SE-203	STOCK	STOCK	STAGE2 1550 LEGAL	QUIET	HIGH FLOW	FP-1036
DYNA	BIG SHOTS STAGGERED	17919	2006	95	FLAT TOP 9.4:1	SE-203	STOCK	STOCK	STAGE2 1550 LEGAL	STANDARD	HIGH FLOW	FP-1035
DYNA	BIG SHOTS STAGGERED	17919	2006	95	FLAT TOP 9.4:1	STOCK	STOCK	STOCK	STOCK	QUIET	HIGH FLOW	FP-0961
DYNA	BIG SHOTS STAGGERED	17919	2006	95	FLAT TOP 9.4:1	STOCK	STOCK	STOCK	STOCK	STANDARD	HIGH FLOW	FP-0960
DYNA	BIG SHOTS STAGGERED	17919	2007	96	STOCK 9.2:1	AN-26H	STOCK	STOCK	STAGE1 1584 LEGAL	QUIET	HIGH FLOW	FP-2000
DYNA	BIG SHOTS STAGGERED	17919	2007	96	STOCK 9.2:1	AN-26H	STOCK	STOCK	STAGE1 1584 LEGAL	STANDARD	HIGH FLOW	FP-1999
DYNA	BIG SHOTS STAGGERED	17919	2007	96	STOCK 9.2:1	AN-26H	STOCK	STOCK	STOCK	QUIET	HIGH FLOW	FP-2001
DYNA	BIG SHOTS STAGGERED	17919	2007	96	STOCK 9.2:1	AN-26H	STOCK	STOCK	STOCK	STANDARD	HIGH FLOW	FP-1998
DYNA	BIG SHOTS STAGGERED	17919	2008	96	STOCK 9.2:1	AN-26H	STOCK	STOCK	STAGE1 1584 LEGAL	QUIET	HIGH FLOW	FP-2000



MODIFIED ENGINE DYNA / VRSC MODELS WITH VANCE & HINES EXHAUST

SETTING REFERENCE

*Please note: If your Electronic Control Unit (ECU) has not been modified by the dealer, for your ECU LEVEL, choose stock.
**Please note: All settings reflect stock cams.

BIKE MODEL	PIPE MODEL	PIPE P/N	BIKE YEAR	ENGINE SIZE	PISTON	CAMSHAFT	HEADS	THROTTLEBODY	ECU LEVEL*	BAFFLE TYPE	HIGH-PERF AIR FILTER	SETTING NUMBER
DYNA	BIG SHOTS STAGGERED	17919	2008	96	STOCK 9.2:1	AN-26H	STOCK	STOCK	STAGE1 1584 LEGAL	STANDARD	HIGH FLOW	FP-1999
DYNA	BIG SHOTS STAGGERED	17919	2008	96	STOCK 9.2:1	AN-26H	STOCK	STOCK	STOCK	QUIET	HIGH FLOW	FP-2001
DYNA	BIG SHOTS STAGGERED	17919	2008	96	STOCK 9.2:1	AN-26H	STOCK	STOCK	STOCK	STANDARD	HIGH FLOW	FP-1998
DYNA	DOUBLE BARREL	18003	2006	95	FLAT TOP 9.4:1	STOCK	STOCK	STOCK	STAGE1 1550 LEGAL	STANDARD	HIGH FLOW	FP-1024
DYNA	DOUBLE BARREL	18003	2006	95	FLAT TOP 9.4:1	SE-203	STOCK	STOCK	STAGE2 1550 LEGAL	STANDARD	HIGH FLOW	FP-1077
DYNA	DOUBLE BARREL	18003	2006	95	FLAT TOP 9.4:1	STOCK	STOCK	STOCK	STOCK	STANDARD	HIGH FLOW	FP-0969
DYNA	DOUBLE BARREL	18003	2007	96	STOCK 9.2:1	AN-26H	STOCK	STOCK	STAGE1 1584 LEGAL	QUIET	HIGH FLOW	FP-2066
DYNA	DOUBLE BARREL	18003	2007	96	STOCK 9.2:1	AN-26H	STOCK	STOCK	STOCK	QUIET	HIGH FLOW	FP-2067
DYNA	DOUBLE BARREL	18003	2007	96	STOCK 9.2:1	AN-26H	STOCK	STOCK	STOCK	STANDARD	HIGH FLOW	FP-2050
DYNA	DOUBLE BARREL	18003	2008	96	STOCK 9.2:1	AN-26H	STOCK	STOCK	STAGE1 1584 LEGAL	QUIET	HIGH FLOW	FP-2066
DYNA	DOUBLE BARREL	18003	2008	96	STOCK 9.2:1	AN-26H	STOCK	STOCK	STOCK	QUIET	HIGH FLOW	FP-2067
DYNA	DOUBLE BARREL	18003	2008	96	STOCK 9.2:1	AN-26H	STOCK	STOCK	STOCK	STANDARD	HIGH FLOW	FP-2050
DYNA	PRO PIPE BP	17549	2006	95	FLAT TOP 9.4:1	STOCK	STOCK	STOCK	STAGE1 1550 LEGAL	STANDARD	HIGH FLOW	FP-1021
DYNA	PRO PIPE BP	17549	2006	95	FLAT TOP 9.4:1	SE-203	STOCK	STOCK	STAGE2 1550 LEGAL	STANDARD	HIGH FLOW	FP-1046
DYNA	PRO PIPE BP	17549	2006	95	FLAT TOP 9.4:1	STOCK	STOCK	STOCK	STOCK	STANDARD	HIGH FLOW	FP-0962
DYNA	PRO PIPE BP	17549	2007	96	STOCK 9.2:1	AN-26H	STOCK	STOCK	STAGE1 1584 LEGAL	STANDARD	HIGH FLOW	FP-1994
DYNA	PRO PIPE BP	17549	2007	96	STOCK 9.2:1	AN-26H	STOCK	STOCK	STOCK	STANDARD	HIGH FLOW	FP-1995
DYNA	PRO PIPE BP	17549	2008	96	STOCK 9.2:1	AN-26H	STOCK	STOCK	STAGE1 1584 LEGAL	STANDARD	HIGH FLOW	FP-1994
DYNA	PRO PIPE BP	17549	2008	96	STOCK 9.2:1	AN-26H	STOCK	STOCK	STOCK	STANDARD	HIGH FLOW	FP-1995
DYNA	SHORTSHOTS STAGGERED	17217	2006	95	FLAT TOP 9.4:1	STOCK	STOCK	STOCK	STAGE1 1550 LEGAL	QUIET	HIGH FLOW	FP-1033
DYNA	SHORTSHOTS STAGGERED	17217	2006	95	FLAT TOP 9.4:1	STOCK	STOCK	STOCK	STAGE1 1550 LEGAL	STANDARD	HIGH FLOW	FP-1005
DYNA	SHORTSHOTS STAGGERED	17217	2006	95	FLAT TOP 9.4:1	SE-203	STOCK	STOCK	STAGE2 1550 LEGAL	QUIET	HIGH FLOW	FP-1045
DYNA	SHORTSHOTS STAGGERED	17217	2006	95	FLAT TOP 9.4:1	SE-203	STOCK	STOCK	STAGE2 1550 LEGAL	STANDARD	HIGH FLOW	FP-1042
DYNA	SHORTSHOTS STAGGERED	17217	2006	95	FLAT TOP 9.4:1	STOCK	STOCK	STOCK	STOCK	QUIET	HIGH FLOW	FP-0968
DYNA	SHORTSHOTS STAGGERED	17217	2006	95	FLAT TOP 9.4:1	STOCK	STOCK	STOCK	STOCK	STANDARD	HIGH FLOW	FP-0967
DYNA	SHORTSHOTS STAGGERED	17217	2007	96	STOCK 9.2:1	AN-26H	STOCK	STOCK	STAGE1 1584 LEGAL	NO BAFFLE	HIGH FLOW	FP-2024
DYNA	SHORTSHOTS STAGGERED	17217	2007	96	STOCK 9.2:1	AN-26H	STOCK	STOCK	STAGE1 1584 LEGAL	QUIET	HIGH FLOW	FP-2016



MODIFIED ENGINE DYNA / VRSC MODELS WITH VANCE & HINES EXHAUST

SETTING REFERENCE

*Please note: If your Electronic Control Unit (ECU) has not been modified by the dealer, for your ECU LEVEL, choose stock.
**Please note: All settings reflect stock cams.

BIKE MODEL	PIPE MODEL	PIPE P/N	BIKE YEAR	ENGINE SIZE	PISTON	CAMSHAFT	HEADS	THROTTLEBODY	ECU LEVEL*	BAFFLE TYPE	HIGH-PERF AIR FILTER	SETTING NUMBER
DYNA	SHORTSHOTS STAGGERED	17217	2007	96	STOCK 9.2:1	AN-26H	STOCK	STOCK	STAGE1 1584 LEGAL	STANDARD	HIGH FLOW	FP-2017
DYNA	SHORTSHOTS STAGGERED	17217	2007	96	STOCK 9.2:1	AN-26H	STOCK	STOCK	STOCK	NO BAFFLE	HIGH FLOW	FP-2025
DYNA	SHORTSHOTS STAGGERED	17217	2007	96	STOCK 9.2:1	AN-26H	STOCK	STOCK	STOCK	QUIET	HIGH FLOW	FP-2015
DYNA	SHORTSHOTS STAGGERED	17217	2007	96	STOCK 9.2:1	AN-26H	STOCK	STOCK	STOCK	STANDARD	HIGH FLOW	FP-2018
DYNA	SHORTSHOTS STAGGERED	17217	2008	96	STOCK 9.2:1	AN-26H	STOCK	STOCK	STAGE1 1584 LEGAL	NO BAFFLE	HIGH FLOW	FP-2024
DYNA	SHORTSHOTS STAGGERED	17217	2008	96	STOCK 9.2:1	AN-26H	STOCK	STOCK	STAGE1 1584 LEGAL	QUIET	HIGH FLOW	FP-2016
DYNA	SHORTSHOTS STAGGERED	17217	2008	96	STOCK 9.2:1	AN-26H	STOCK	STOCK	STAGE1 1584 LEGAL	STANDARD	HIGH FLOW	FP-2017
DYNA	SHORTSHOTS STAGGERED	17217	2008	96	STOCK 9.2:1	AN-26H	STOCK	STOCK	STOCK	NO BAFFLE	HIGH FLOW	FP-2025
DYNA	SHORTSHOTS STAGGERED	17217	2008	96	STOCK 9.2:1	AN-26H	STOCK	STOCK	STOCK	QUIET	HIGH FLOW	FP-2015
DYNA	SHORTSHOTS STAGGERED	17217	2008	96	STOCK 9.2:1	AN-26H	STOCK	STOCK	STOCK	STANDARD	HIGH FLOW	FP-2018
DYNA	SIDESHOTS	26001	2006	95	FLAT TOP 9.4:1	STOCK	STOCK	STOCK	STAGE1 1550 LEGAL	QUIET	HIGH FLOW	FP-1023
DYNA	SIDESHOTS	26001	2006	95	FLAT TOP 9.4:1	STOCK	STOCK	STOCK	STAGE1 1550 LEGAL	STANDARD	HIGH FLOW	FP-1022
DYNA	SIDESHOTS	26001	2006	95	FLAT TOP 9.4:1	SE-203	STOCK	STOCK	STAGE2 1550 LEGAL	QUIET	HIGH FLOW	FP-1044
DYNA	SIDESHOTS	26001	2006	95	FLAT TOP 9.4:1	SE-203	STOCK	STOCK	STAGE2 1550 LEGAL	STANDARD	HIGH FLOW	FP-1043
DYNA	SIDESHOTS	26001	2006	95	FLAT TOP 9.4:1	STOCK	STOCK	STOCK	STOCK	QUIET	HIGH FLOW	FP-0966
DYNA	SIDESHOTS	26001	2006	95	FLAT TOP 9.4:1	STOCK	STOCK	STOCK	STOCK	STANDARD	HIGH FLOW	FP-0965
DYNA	SIDESHOTS	26001	2007	96	STOCK 9.2:1	AN-26H	STOCK	STOCK	STAGE1 1584 LEGAL	QUIET	HIGH FLOW	FP-2062
DYNA	SIDESHOTS	26001	2007	96	STOCK 9.2:1	AN-26H	STOCK	STOCK	STAGE1 1584 LEGAL	STANDARD	HIGH FLOW	FP-2061
DYNA	SIDESHOTS	26001	2007	96	STOCK 9.2:1	AN-26H	STOCK	STOCK	STOCK	QUIET	HIGH FLOW	FP-2063
DYNA	SIDESHOTS	26001	2007	96	STOCK 9.2:1	AN-26H	STOCK	STOCK	STOCK	STANDARD	HIGH FLOW	FP-2060
DYNA	SIDESHOTS	26001	2008	96	STOCK 9.2:1	AN-26H	STOCK	STOCK	STAGE1 1584 LEGAL	QUIET	HIGH FLOW	FP-2062
DYNA	SIDESHOTS	26001	2008	96	STOCK 9.2:1	AN-26H	STOCK	STOCK	STAGE1 1584 LEGAL	STANDARD	HIGH FLOW	FP-2061
DYNA	SIDESHOTS	26001	2008	96	STOCK 9.2:1	AN-26H	STOCK	STOCK	STOCK	QUIET	HIGH FLOW	FP-2063
DYNA	SIDESHOTS	26001	2008	96	STOCK 9.2:1	AN-26H	STOCK	STOCK	STOCK	STANDARD	HIGH FLOW	FP-2060
DYNA	STRAIGHTSHOTS HS SLIP-ONS	16823	2006	95	FLAT TOP 9.4:1	STOCK	STOCK	STOCK	STAGE1 1550 LEGAL	QUIET	HIGH FLOW	FP-1027
DYNA	STRAIGHTSHOTS HS SLIP-ONS	16823	2006	95	FLAT TOP 9.4:1	STOCK	STOCK	STOCK	STAGE1 1550 LEGAL	STANDARD	HIGH FLOW	FP-1026
DYNA	STRAIGHTSHOTS HS SLIP-ONS	16823	2006	95	FLAT TOP 9.4:1	SE-203	STOCK	STOCK	STAGE2 1550 LEGAL	QUIET	HIGH FLOW	FP-1075



MODIFIED ENGINE DYNA / VRSC MODELS WITH VANCE & HINES EXHAUST

SETTING REFERENCE

*Please note: If your Electronic Control Unit (ECU) has not been modified by the dealer, for your ECU LEVEL, choose stock.
**Please note: All settings reflect stock cams.

BIKE MODEL	PIPE MODEL	PIPE P/N	BIKE YEAR	ENGINE SIZE	PISTON	CAMSHAFT	HEADS	THROTTLEBODY	ECU LEVEL*	BAFFLE TYPE	HIGH-PERF AIR FILTER	SETTING NUMBER
DYNA	STRAIGHTSHOTS HS SLIP-ONS	16823	2006	95	FLAT TOP 9.4:1	SE-203	STOCK	STOCK	STAGE2 1550 LEGAL	STANDARD	HIGH FLOW	FP-1074
DYNA	STRAIGHTSHOTS HS SLIP-ONS	16823	2006	95	FLAT TOP 9.4:1	STOCK	STOCK	STOCK	STOCK	QUIET	HIGH FLOW	FP-0964
DYNA	STRAIGHTSHOTS HS SLIP-ONS	16823	2006	95	FLAT TOP 9.4:1	STOCK	STOCK	STOCK	STOCK	STANDARD	HIGH FLOW	FP-0963
DYNA	STRAIGHTSHOTS HS SLIP-ONS	16823	2007	96	STOCK 9.2:1	AN-26H	STOCK	STOCK	STAGE1 1584 LEGAL	NO BAFFLE	HIGH FLOW	FP-2161
DYNA	STRAIGHTSHOTS HS SLIP-ONS	16823	2007	96	STOCK 9.2:1	AN-26H	STOCK	STOCK	STAGE1 1584 LEGAL	QUIET	HIGH FLOW	FP-2127
DYNA	STRAIGHTSHOTS HS SLIP-ONS	16823	2007	96	STOCK 9.2:1	AN-26H	STOCK	STOCK	STAGE1 1584 LEGAL	STANDARD	HIGH FLOW	FP-2126
DYNA	STRAIGHTSHOTS HS SLIP-ONS	16823	2007	96	STOCK 9.2:1	AN-26H	STOCK	STOCK	STOCK	NO BAFFLE	HIGH FLOW	FP-2129
DYNA	STRAIGHTSHOTS HS SLIP-ONS	16823	2007	96	STOCK 9.2:1	AN-26H	STOCK	STOCK	STOCK	QUIET	HIGH FLOW	FP-2128
DYNA	STRAIGHTSHOTS HS SLIP-ONS	16823	2007	96	STOCK 9.2:1	AN-26H	STOCK	STOCK	STOCK	STANDARD	HIGH FLOW	FP-2125
DYNA	STRAIGHTSHOTS HS SLIP-ONS	16823	2008	96	STOCK 9.2:1	AN-26H	STOCK	STOCK	STAGE1 1584 LEGAL	NO BAFFLE	HIGH FLOW	FP-2161
DYNA	STRAIGHTSHOTS HS SLIP-ONS	16823	2008	96	STOCK 9.2:1	AN-26H	STOCK	STOCK	STAGE1 1584 LEGAL	QUIET	HIGH FLOW	FP-2127
DYNA	STRAIGHTSHOTS HS SLIP-ONS	16823	2008	96	STOCK 9.2:1	AN-26H	STOCK	STOCK	STAGE1 1584 LEGAL	STANDARD	HIGH FLOW	FP-2126
DYNA	STRAIGHTSHOTS HS SLIP-ONS	16823	2008	96	STOCK 9.2:1	AN-26H	STOCK	STOCK	STOCK	NO BAFFLE	HIGH FLOW	FP-2129
DYNA	STRAIGHTSHOTS HS SLIP-ONS	16823	2008	96	STOCK 9.2:1	AN-26H	STOCK	STOCK	STOCK	QUIET	HIGH FLOW	FP-2128
DYNA	STRAIGHTSHOTS HS SLIP-ONS	16823	2008	96	STOCK 9.2:1	AN-26H	STOCK	STOCK	STOCK	STANDARD	HIGH FLOW	FP-2125



MODIFIED ENGINE DYNA / VRSC MODELS WITH OTHER MANUFACTURER EXHAUST

SETTING REFERENCE

*Please note: If your Electronic Control Unit (ECU) has not been modified by the dealer, for your ECU LEVEL, choose stock.
**Please note: All settings reflect stock cams.

BIKE MODEL	PIPE MODEL	PIPE PIN	BIKE YEAR	ENGINE SIZE	PISTON	CAMSHAFT	HEADS	THROTTLEBODY	ECU LEVEL*	BAFFLE TYPE	HIGH-PERF AIR FILTER	SETTING NUMBER
DYNA	PYTHON DYNA 2-1	41705	2006	95	FLAT TOP 9.4:1	STOCK	STOCK	STOCK	STAGE1 1550 LEGAL	STANDARD	HIGH FLOW	FP-0976
DYNA	PYTHON DYNA 2-1	41705	2006	95	FLAT TOP 9.4:1	STOCK	STOCK	STOCK	STOCK	STANDARD	HIGH FLOW	FP-0970
DYNA	PYTHON DYNA 2-1	41705	2007	96	STOCK 9.2:1	AN-26H	STOCK	STOCK	STAGE1 1584 LEGAL	STANDARD	HIGH FLOW	FP-1994
DYNA	PYTHON DYNA 2-1	41705	2007	96	STOCK 9.2:1	AN-26H	STOCK	STOCK	STOCK	STANDARD	HIGH FLOW	FP-1995
DYNA	PYTHON DYNA 2-1	41705	2008	96	STOCK 9.2:1	AN-26H	STOCK	STOCK	STAGE1 1584 LEGAL	STANDARD	HIGH FLOW	FP-1994
DYNA	PYTHON DYNA 2-1	41705	2008	96	STOCK 9.2:1	AN-26H	STOCK	STOCK	STOCK	STANDARD	HIGH FLOW	FP-1995
DYNA	PYTHON SOFTAIL 2-1	41705	2006	95	FLAT TOP 9.4:1	SE-203	STOCK	STOCK	STAGE2 1550 LEGAL	STANDARD	HIGH FLOW	FP-1078
DYNA	PYTHON STAGGERED DUALS	41503	2007	96	STOCK 9.2:1	AN-26H	STOCK	STOCK	STAGE1 1584 LEGAL	QUIET	HIGH FLOW	FP-2000
DYNA	PYTHON STAGGERED DUALS	41503	2007	96	STOCK 9.2:1	AN-26H	STOCK	STOCK	STAGE1 1584 LEGAL	STANDARD	HIGH FLOW	FP-1999
DYNA	PYTHON STAGGERED DUALS	41503	2007	96	STOCK 9.2:1	AN-26H	STOCK	STOCK	STOCK	QUIET	HIGH FLOW	FP-2001
DYNA	PYTHON STAGGERED DUALS	41503	2007	96	STOCK 9.2:1	AN-26H	STOCK	STOCK	STOCK	STANDARD	HIGH FLOW	FP-1998
DYNA	PYTHON STAGGERED DUALS	41503	2008	96	STOCK 9.2:1	AN-26H	STOCK	STOCK	STAGE1 1584 LEGAL	QUIET	HIGH FLOW	FP-2000
DYNA	PYTHON STAGGERED DUALS	41503	2008	96	STOCK 9.2:1	AN-26H	STOCK	STOCK	STAGE1 1584 LEGAL	STANDARD	HIGH FLOW	FP-1999
DYNA	PYTHON STAGGERED DUALS	41503	2008	96	STOCK 9.2:1	AN-26H	STOCK	STOCK	STOCK	QUIET	HIGH FLOW	FP-2001
DYNA	PYTHON STAGGERED DUALS	41503	2008	96	STOCK 9.2:1	AN-26H	STOCK	STOCK	STOCK	STANDARD	HIGH FLOW	FP-1998
DYNA	RINEHART 2-1	1800-0430	2006	95	FLAT TOP 9.4:1	STOCK	STOCK	STOCK	STAGE1 1550 LEGAL	STANDARD	HIGH FLOW	FP-1028
DYNA	RINEHART 2-1	R5-239CG	2006	95	FLAT TOP 9.4:1	SE-203	STOCK	STOCK	STAGE2 1550 LEGAL	STANDARD	HIGH FLOW	FP-1080
DYNA	RINEHART 2-1	R5-2393CG	2006	95	FLAT TOP 9.4:1	STOCK	STOCK	STOCK	STOCK	STANDARD	HIGH FLOW	FP-0980
DYNA	RINEHART 2-1	1800-0430	2007	96	STOCK 9.2:1	AN-26H	STOCK	STOCK	STAGE1 1584 LEGAL	STANDARD	HIGH FLOW	FP-2077
DYNA	RINEHART 2-1	1800-0430	2007	96	STOCK 9.2:1	AN-26H	STOCK	STOCK	STOCK	STANDARD	HIGH FLOW	FP-2076
DYNA	RINEHART 2-1	1800-0430	2008	96	STOCK 9.2:1	AN-26H	STOCK	STOCK	STAGE1 1584 LEGAL	STANDARD	HIGH FLOW	FP-2077
DYNA	RINEHART 2-1	1800-0430	2008	96	STOCK 9.2:1	AN-26H	STOCK	STOCK	STOCK	STANDARD	HIGH FLOW	FP-2076
DYNA	RUSH SLIP-ON	14201-150	2006	95	FLAT TOP 9.4:1	STOCK	STOCK	STOCK	STAGE1 1550 LEGAL	QUIET 1 1/2 INCH	HIGH FLOW	FP-1029
DYNA	RUSH SLIP-ON	14201-200	2006	95	FLAT TOP 9.4:1	STOCK	STOCK	STOCK	STAGE1 1550 LEGAL	QUIET 2 INCH	HIGH FLOW	FP-1031
DYNA	RUSH SLIP-ON	14201-175	2006	95	FLAT TOP 9.4:1	STOCK	STOCK	STOCK	STAGE1 1550 LEGAL	STANDARD 1 3/4 INCH	HIGH FLOW	FP-1030
DYNA	RUSH SLIP-ON	14201-225	2006	95	FLAT TOP 9.4:1	STOCK	STOCK	STOCK	STAGE1 1550 LEGAL	STANDARD 2 1/4 INCH	HIGH FLOW	FP-1032
DYNA	RUSH SLIP-ON	14201-150	2006	95	FLAT TOP 9.4:1	SE-203	STOCK	STOCK	STAGE2 1550 LEGAL	QUIET 1 1/2 INCH	HIGH FLOW	FP-1081



MODIFIED ENGINE DYNA / VRSC MODELS WITH OTHER MANUFACTURER EXHAUST

SETTING REFERENCE

*Please note: If your Electronic Control Unit (ECU) has not been modified by the dealer, for your ECU LEVEL, choose stock.
**Please note: All settings reflect stock cams.

BIKE MODEL	PIPE MODEL	PIPE PIN	BIKE YEAR	ENGINE SIZE	PISTON	CAMSHAFT	HEADS	THROTTLEBODY	ECU LEVEL*	BAFFLE TYPE	HIGH-PERF AIR FILTER	SETTING NUMBER
DYNA	RUSH SLIP-ON	14201-200	2006	95	FLAT TOP 9.4:1	SE-203	STOCK	STOCK	STAGE2 1550 LEGAL	QUIET 2 INCH	HIGH FLOW	FP-1083
DYNA	RUSH SLIP-ON	14201-175	2006	95	FLAT TOP 9.4:1	SE-203	STOCK	STOCK	STAGE2 1550 LEGAL	STANDARD 1 3/4 INCH	HIGH FLOW	FP-1082
DYNA	RUSH SLIP-ON	14201-225	2006	95	FLAT TOP 9.4:1	SE-203	STOCK	STOCK	STAGE2 1550 LEGAL	STANDARD 2 1/4 INCH	HIGH FLOW	FP-1084
DYNA	RUSH SLIP-ON	14201-150	2006	95	FLAT TOP 9.4:1	STOCK	STOCK	STOCK	STOCK	QUIET 1 1/2 INCH	HIGH FLOW	FP-0973
DYNA	RUSH SLIP-ON	14201-200	2006	95	FLAT TOP 9.4:1	STOCK	STOCK	STOCK	STOCK	QUIET 2 INCH	HIGH FLOW	FP-0978
DYNA	RUSH SLIP-ON	14201-175	2006	95	FLAT TOP 9.4:1	STOCK	STOCK	STOCK	STOCK	STANDARD 1 3/4 INCH	HIGH FLOW	FP-0977
DYNA	RUSH SLIP-ON	14201-225	2006	95	FLAT TOP 9.4:1	STOCK	STOCK	STOCK	STOCK	STANDARD 2 1/4 INCH	HIGH FLOW	FP-0979
DYNA	RUSH SLIP-ON	14201-150	2007	96	STOCK 9.2:1	AN-26H	STOCK	STOCK	STAGE1 1584 LEGAL	QUIET 1 1/2 INCH	HIGH FLOW	FP-2070
DYNA	RUSH SLIP-ON	14201-200	2007	96	STOCK 9.2:1	AN-26H	STOCK	STOCK	STAGE1 1584 LEGAL	QUIET 2 INCH	HIGH FLOW	FP-2073
DYNA	RUSH SLIP-ON	14201-225	2007	96	STOCK 9.2:1	AN-26H	STOCK	STOCK	STAGE1 1584 LEGAL	STANDARD 2 1/4 INCH	HIGH FLOW	FP-2074
DYNA	RUSH SLIP-ON	14201-150	2007	96	STOCK 9.2:1	AN-26H	STOCK	STOCK	STOCK	QUIET 1 1/2 INCH	HIGH FLOW	FP-2071
DYNA	RUSH SLIP-ON	14201-200	2007	96	STOCK 9.2:1	AN-26H	STOCK	STOCK	STOCK	QUIET 2 INCH	HIGH FLOW	FP-2072
DYNA	RUSH SLIP-ON	14201-225	2007	96	STOCK 9.2:1	AN-26H	STOCK	STOCK	STOCK	STANDARD 2 1/4 INCH	HIGH FLOW	FP-2075
DYNA	RUSH SLIP-ON	14201-150	2008	96	STOCK 9.2:1	AN-26H	STOCK	STOCK	STAGE1 1584 LEGAL	QUIET 1 1/2 INCH	HIGH FLOW	FP-2070
DYNA	RUSH SLIP-ON	14201-200	2008	96	STOCK 9.2:1	AN-26H	STOCK	STOCK	STAGE1 1584 LEGAL	QUIET 2 INCH	HIGH FLOW	FP-2073
DYNA	RUSH SLIP-ON	14201-225	2008	96	STOCK 9.2:1	AN-26H	STOCK	STOCK	STAGE1 1584 LEGAL	STANDARD 2 1/4 INCH	HIGH FLOW	FP-2074
DYNA	RUSH SLIP-ON	14201-150	2008	96	STOCK 9.2:1	AN-26H	STOCK	STOCK	STOCK	QUIET 1 1/2 INCH	HIGH FLOW	FP-2071
DYNA	RUSH SLIP-ON	14201-200	2008	96	STOCK 9.2:1	AN-26H	STOCK	STOCK	STOCK	QUIET 2 INCH	HIGH FLOW	FP-2072
DYNA	RUSH SLIP-ON	14201-225	2008	96	STOCK 9.2:1	AN-26H	STOCK	STOCK	STOCK	STANDARD 2 1/4 INCH	HIGH FLOW	FP-2075
DYNA	SE PRO II SLIP-FIT MUFF	80293-99A	2006	95	FLAT TOP 9.4:1	STOCK	STOCK	STOCK	STAGE1 1550 LEGAL	STANDARD	HIGH FLOW	FP-1025
DYNA	SE PRO II SLIP-FIT MUFF	80293-99A	2006	95	FLAT TOP 9.4:1	SE-203	STOCK	STOCK	STAGE2 1550 LEGAL	STANDARD	HIGH FLOW	FP-1079
DYNA	SE PRO II SLIP-FIT MUFF	80293-99A	2006	95	FLAT TOP 9.4:1	STOCK	STOCK	STOCK	STOCK	STANDARD	HIGH FLOW	FP-0971
DYNA	SE STREET PERF SLIP-ON MUFFLERS80493-07		2007	96	STOCK 9.2:1	AN-26H	STOCK	STOCK	STAGE1 1584 LEGAL	STANDARD	HIGH FLOW	FP-2069
DYNA	SE STREET PERF SLIP-ON MUFFLERS80493-07		2008	96	STOCK 9.2:1	AN-26H	STOCK	STOCK	STAGE1 1584 LEGAL	STANDARD	HIGH FLOW	FP-2069
DYNA	THUNDERHEADER 2-1	1031	2007	96	STOCK 9.2:1	AN-26H	STOCK	STOCK	STAGE1 1584 LEGAL	STANDARD	HIGH FLOW	FP-2078
DYNA	THUNDERHEADER 2-1	1031	2007	96	STOCK 9.2:1	AN-26H	STOCK	STOCK	STOCK	STANDARD	HIGH FLOW	FP-2079
DYNA	THUNDERHEADER 2-1	1031	2008	96	STOCK 9.2:1	AN-26H	STOCK	STOCK	STAGE1 1584 LEGAL	STANDARD	HIGH FLOW	FP-2078



MODIFIED ENGINE DYNA / VRSC MODELS WITH OTHER MANUFACTURER EXHAUST

SETTING REFERENCE

*Please note: If your Electronic Control Unit (ECU) has not been modified by the dealer, for your ECU LEVEL, choose stock.

**Please note: All settings reflect stock cams.

BIKE MODEL	PIPE MODEL	PIPE P/N	BIKE YEAR	ENGINE SIZE	PISTON	CAMSHAFT	HEADS	THROTTLEBODY	ECU LEVEL*	BAFFLE TYPE	HIGH-PERF AIR FILTER	SETTING NUMBER
------------	------------	----------	-----------	-------------	--------	----------	-------	--------------	------------	-------------	----------------------	----------------

DYNA	THUNDERHEADER 2-1	1031	2008	96	STOCK 9.2:1	AN-26H	STOCK	STOCK	STOCK	STANDARD	HIGH FLOW	FP-2079
VRSC V-ROD	SUPERTRAPP 2-1 SLIP-ON	528-71132	2002	70	STOCK 11.3:1	STOCK	STOCK	STOCK	STOCK	STANDARD	HIGH FLOW	FP-2117
VRSC V-ROD	SUPERTRAPP 2-1 SLIP-ON	528-71132	2003	70	STOCK 11.3:1	STOCK	STOCK	STOCK	STOCK	STANDARD	HIGH FLOW	FP-2117
VRSC V-ROD	SUPERTRAPP 2-1 SLIP-ON	528-71132	2004	70	STOCK 11.3:1	STOCK	STOCK	STOCK	STOCK	STANDARD	HIGH FLOW	FP-2117
VRSC V-ROD	SUPERTRAPP 2-1 SLIP-ON	528-71132	2005	70	STOCK 11.3:1	STOCK	STOCK	STOCK	STOCK	STANDARD	HIGH FLOW	FP-2117



SETTING VALUES

Please locate your Value Reference from the chart.

SUGGESTION: Use a ruler or highlight SETTING VALUES to reduce risk of losing place while entering values.

	VALUES FOR MODES 1-18																		MODES 19-22		ADDITIONAL MODES WHEN REQUIRED																
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20-22	23	24	25	26	27	28	29	30	31	32	33	34	35				
FP-0251	7	15	4	7	0	-2	5	13	0	-13	-13	-15	-2	-2	-7	-2	0	0			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
FP-0259	-5	-3	0	0	8	14	12	10	-14	2	0	7	-10	4	5	5	0	0			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
FP-0260	-3	-5	-3	-1	5	10	12	12	-10	1	0	4	-12	3	1	1	0	0			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
FP-0263	2	0	0	0	5	6	5	0	0	0	0	4	-3	-5	-5	-3	0	0			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
FP-0288	-4	-6	-4	0	7	8	5	10	-12	5	0	6	-6	10	0	6	0	0			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
FP-0290	-1	0	-2	-4	10	10	13	10	-6	-5	0	0	-5	-3	0	0	0	0			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
FP-0326	0	0	0	0	15	13	13	18	6	9	0	0	6	12	5	-3	0	0			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
FP-0329	2	4	4	4	7	14	9	14	-5	7	3	5	6	10	7	13	0	0			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
FP-0330	3	4	2	0	0	14	12	16	-10	8	2	6	-6	6	-2	3	0	0			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
FP-0378	0	0	0	0	8	13	9	12	0	0	0	4	0	0	-5	-2	0	0			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
FP-0406	0	0	0	0	0	14	-2	10	0	0	0	0	5	20	-10	1	0	0			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
FP-0535	-3	0	4	2	0	0	5	0	0	0	5	0	-4	-8	1	5	0	0			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
FP-0536	0	2	0	0	4	2	5	0	0	0	2	0	0	0	0	2	0	0			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
FP-0595	0	1	2	2	9	12	8	4	-6	0	-12	3	-6	6	-7	1	0	2			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
FP-0596	0	0	0	0	2	8	3	0	-6	0	-9	4	-4	5	-8	0	0	2			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
FP-0597	0	0	0	0	3	5	6	4	0	0	0	0	-4	-2	-2	0	0	0			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
FP-0598	0	0	2	4	5	8	0	2	4	6	-3	6	4	10	2	8	0	2			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
FP-0600	0	0	2	0	14	10	12	7	0	2	-4	2	-5	0	-2	2	0	0			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
FP-0602	2	3	2	2	21	18	19	15	9	8	-5	4	11	9	1	2	0	2			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
FP-0604	3	5	4	0	23	18	15	15	11	10	-3	4	12	11	2	6	0	2			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
FP-0631	12	10	8	5	6	25	9	2	-8	20	5	5	-13	21	-1	5	0	1			22	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
FP-0632	13	11	11	10	13	23	10	3	-8	18	8	6	-15	21	0	3	0	1			22	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
FP-0633	13	11	10	5	8	23	15	5	8	13	18	8	3	12	10	7	0	1			22	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
FP-0670	0	2	2	0	15	16	5	10	4	10	0	2	0	5	-4	-2	0	0			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
FP-0672	13	12	12	0	15	18	15	10	10	3	3	-5	8	7	6	-1	0	9			16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
FP-0772	15	8	6	2	18	21	22	16	8	8	25	6	5	0	16	6	0	1			22	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
FP-0830	6	12	10	7	4	0	5	3	8	0	-8	-10	7	1	-1	-2	0	32			16	0	0	-6	-1	12	18	28	35	45	55	N/A	N/A	N/A	N/A		
FP-0959	8	13	12	10	5	1	3	4	5	3	-6	12	8	-1	0	3	0	32			16	0	0	7	-3	12	13	25	30	40	50	N/A	N/A	N/A	N/A		
FP-0960	12	17	16	14	3	-1	-6	5	10	-2	-12	17	13	2	-4	7	0	32			16	0	0	10	3	12	18	27	35	42	52	N/A	N/A	N/A	N/A		
FP-0961	8	13	11	10	7	3	1	4	12	-3	-9	5	14	-3	2	3	0	32			16	0	0	15	-2	12	16	30	35	40	50	N/A	N/A	N/A	N/A		
FP-0962	11	17	15	13	3	-3	2	12	10	-6	-7	13	19	-10	-3	0	0	32			16	0	0	6	5	12	15	25	32	42	52	N/A	N/A	N/A	N/A		
FP-0963	13	17	16	14	2	-4	-5	4	6	-1	-9	13	11	1	-4	7	0	32			16	0	0	12	1	12	17	25	32	40	50	N/A	N/A	N/A	N/A		
FP-0964	9	14	13	11	12	13	16	14	10	3	-1	15	11	-1	4	1	0	32			16	0	0	13	-2	12	18	27	37	42	50	N/A	N/A	N/A	N/A		
FP-0965	11	15	13	12	7	5	1	0	0	-3	-15	6	4	2	-6	2	0	32			16	0	0	2	-1	12	20	27	35	42	52	N/A	N/A	N/A	N/A		

CALIBRATE THROTTLE
DIAGNOSTICS - NO ENTRY REQUIRED



SETTING VALUES

Please locate your Value Reference from the chart.

SUGGESTION: Use a ruler or highlight SETTING VALUES to reduce risk of losing place while entering values.

	VALUES FOR MODES 1-18																		MODES 19-22		ADDITIONAL MODES WHEN REQUIRED														
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20-22	23	24	25	26	27	28	29	30	31	32	33	34	35		
FP-0966	12	16	14	13	7	4	2	2	9	5	-10	18	7	3	-2	4	0	32			16	0	0	13	0	12	20	27	35	42	52	N/A	N/A		
FP-0967	11	16	14	12	0	2	0	4	10	-3	-8	20	11	-1	-2	5	0	32			16	0	0	10	-2	12	20	27	35	42	52	N/A	N/A		
FP-0968	11	15	13	11	15	19	20	20	10	5	-2	16	8	1	0	0	0	32			16	0	0	6	-6	12	20	27	35	42	52	N/A	N/A		
FP-0969	11	13	14	13	8	-3	8	10	6	-6	-3	10	-3	-5	2	-6	0	32			16	0	0	1	-8	12	20	26	35	45	50	N/A	N/A		
FP-0970	11	14	13	12	13	3	8	10	7	-1	-7	8	7	-4	-2	-3	0	32			16	0	0	4	-5	12	17	25	32	40	52	N/A	N/A		
FP-0971	9	12	10	9	5	8	6	11	1	2	-6	19	6	4	2	8	0	32			16	0	0	11	2	12	18	25	35	45	52	N/A	N/A		
FP-0973	11	14	13	11	4	2	5	6	9	1	-3	18	9	0	5	2	0	32			16	0	0	9	-2	12	18	27	35	45	50	N/A	N/A		
FP-0974	8	10	9	8	-3	-5	-5	-4	-7	-13	-12	-2	-2	-9	-5	-11	0	32			16	0	0	-17	-18	12	17	27	32	47	60	N/A	N/A		
FP-0975	8	10	11	10	2	-1	-3	4	3	-10	-10	12	5	-10	-6	-6	0	32			16	0	0	-8	-16	12	17	28	35	45	57	N/A	N/A		
FP-0976	7	10	9	8	5	-10	-2	-4	-4	-9	-9	6	-5	-12	-11	-15	0	32			16	0	0	-6	-19	12	17	27	35	47	57	N/A	N/A		
FP-0977	10	14	12	11	12	2	4	9	12	-1	-1	17	13	-1	4	7	0	32			16	0	0	12	0	12	17	26	32	42	50	N/A	N/A		
FP-0978	10	12	12	11	10	5	5	9	10	-5	-6	24	8	-5	-1	5	0	32			16	0	0	14	-3	12	18	27	35	45	60	N/A	N/A		
FP-0979	10	13	12	11	10	3	1	5	11	9	-5	8	11	0	-6	2	0	32			16	0	0	17	0	12	20	25	32	40	52	N/A	N/A		
FP-0980	7	8	7	11	10	-10	5	16	5	-13	-4	17	12	-8	0	6	0	32			16	0	0	4	-2	12	16	27	32	42	52	N/A	N/A		
FP-0982	18	12	5	0	0	10	22	0	40	3	14	0	40	-3	7	2	0	32			22	0	-3	3	0	12	15	20	30	60	84	N/A	N/A		
FP-0983	20	15	5	2	5	25	18	8	-20	26	6	5	-22	28	4	5	0	32			22	0	8	0	0	12	20	28	35	60	80	N/A	N/A		
FP-0984	20	15	6	8	8	22	15	30	-8	17	1	23	-14	12	-4	15	0	32			22	8	15	6	3	12	18	26	34	43	60	N/A	N/A		
FP-0987	10	8	8	8	20	20	18	5	55	14	16	13	50	11	20	20	0	32			16	0	-10	0	5	12	15	22	33	40	53	N/A	N/A		
FP-0996	15	13	5	2	10	22	27	7	20	15	6	1	10	12	13	5	0	32			16	0	-1	-6	-8	12	15	23	33	45	55	N/A	N/A		
FP-0997	15	13	5	2	15	18	18	16	32	6	6	7	22	6	12	18	0	32			16	2	-2	-1	2	12	15	25	30	38	50	N/A	N/A		
FP-0998	15	13	5	3	15	24	20	10	30	16	6	14	25	15	12	22	0	32			16	0	5	3	6	12	17	23	30	43	53	N/A	N/A		
FP-0999	25	20	10	8	13	30	25	13	35	10	18	16	30	14	28	24	0	32			16	0	5	10	10	12	15	28	35	43	53	N/A	N/A		
FP-1002	15	18	10	5	7	30	20	7	36	17	2	15	44	15	6	24	0	32			16	0	5	7	10	12	15	22	31	40	53	N/A	N/A		
FP-1003	15	18	10	5	5	23	28	5	20	18	9	14	22	18	15	25	0	32			16	0	5	10	14	12	15	23	33	40	50	N/A	N/A		
FP-1004	18	18	10	5	-5	33	38	8	18	20	8	14	15	20	12	24	0	32			16	0	10	10	15	12	15	23	33	40	50	N/A	N/A		
FP-1005	5	8	9	8	0	1	-1	-3	-8	-6	-16	1	-5	-3	-14	-10	0	32			16	0	0	-9	-17	12	16	20	30	40	50	N/A	N/A		
FP-1006	18	13	5	0	30	20	27	17	59	2	10	2	43	0	14	14	0	32			16	0	0	-3	3	12	15	23	30	40	50	N/A	N/A		
FP-1010	18	8	5	2	10	15	15	15	30	8	16	7	36	6	20	16	0	32			16	0	0	2	5	12	16	23	32	42	50	N/A	N/A		
FP-1011	18	13	6	3	20	22	30	15	36	12	5	6	30	8	10	13	0	32			16	0	-5	-3	-2	12	15	25	30	40	55	N/A	N/A		
FP-1012	20	10	8	0	30	18	24	18	50	20	8	15	60	18	10	22	0	32			16	0	-5	5	5	12	15	20	28	38	55	N/A	N/A		
FP-1013	16	18	8	3	13	12	18	6	32	11	14	7	36	10	18	18	0	32			16	0	-5	5	7	12	15	23	30	40	55	N/A	N/A		
FP-1014	22	10	5	1	50	3	25	28	40	-4	13	18	40	-3	17	24	0	32			16	0	-10	1	3	12	15	22	33	40	55	N/A	N/A		
FP-1015	15	8	4	0	20	18	25	11	42	11	14	8	42	7	18	16	0	32			16	0	-8	-1	-1	12	15	21	30	40	55	N/A	N/A		
FP-1016	10	5	0	0	20	20	35	13	40	8	13	13	40	7	18	20	0	32			16	0	-5	1	0	12	15	23	32	40	55	N/A	N/A		

CALIBRATE THROTTLE
DIAGNOSTICS - NO ENTRY REQUIRED



SETTING VALUES

Please locate your Value Reference from the chart.

SUGGESTION: Use a ruler or highlight SETTING VALUES to reduce risk of losing place while entering values.

	VALUES FOR MODES 1-18																		MODES 19-22		ADDITIONAL MODES WHEN REQUIRED												
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20-22	23	24	25	26	27	28	29	30	31	32	33	34	35
FP-1017	20	10	6	0	20	30	30	20	40	8	9	15	33	8	13	24	0	32			16	0	5	5	5	12	15	25	30	38	55	N/A	N/A
FP-1018	15	18	5	3	10	26	30	12	24	22	2	17	26	20	8	25	0	32			16	0	3	6	7	12	15	22	30	40	55	N/A	N/A
FP-1019	15	10	6	3	8	30	28	13	30	15	13	18	36	15	17	22	0	32			16	0	8	6	2	12	16	23	30	40	55	N/A	N/A
FP-1020	7	9	11	8	0	-3	-11	-6	-2	-14	-15	9	-2	-11	-15	-11	0	32			16	0	0	-7	-16	12	18	25	35	45	55	N/A	N/A
FP-1021	9	8	11	9	8	-6	-1	3	7	-15	-13	4	8	-10	-8	-8	0	32			16	0	0	-4	-13	12	17	25	30	40	55	N/A	N/A
FP-1022	7	9	10	9	1	3	-2	0	-5	-14	-6	4	-1	-7	-12	-6	0	32			16	0	0	-8	-14	12	17	30	40	50	60	N/A	N/A
FP-1023	8	11	12	10	1	2	-7	-7	-7	-4	-13	9	-6	2	-5	-3	0	32			16	0	0	-3	-8	12	17	25	35	45	55	N/A	N/A
FP-1024	8	9	10	9	4	-6	-1	-2	-4	-10	-10	5	-2	-9	-7	-14	0	32			16	0	0	-11	-15	12	17	25	35	45	55	N/A	N/A
FP-1025	7	6	10	8	2	0	-2	-1	-8	-8	-17	4	-2	-4	-10	-8	0	32			16	0	0	-15	-17	12	17	25	30	45	60	N/A	N/A
FP-1026	7	9	11	10	7	0	1	0	-2	-16	-15	4	2	-12	-9	-9	0	32			16	0	0	-16	-16	12	17	27	33	45	60	N/A	N/A
FP-1027	7	9	10	8	2	-3	-4	-5	-2	-12	-13	10	-1	-13	-8	-11	0	32			16	0	0	-12	-17	12	18	27	30	45	60	N/A	N/A
FP-1028	9	7	11	10	8	-10	-2	6	0	-20	-13	8	11	-19	-9	-8	0	32			16	0	0	-14	-19	12	15	25	32	42	60	N/A	N/A
FP-1029	6	9	10	7	0	-3	-5	-4	-10	-14	-16	1	-6	-10	-7	-13	0	32			16	0	0	-13	-18	12	17	25	30	40	55	N/A	N/A
FP-1030	7	10	8	7	6	-2	-3	-3	-4	-15	-15	-4	1	-13	-10	-12	0	32			16	0	0	-6	-19	12	17	25	30	40	55	N/A	N/A
FP-1031	8	7	11	9	9	3	-3	0	-7	-9	-16	9	-4	-11	-13	-12	0	32			16	0	0	-6	-15	12	17	25	32	42	55	N/A	N/A
FP-1032	7	10	9	7	2	-3	-4	-5	4	-7	-19	5	5	-6	-10	-9	0	32			16	0	0	0	-14	12	17	27	30	42	60	N/A	N/A
FP-1033	7	10	9	8	5	6	1	0	-8	-5	-9	5	-3	-7	-9	-12	0	32			16	0	0	-12	-14	12	17	25	30	45	57	N/A	N/A
FP-1034	8	10	9	8	13	8	0	-1	9	1	4	-5	21	6	22	14	0	32			16	0	0	-15	-3	12	16	25	35	45	60	N/A	N/A
FP-1035	7	11	10	9	10	2	-15	-3	18	5	-16	5	27	9	-6	25	0	32			16	0	0	5	11	12	18	25	32	40	60	N/A	N/A
FP-1036	7	10	9	9	8	12	-13	1	15	10	-6	8	21	21	-1	29	0	32			16	0	0	-3	7	12	17	22	30	40	60	N/A	N/A
FP-1042	9	12	12	9	8	12	1	0	6	22	-2	16	24	27	0	36	0	32			16	0	0	2	8	12	15	22	30	42	60	N/A	N/A
FP-1043	7	12	11	9	1	15	-1	-2	2	27	-5	13	16	32	8	25	0	32			16	0	0	11	29	12	18	22	35	45	60	N/A	N/A
FP-1044	7	10	10	8	11	11	-3	-7	9	11	-12	3	20	15	5	25	0	32			16	0	0	1	14	12	17	26	32	40	60	N/A	N/A
FP-1045	8	13	12	10	17	17	9	2	8	4	4	-6	15	10	28	12	0	32			16	0	0	-15	-3	12	17	25	35	45	60	N/A	N/A
FP-1046	7	10	11	9	15	-5	-1	10	17	-12	3	6	27	-7	15	30	0	32			16	0	0	-4	12	12	15	25	32	40	60	N/A	N/A
FP-1074	8	12	9	9	12	7	-3	0	12	-1	-11	7	30	4	2	31	0	32			16	0	0	-9	4	12	17	25	30	40	60	N/A	N/A
FP-1075	8	9	11	10	12	4	-1	0	15	-4	7	2	23	1	22	19	0	32			16	0	0	-11	1	12	17	25	35	45	60	N/A	N/A
FP-1076	8	11	11	10	6	3	8	0	9	2	8	-3	16	3	28	17	0	32			16	0	0	-7	10	12	17	25	35	40	60	N/A	N/A
FP-1077	8	9	11	10	6	-4	-1	3	6	2	10	-3	20	6	27	12	0	32			16	0	0	-12	2	12	16	25	32	40	60	N/A	N/A
FP-1078	8	10	12	10	8	2	-6	2	6	6	0	-4	16	9	14	13	0	32			16	0	0	-1	16	12	17	25	30	45	60	N/A	N/A
FP-1079	8	12	10	8	10	10	2	2	2	8	0	0	15	16	15	29	0	32			16	0	0	-4	12	12	17	23	32	42	60	N/A	N/A
FP-1080	6	11	10	8	2	-14	2	8	-6	-15	6	8	7	-11	23	33	0	32			16	0	0	-10	11	12	17	25	35	42	60	N/A	N/A
FP-1081	9	11	11	8	6	1	-4	-4	4	1	4	0	8	8	18	16	0	32			16	0	0	-13	-1	12	17	25	30	40	60	N/A	N/A
FP-1082	8	10	11	9	10	3	-6	-2	14	-6	-1	6	27	5	13	28	0	32			16	0	0	-11	5	12	17	25	30	40	60	N/A	N/A

CALIBRATE THROTTLE
DIAGNOSTICS - NO ENTRY REQUIRED



SETTING VALUES

Please locate your Value Reference from the chart.

SUGGESTION: Use a ruler or highlight SETTING VALUES to reduce risk of losing place while entering values.

	VALUES FOR MODES 1-18																		MODES 19-22		ADDITIONAL MODES WHEN REQUIRED												
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20-22	23	24	25	26	27	28	29	30	31	32	33	34	35
FP-1083	10	12	13	11	9	3	-11	-3	15	-3	-8	6	27	2	2	29	0	32			16	0	0	-7	5	12	18	25	30	40	60	N/A	N/A
FP-1084	10	14	13	11	13	7	-10	-5	16	2	-12	4	28	13	-3	29	0	32			16	0	0	0	15	12	17	25	30	42	60	N/A	N/A
FP-1141	15	6	3	0	18	25	20	25	12	10	10	-1	12	13	12	4	0	32			16	0	-10	0	2	12	15	23	32	40	55	N/A	N/A
FP-1232	10	2	1	3	15	15	15	10	30	8	8	-10	30	7	10	-2	0	32			16	0	5	-3	-2	12	14	18	30	40	45	N/A	N/A
FP-1268	5	1	3	0	25	10	18	10	25	5	0	14	16	3	4	2	0	32			16	0	8	3	2	12	18	25	40	48	55	N/A	N/A
FP-1269	5	4	-2	0	10	17	20	20	-2	7	-4	12	-2	3	0	0	0	32			16	0	17	-3	-7	12	15	20	35	48	60	N/A	N/A
FP-1270	12	8	5	0	22	17	10	25	18	4	-7	19	24	3	-3	8	0	32			16	0	8	1	1	12	20	25	35	47	60	N/A	N/A
FP-1271	12	10	5	2	22	22	15	22	8	15	-3	18	12	11	3	6	0	32			16	0	5	0	0	12	15	23	32	47	60	N/A	N/A
FP-1272	12	5	0	0	15	20	20	18	10	12	0	20	11	9	5	3	0	32			16	0	8	-1	-1	12	15	24	38	47	60	N/A	N/A
FP-1273	12	6	3	0	22	15	20	20	10	-1	0	20	14	-1	3	5	0	32			16	0	5	0	-2	12	20	28	38	48	60	N/A	N/A
FP-1274	10	8	5	0	20	18	16	20	2	10	-8	18	6	7	-2	6	0	32			16	0	8	3	1	12	20	25	35	49	60	N/A	N/A
FP-1275	15	5	10	0	20	13	15	20	5	2	-7	17	10	1	-2	5	0	32			16	0	5	0	-2	12	20	28	35	47	60	N/A	N/A
FP-1276	7	10	5	0	10	22	5	18	-6	13	-6	13	-4	13	-4	7	0	32			16	0	7	4	2	12	15	22	32	47	60	N/A	N/A
FP-1277	10	5	3	2	20	10	20	18	15	-2	2	16	18	-2	6	5	0	32			16	0	10	-2	0	12	18	28	38	48	60	N/A	N/A
FP-1278	10	5	2	0	23	15	22	18	16	2	0	16	18	0	6	3	0	32			16	0	0	-2	-2	12	18	25	35	48	60	N/A	N/A
FP-1279	12	8	10	3	35	5	15	20	23	-3	-4	15	25	-5	3	5	0	32			16	0	0	0	0	12	16	25	35	46	60	N/A	N/A
FP-1280	12	5	8	2	18	6	20	13	6	-2	-1	8	9	-5	6	-2	0	32			16	0	-5	-3	-1	12	20	26	33	48	60	N/A	N/A
FP-1281	12	6	3	0	24	13	20	15	10	3	-2	13	13	2	2	3	0	32			16	0	5	2	2	12	18	26	38	50	60	N/A	N/A
FP-1282	15	10	6	3	28	10	20	15	8	2	-2	12	10	1	2	0	0	32			16	0	0	-3	-2	12	15	25	35	48	60	N/A	N/A
FP-1283	10	5	3	1	18	13	20	18	5	6	-3	14	8	4	3	3	0	32			16	0	2	-2	0	12	15	25	35	48	60	N/A	N/A
FP-1284	10	8	3	0	25	12	20	18	12	3	0	12	13	0	6	0	0	32			16	0	5	-2	-2	12	15	24	33	47	60	N/A	N/A
FP-1285	8	5	3	0	22	15	18	22	11	0	-2	18	13	-2	3	7	0	32			16	0	5	2	-1	12	19	28	35	47	60	N/A	N/A
FP-1286	10	5	3	0	23	18	15	18	13	0	-5	15	15	2	-1	6	0	32			16	0	8	2	4	12	19	28	35	47	60	N/A	N/A
FP-1287	15	5	10	4	35	2	18	15	18	-8	-2	15	20	-8	3	4	0	32			16	0	0	-2	0	12	15	23	33	48	60	N/A	N/A
FP-1288	12	8	4	0	28	2	22	20	15	-6	0	18	20	-7	5	6	0	32			16	0	0	0	-1	12	18	28	38	48	60	N/A	N/A
FP-1348	3	2	3	1	-2	2	1	-1	3	8	-5	-11	3	8	-3	-5	0	32			16	0	0	5	5	12	17	25	30	40	50	N/A	N/A
FP-1349	3	4	2	5	-4	-7	-5	2	1	-6	-5	-11	3	1	3	-4	0	32			16	0	0	-8	-5	12	17	25	30	40	50	N/A	N/A
FP-1352	4	3	3	4	-9	3	-4	-5	-6	2	-12	-5	-4	4	-12	-3	0	32			16	0	0	1	4	12	17	25	30	40	55	N/A	N/A
FP-1356	2	1	3	2	-9	-8	-5	-6	-6	-9	-8	-8	-6	-8	-8	-5	0	32			16	0	0	-6	-9	12	17	25	30	40	57	N/A	N/A
FP-1357	4	1	2	2	-6	-5	-8	0	-1	-6	-8	-10	-9	-7	-10	-7	0	32			16	0	0	-4	-6	12	17	25	30	40	55	N/A	N/A
FP-1358	3	2	2	3	-10	-8	-3	-6	-4	-10	-10	-8	-8	-9	-11	-6	0	32			16	0	0	-2	-6	12	17	25	30	40	57	N/A	N/A
FP-1359	3	4	3	2	-6	-8	-8	-7	-1	-7	-11	-10	-6	-6	-10	-4	0	32			16	0	0	2	-3	12	17	25	30	40	57	N/A	N/A
FP-1381	2	1	2	3	-6	1	-3	-7	-5	1	-12	-7	-4	-6	-17	-10	0	32			16	0	0	2	-4	12	17	25	30	40	57	N/A	N/A
FP-1382	3	1	3	2	-3	-3	-3	-3	-5	-7	-10	-5	-4	-8	-7	-2	0	32			16	0	0	-3	-7	12	17	25	32	42	57	N/A	N/A

CALIBRATE THROTTLE
DIAGNOSTICS - NO ENTRY REQUIRED



SETTING VALUES

Please locate your Value Reference from the chart.

SUGGESTION: Use a ruler or highlight SETTING VALUES to reduce risk of losing place while entering values.

	VALUES FOR MODES 1-18																		MODES 19-22		ADDITIONAL MODES WHEN REQUIRED												
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20-22	23	24	25	26	27	28	29	30	31	32	33	34	35
FP-1402	4	3	4	5	-6	-5	-8	-2	-5	-6	-10	-12	-3	-1	-1	-5	0	32			16	0	0	-1	5	12	17	25	30	40	55	N/A	N/A
FP-1551	15	0	3	-2	8	23	16	22	-10	8	17	20	-12	10	8	15	0	32			22	0	5	2	5	12	22	35	45	58	68	N/A	N/A
FP-1552	15	3	0	0	30	0	15	18	30	-20	18	18	20	-18	13	20	0	32			22	0	2	5	7	12	20	37	46	63	78	N/A	N/A
FP-1630	7	1	0	0	27	30	12	1	11	21	7	-3	10	14	5	3	0	32			22	-10	5	2	5	12	18	35	48	60	77	N/A	N/A
FP-1631	7	5	0	0	25	30	20	0	10	18	12	1	14	16	9	5	0	32			22	-10	1	3	6	12	18	35	48	60	77	N/A	N/A
FP-1632	0	5	0	0	2	26	12	18	-8	12	-11	13	-6	12	-8	10	0	32			16	0	15	12	8	12	15	23	33	45	55	N/A	N/A
FP-1633	7	1	0	3	28	3	20	18	12	0	5	7	10	0	10	3	0	32			16	2	6	8	1	12	18	25	33	43	50	N/A	N/A
FP-1634	8	1	0	0	38	8	23	18	25	-3	4	16	25	-4	8	7	0	32			16	0	5	6	3	12	16	26	38	48	55	N/A	N/A
FP-1635	5	0	0	0	28	5	22	20	8	-2	3	8	7	-2	6	1	0	32			16	0	8	7	-1	12	18	26	32	45	50	N/A	N/A
FP-1636	5	7	0	0	20	30	3	25	12	16	-10	15	15	13	-6	9	0	32			16	0	18	15	8	12	18	23	32	45	50	N/A	N/A
FP-1637	7	2	3	0	23	15	25	15	25	6	7	20	25	1	10	2	0	32			16	0	6	8	2	12	18	25	35	48	55	N/A	N/A
fp-1643	5	1	0	0	32	8	23	25	22	-5	6	18	23	-4	7	12	0	32			16	0	10	11	6	12	16	28	38	45	55	N/A	N/A
FP-1644	5	1	0	0	20	15	18	18	9	3	0	10	9	2	3	5	0	32			16	0	8	6	1	12	16	25	35	43	55	N/A	N/A
FP-1645	15	6	10	8	12	12	14	10	10	2	15	4	12	2	14	7	0	32			22	0	0	-2	1	10	22	35	45	60	85	N/A	N/A
FP-1670	5	3	0	0	6	25	8	20	-6	12	-6	13	-4	10	-2	10	0	32			16	0	10	13	8	12	15	23	33	43	55	N/A	N/A
FP-1671	5	1	0	0	23	15	15	22	15	2	4	5	16	1	6	7	0	32			16	0	10	10	3	12	16	23	30	40	48	N/A	N/A
FP-1672	5	0	0	0	24	15	20	18	15	3	1	14	16	3	6	10	0	32			16	0	12	13	6	12	17	26	35	43	55	N/A	N/A
FP-1673	3	2	3	4	5	14	4	8	2	15	-3	13	2	13	1	8	0	32			16	0	0	14	8	12	15	22	32	43	50	N/A	N/A
FP-1990	2	4	1	5	0	7	-6	7	7	10	-3	0	2	10	-10	7	0	32			16	0	0	0	-4	12	15	22	27	40	55	N/A	N/A
FP-1991	4	2	1	6	6	-1	-7	7	12	-5	-2	-3	7	-1	-1	7	0	32			16	0	0	-4	-4	12	15	25	30	40	55	N/A	N/A
FP-1992	3	7	2	3	3	18	-5	4	8	24	-20	4	10	27	-17	10	0	32			16	0	0	11	14	12	17	22	30	45	55	N/A	N/A
FP-1993	3	7	2	4	3	23	-5	5	7	21	-24	4	10	20	-22	9	0	32			16	0	0	7	3	12	17	22	30	45	55	N/A	N/A
FP-1994	6	1	5	3	10	-5	7	5	22	-13	3	4	26	-13	7	10	0	32			16	0	0	2	-2	12	17	25	35	45	57	N/A	N/A
FP-1995	3	1	6	4	6	-8	7	5	19	-18	1	-4	22	-15	4	5	0	32			16	0	0	3	-2	12	17	25	35	45	55	N/A	N/A
FP-1996	2	4	6	5	-3	3	5	5	8	-8	-3	-6	11	-6	5	3	0	32			16	0	0	-2	-2	12	17	27	35	45	55	N/A	N/A
FP-1997	3	7	4	4	1	5	4	5	6	-1	-10	-2	6	5	-6	4	0	32			16	0	0	-4	-10	12	17	22	30	42	57	N/A	N/A
FP-1998	3	6	2	3	5	10	-3	3	7	-2	-14	-1	27	3	-10	12	0	32			16	0	0	1	5	12	17	22	32	45	55	N/A	N/A
FP-1999	3	6	2	4	2	7	-6	2	10	7	-14	7	16	3	-12	11	0	32			16	0	0	5	-2	12	17	22	32	45	55	N/A	N/A
FP-2000	3	6	2	4	5	7	-6	4	8	6	-12	5	18	5	-9	10	0	32			16	0	0	1	-3	12	17	22	32	45	55	N/A	N/A
FP-2001	3	4	2	6	0	3	-4	4	18	1	-10	2	16	5	-8	9	0	32			16	0	0	3	-1	12	17	22	32	45	55	N/A	N/A
FP-2015	2	3	4	6	-1	3	5	2	5	-6	-2	-10	14	-3	4	-5	0	32			16	0	0	-6	-3	12	17	26	32	40	55	N/A	N/A
FP-2016	2	4	2	3	1	3	0	2	4	-6	-6	-9	8	-7	-2	-4	0	32			16	0	0	-10	-10	12	17	26	32	40	55	N/A	N/A
FP-2017	2	4	4	6	1	5	4	7	2	7	-14	-2	6	13	-11	6	0	32			16	0	0	-4	-1	12	17	22	27	45	55	N/A	N/A
FP-2018	2	6	5	3	-3	5	5	0	6	7	-5	-3	4	9	-9	0	0	32			16	0	0	4	-2	12	17	22	27	45	55	N/A	N/A

CALIBRATE THROTTLE
DIAGNOSTICS - NO ENTRY REQUIRED



SETTING VALUES

Please locate your Value Reference from the chart.

SUGGESTION: Use a ruler or highlight SETTING VALUES to reduce risk of losing place while entering values.

	VALUES FOR MODES 1-18																		MODES 19-22		ADDITIONAL MODES WHEN REQUIRED												
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20-22	23	24	25	26	27	28	29	30	31	32	33	34	35
FP-2024	1	2	2	3	-6	-5	-10	-5	1	7	-10	-4	2	5	-17	3	0	32			16	0	0	2	-4	12	17	21	30	40	55	N/A	N/A
FP-2025	2	3	6	4	-7	1	7	-6	1	8	-9	1	4	13	-9	8	0	32			16	0	0	3	2	12	17	21	30	40	55	N/A	N/A
FP-2028	2	7	3	5	5	23	-7	10	31	22	-3	18	32	23	1	22	0	32			16	0	0	16	17	12	15	25	35	47	55	N/A	N/A
FP-2029	3	9	4	5	-3	13	5	6	20	25	-6	13	28	21	-3	19	0	32			16	0	0	11	8	12	16	21	32	45	55	N/A	N/A
FP-2030	4	7	2	4	7	10	2	3	23	13	1	11	23	15	4	15	0	32			16	0	0	5	4	12	16	25	32	45	55	N/A	N/A
FP-2031	3	2	5	6	4	-7	4	6	20	1	11	2	22	2	14	3	0	32			16	0	0	-5	-4	12	15	27	32	45	55	N/A	N/A
FP-2032	5	2	4	1	7	-1	2	-4	20	3	1	1	26	2	2	-1	0	32			16	0	0	-5	-2	12	15	22	30	40	55	N/A	N/A
FP-2033	6	2	4	5	20	-6	5	8	40	-6	3	10	60	-14	10	14	0	32			16	0	0	2	2	12	15	22	30	42	55	N/A	N/A
FP-2034	7	1	4	5	16	2	5	6	36	-4	6	10	45	-2	10	14	0	32			16	0	0	5	4	12	15	27	35	45	55	N/A	N/A
FP-2050	1	3	2	4	-3	-5	-12	-3	1	-4	-4	-3	5	-1	-1	3	0	32			16	0	0	-7	-4	12	17	22	27	37	55	N/A	N/A
FP-2060	1	6	5	2	-3	7	5	-7	-11	5	-15	-1	-10	7	-11	5	0	32			16	0	0	5	1	12	17	22	35	45	55	N/A	N/A
FP-2061	1	4	3	0	-6	5	3	-7	-12	14	-15	5	-10	10	-13	6	0	32			16	0	0	10	4	12	17	22	35	45	55	N/A	N/A
FP-2062	2	6	3	1	-2	7	2	-4	2	8	-11	6	-1	10	-8	11	0	32			16	0	0	7	1	12	17	22	35	45	57	N/A	N/A
FP-2063	2	5	3	0	-6	3	2	-10	-3	3	-16	3	2	1	-9	5	0	32			16	0	0	4	1	12	17	22	35	45	55	N/A	N/A
FP-2066	4	3	1	5	6	-1	-10	7	13	-2	-10	-3	21	7	-8	7	0	32			16	0	0	0	-2	12	17	22	27	37	57	N/A	N/A
FP-2067	2	1	2	4	1	0	-14	1	13	-1	-9	1	16	-9	-9	2	0	32			16	0	0	-1	-5	12	17	22	27	37	55	N/A	N/A
FP-2069	2	1	3	0	-3	-4	-2	-7	2	3	0	-2	4	-1	-3	-3	0	32			16	0	0	-1	-6	12	17	22	30	45	57	N/A	N/A
FP-2070	3	2	6	2	1	-2	5	-10	6	-1	-2	-7	6	-2	-1	-6	0	32			16	0	0	-3	-7	12	17	22	30	45	57	N/A	N/A
FP-2071	3	1	5	2	3	2	4	-9	2	-7	-4	-10	4	-8	-1	-6	0	32			16	0	0	-8	-10	12	17	22	30	37	55	N/A	N/A
FP-2072	2	4	3	2	-2	5	3	-5	6	5	-5	2	10	6	-4	5	0	32			16	0	0	8	1	12	17	22	30	40	55	N/A	N/A
FP-2073	4	6	3	1	5	7	1	0	10	9	-5	1	7	8	-4	3	0	32			16	0	0	7	1	12	17	22	30	40	57	N/A	N/A
FP-2074	4	1	5	3	10	2	5	-2	-2	12	-9	2	1	10	-8	5	0	32			16	0	0	8	7	12	17	22	32	42	57	N/A	N/A
FP-2075	2	6	4	1	-4	7	3	-10	-2	3	-12	-3	2	4	-10	2	0	32			16	0	0	6	5	12	17	22	32	42	55	N/A	N/A
FP-2076	5	2	6	3	10	-12	13	5	-7	-13	3	1	-10	-10	9	10	0	32			16	0	0	0	-4	12	19	27	35	45	55	N/A	N/A
FP-2077	5	1	7	3	8	-7	12	4	15	-11	4	9	15	-16	6	12	0	32			16	0	0	5	-1	12	18	25	35	45	55	N/A	N/A
FP-2078	7	2	5	3	18	3	11	5	28	-10	-1	7	30	-14	4	10	0	32			16	0	0	5	2	12	17	27	35	45	55	N/A	N/A
FP-2079	8	3	6	4	18	1	9	5	29	-16	0	8	35	-13	4	20	0	32			16	0	0	6	2	12	17	27	35	45	55	N/A	N/A
FP-2102	10	9	10	6	30	2	22	10	2	1	25	10	6	19	10	13	0	32			20	0	0	5	8	12	20	35	55	70	90	N/A	N/A
FP-2103	10	8	7	3	24	10	10	-5	32	20	15	8	16	12	5	7	0	32			20	0	0	6	7	12	30	42	52	70	90	N/A	N/A
FP-2104	8	6	7	4	16	12	15	10	8	9	33	18	6	8	22	14	0	32			20	0	0	2	3	12	25	35	50	65	85	N/A	N/A
FP-2105	9	7	10	3	14	13	26	-4	11	14	43	15	10	4	33	15	0	32			20	0	0	10	7	12	30	42	52	70	90	N/A	N/A
FP-2117	7	2	5	6	9	1	10	14	-5	2	5	24	-20	6	-4	16	0	32			20	0	0	-12	-4	12	30	40	47	57	85	N/A	N/A
FP-2118	10	6	4	5	25	13	7	5	-25	28	17	15	-18	19	9	20	0	32			20	0	0	3	12	12	17	37	57	70	85	N/A	N/A
FP-2119	10	4	7	6	30	5	20	11	27	-6	24	17	30	-10	18	24	0	32			20	0	0	2	12	12	20	32	52	70	85	N/A	N/A

CALIBRATE THROTTLE
DIAGNOSTICS - NO ENTRY REQUIRED



SETTING VALUES

Please locate your Value Reference from the chart.

SUGGESTION: Use a ruler or highlight SETTING VALUES to reduce risk of losing place while entering values.

	VALUES FOR MODES 1-18																		MODES 19-22		ADDITIONAL MODES WHEN REQUIRED												
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20-22	23	24	25	26	27	28	29	30	31	32	33	34	35
FP-2120	4	3	6	3	3	4	13	3	-4	-6	40	12	-4	-9	36	9	0	32			20	0	0	-11	-4	12	22	35	52	65	85	N/A	N/A
FP-2121	4	2	6	5	6	-4	20	18	0	-13	40	13	-1	-15	38	10	0	32			20	0	0	-5	-2	12	22	35	52	65	85	N/A	N/A
FP-2125	4	5	3	2	2	4	-3	-5	3	-1	-3	-1	5	2	1	5	0	32			16	0	0	-1	-3	12	17	25	35	45	55	N/A	N/A
FP-2126	4	6	2	1	4	8	3	-3	6	-1	-1	1	8	1	-2	5	0	32			16	0	0	-1	-8	12	17	25	35	45	60	N/A	N/A
FP-2127	4	3	4	2	5	4	0	-7	5	-7	-7	-10	8	-3	3	-3	0	32			16	0	0	-6	-11	12	17	25	35	45	60	N/A	N/A
FP-2128	3	2	0	2	5	4	2	-8	8	-5	1	-5	5	-4	1	-1	0	32			16	0	0	-2	-4	12	17	27	35	45	55	N/A	N/A
FP-2129	5	8	3	4	7	20	2	5	8	-1	-8	2	9	-1	-9	11	0	32			20	0	0	9	2	12	20	27	37	45	55	N/A	N/A
FP-2130	8	10	10	0	15	20	22	28	-3	12	15	21	0	5	10	25	0	32			22	0	-6	4	4	10	21	30	44	52	78	N/A	N/A
FP-2131	15	5	0	0	12	40	10	25	-3	38	-3	27	8	35	-4	26	0	32			22	0	-10	4	7	10	18	27	36	49	78	N/A	N/A
FP-2157	10	5	5	0	32	9	22	23	10	0	16	26	10	-2	8	30	0	32			22	0	-5	-4	3	10	20	33	40	50	78	N/A	N/A
FP-2158	10	10	5	0	36	3	20	32	10	-5	12	16	12	-5	5	30	0	32			22	0	4	2	4	10	20	35	40	50	72	N/A	N/A
FP-2159	0	5	0	-3	-15	36	24	9	-34	30	-7	10	-35	35	-10	15	0	32			22	0	-10	0	2	10	19	28	38	61	80	N/A	N/A
FP-2160	0	5	0	0	15	32	10	27	4	18	6	22	2	15	2	20	0	32			22	0	-3	2	6	10	20	27	34	43	70	N/A	N/A
FP-2161	10	7	3	2	15	12	2	-3	12	2	-12	7	26	3	-9	8	0	32			16	0	0	8	4	12	22	27	35	45	57	N/A	N/A
FP-2165	5	5	0	0	38	9	23	5	37	-9	13	12	40	-12	10	17	0	32			22	0	5	5	9	10	20	36	47	64	74	N/A	N/A
FP-2166	7	0	5	0	42	12	28	12	22	1	19	10	28	0	15	14	0	32			22	0	-3	0	5	10	19	27	40	58	72	N/A	N/A
FP-2249	3	9	5	2	2	22	7	0	-7	27	3	4	-5	24	5	6	0	32			22	0	0	1	1	12	20	35	45	70	85	N/A	N/A
FP-2250	8	6	6	8	16	10	8	10	28	-2	1	14	30	1	-4	18	0	32			22	0	0	1	2	10	19	30	42	65	85	N/A	N/A
FP-2251	16	10	8	5	11	15	13	8	6	9	10	8	8	6	10	12	0	32			22	0	0	-1	2	10	18	32	50	60	80	N/A	N/A
FP-2252	7	8	5	7	10	10	8	12	2	5	13	15	3	5	16	22	0	32			22	0	0	-3	-1	10	17	30	45	60	80	N/A	N/A
FP-2253	9	3	10	8	12	3	15	20	2	-2	26	30	4	-3	28	38	0	32			22	0	0	3	9	10	20	35	52	60	85	N/A	N/A

CALIBRATE THROTTLE
DIAGNOSTICS - NO ENTRY REQUIRED